

An eagle with its wings spread is perched on a yellow forklift attachment that is holding a blue drum. The background consists of many more blue drums stacked in rows. The scene is set against a clear blue sky.

# ***EAGLE-GRIP ATTACHMENTS***

***FOR HANDLING AND WEIGHING DRUMS***

Eagle-Grip™ attachments are the safest, most durable, quality built lift truck attachments available for handling drums. Eagle-Grip™ attachments are completely mechanical, requiring no electrical or hydraulic connections to the lift truck. Easy Lift Equipment's products are manufactured, powder coated for durability and assembled in Newark, DE implementing the highest quality control standards in the industry. All Eagle-Grip™ attachments are available on a free 30-day trial for in-plant evaluation and backed by a one-year unconditional warranty.

The EG1 Series lift truck attachments utilize an Eagle-Grip™ light duty single automatic clamping mechanism for handling any size steel or plastic chimed drum. All Eagle-Grip™ 1 & 2 Series attachments are knock-down attachments that bolt together. The 30" long fork pockets with safety chain provide a quick and easy installation to any lift truck. The model EG1SCM-CM is a carriage mounted model designed to fit the carriage of any lift truck or stacker. A rubber belt cradle is optional on any EG1 model but is standard on any non-sparking

**EAGLE-GRIP™ 1 SERIES ATTACHMENTS**  
**Light-Duty Single Clamping Mechanism**  
**750 lb capacity per drum**



Model EG1SCM-F  
Single Drum Attachment



Model EG1SCM2-F  
Double Drum Attachment



Model EG1SCM-S-FQC with Scale and Quick-Claw™ cam lock options.



All Eagle-Grip™ 1 models are available with a Spark Resistant Clamp option. The SRC option is provided with stainless steel outer housings, non-sparking jaws and a rubber anti-static belt that rests against the side of the drum.

## **EAGLE-GRIP™ 2 SERIES ATTACHMENTS**

### **Light-Duty Double Clamping Mechanism**

**1000 lb capacity – 1 drum**

**1500 lb capacity – 2 drums**



Model EG2LDCM-F

The EG2 Series lift truck attachments utilize an Eagle-Grip™ light duty double automatic clamping mechanism for handling any size steel, plastic or fiber chimed drum. The EG2 clamping heads swivel to grip misaligned drums. Double clamping mechanisms are recommended for handling heavy plastic & fiber drums or drums without lids.



Model EG2LDCM2-F



Model EG2LDCM-F-S  
with scale option



Model EG2LDCM-FQC  
with Quick-Claw™ option.

All lift truck attachments for handling drums currently on the market have clamping mechanisms made of carbon steel. When these carbon steel clamping mechanisms contact steel drums and are elevated by the lift truck operator there are two metal surfaces scraping against one another quickly. This metal on metal sliding action to grip the drums' chime is the greatest potential for creating a spark.

All Eagle-rip™ 2 models are available with a Spark Resistant Clamp option. The SRC option is provided with stainless steel outer housings and fiber drum guards, non-sparking jaws and a rubber anti-static belt that rests against the side of the drum. The stainless steel outer housings and guards eliminate any potential sparks as a result on the clamping heads contacting a steel drum.

## EAGLE-GRIP™ 3 SERIES ATTACHMENTS

### Heavy-Duty Single Clamping Mechanism

1500 lb capacity per drum



Totally enclosed 43" fork pockets with cam-lock safety chain



Heads adjust vertically for handling shorter height drums



The model EG3SCM-NF has a narrow 24" overall width to grip drums in tight areas or pallet racks

The Eagle-Grip™ 3 Series lift truck attachments utilize heavy-duty single automatic clamping mechanisms for handling steel, plastic or fiber drums in high volume applications. The clamping mechanisms are completely mechanical, requiring no hydraulic or electrical connections to the lift truck. The model EG3SCM2-F is a double drum attachment which is narrower than two 55-gallon drums together. This enables easy unloading from trucks or double stacked overseas shipping containers. All EG3 models are provided with heavy rubber belts to eliminate any dents or cosmetic marring on the drum.

**Non-sparking SRC option:** All metal surfaces that contact the drum are constructed of non-sparking stainless steel with investment casted non-sparking jaws and thick anti-static rubber belts.



Heavy-duty positive clamping heads for high volume handling



Step tiering drums without pallets saves valuable warehouse space



The model EG3SCM-F can be converted to an EG3SCM2-F by adding another EG3SCM-CM

## **EAGLE-GRIP™ 4 SERIES ATTACHMENTS**

### **Heavy-Duty Double Clamping Mechanism**

**2000 lb capacity per drum**


The top of the line Eagle-Grip™ 4 Series lift truck attachments are heavy-duty double articulating clamping mechanisms for high volume handling of plastic, fiber and steel chimed drums. Eagle-Grip™ 4 Series attachments provide the safest available method of lifting and transporting drums with a lift truck.

The EG4 clamping heads are completely mechanical requiring no electrical or hydraulic connections to the lift truck. Each drum is gripped by two pair or upper and lower jaws which are spaced about 6” apart. The two clamping heads equally divide the weight of the drum on each set of clamping jaws. This method of handling is strongly recommended when handling fiber and plastic drums in excess of 600 lb., light gauge open head steel drums or any drum in which the lid is removed. The swiveling action of the EG4 clamping mechanisms is operator friendly when gripping mis-aligned drums. When used as a double drum attachment, the model EG4DCM2-F can grip two drums simultaneously which are spaced as much as 9” apart.

All fork mounted models enable lift truck operators to install or remove the attachment in seconds. All models are provided with totally enclosed 43” fork pockets for use with lift trucks equipped with 42” forks. Longer fork pockets are available for lift trucks with forks longer than 42”.

In high volume applications, having fork pockets slightly longer than the forks themselves is strongly recommended.

All Eagle-Grip™ Series 4 attachments are provided with a heavy rubber belts to rest against the lower side of the drum. The belt eliminates any cosmetic marring or dents to the drum being handled.



Heavy protective belts eliminate any cosmetic marring or dents



Double gripping heads are best for light gauge open head drums

EG4 double clamping heads equally divide the drum weight in two places on the drums chime. Double clamping heads are strongly recommended for handling heavy plastic or fiber drums





Model EG4DCM-CM

**Eagle-Grip™ Series 3 & 4 single drum attachments are available in 3 models:**

**The model EG4DCM-CM is a carriage mount which fits any Class II carriage**

**The model EG4DCM-F is the same carriage model mounted on an adjustable slide on fork mount frame.**

**The Model EG4DCM-NF is 24" narrow width assembly typically used for order picking, handling tightly nested drums or handling drums for pallet racks.**



Model EG4DCM-F



Model EG4DCM-NF

**All Eagle-Grip™ attachments are available for handling flammable contents in hazardous areas. All metal surfaces that contact a metal drum must be non-sparking.**

**The Eagle-Grip 3 & 4 Series attachments with the SRC option include: Inner and outer housings constructed of non-sparking stainless steel with an investment casted non-sparking alloy clamping jaws. The standard heavy rubber belts used to eliminate any dents or cosmetic marring on the side of the drum are upgraded to heavy anti-static rubber belts.**



## **Quick-Claw™ Safety Restrain System**

**Secures and releases Eagle-Grip™ attachments automatically – Fast and efficient –  
No operator dismount from lift truck required - Prevents slippage accidents – OSHA compliant**

All Eagle-Grip™ attachments include an OSHA required safety chain to secure the attachment to the lift truck. Series 3 & 4 attachments are equipped with a cam lock assembly which attaches to the fork lift carriage quickly without any tools.

When unloading trailers of drums, the operator must dismount the lift truck to remove the attachment when the need to move full pallets of drums is required. To re-secure the attachment, requires dismounting the lift truck once again to install the cam lock assembly.

The optional **Quick-Claw™ Safety Restrain System** locks any fork mounted Eagle-Grip™ model attachment onto the lift trucks forks automatically. Unique rotating cams bind to the heel of each fork when lifted off the ground. The cams retract and release the attachment when contact with the ground is made again.

**Safety & Compliance:** Over 90% of our customers do not use the standard safety chain assembly to secure the attachment to the lift truck. With the addition of the Quick-Claw™ Safety Restrain System, the attachment is secure the instant it leaves the ground. This method is compliant with all federal and state safety codes.

**Increases Productivity:** Cuts on costs and improves productivity while the driver focuses on the task at hand without the fatigue of dismounting to secure or unsecure the attachment to handle pallets.

**Versatility and Reliability:** Built to and last guaranteed to work on any lift truck.

**Retrofit to Older Models:** Can be added to older attachments. Call factory for details.



### ***Preventative Maintenance Kits:***

Keep your Eagle-Grip™ Attachments in top condition by stocking our preventative maintenance kits.

Each P.M. Kit includes: all replacement springs, a belt and miscellaneous hardware at discounted pricing.

Kits are available for all Eagle-Grip models.

All two drum handling attachments require two P.M. Kits.

Quick-Claw™ is a trademark of Lifting Technologies

## ***GRIP & WEIGH™ - Scale Options for Eagle Grip Attachments***

### **Increases Workplace Safety & Productivity By:**

**Eliminates excessive manhandling of drums to and from floor scales**

**Instantly checks the weights of incoming raw materials in drums while unloading**

**Providing easy weight verifications of outgoing wastes in drums**

**Drastically reduces the time required to inventory weights of partial drums manually**



Model EG1SCM-F-S



Model EG1SCM-FQC-S



Model EG4DCMSRC2-F-IS

All Eagle-Grip™ Series 1, 2, 3, & 4 attachments can be equipped with custom load cells and indicators to provide a self contained means of weighing drums using a lift truck or stacker. There are no external connections to the lift truck besides the OSHA required safety chain.

The Eagle-Grip™ 1 & 2 Series attachments are recommended for most industrial weighing and drum handling applications.

The Eagle-Grip™ 3 & 4 Series attachments are necessary for high volume handling or when drum weights exceed 1000 lb.

All models are available with non-intrinsically safe or intrinsically-safe systems for weighing drums in hazardous areas. Attachments with intrinsically safe weighing systems are provided with stainless steel clamping mechanisms with non-sparking jaws and heavy anti-static rubber belts to support the lower third of the drum.

Eagle-Grip™ attachments for weighing two drums at a time can require up to two indicators depending on the application.

Optional label printers can be included with any non-intrinsically-safe scale system.



Model EG2LDCM-F-S



Model EG4DCMSRC-NF-IS



Model EG4DCMSRC-NF-IS with Indicator on swing arm bracket



## ***EAGLE-GRIP™ Model EL4F Heavy-Duty Double Clamping Mechanism*** **2000 lb capacity per drum**


The all mechanical model EL4F automatic clamping mechanisms handle from one to four drums at a time without any hydraulic or electrical connections to the lift truck. Ideal for palletizing drums or loading & unloading trailers and oversea shipping containers in high volume drum handling applications. Simply position the center guide over the four drums, lower and lift. Once the drums are gripped, the clamping mechanisms safely secure the drums in place for transportation over dock plates and other unlevel surfaces.

To release the drums, fully lower the drums onto a pallet or floor then elevate the center guide upward.

The Model EL4F with SRC option is available for handling drums in hazardous areas. All metal surfaces that contact a metal drum must be non-sparking. The model EL4F-SRC includes: Outer housings, fins, center guides, rear guides and spider all constructed of non-sparking stainless steel with investment casted non-sparking alloy clamping jaws.

The Quick-Claw™ Safety Restraint System is also available for any EL4F model. The attachment locks onto the lift trucks' fork blades as soon as it is lifted off the ground.

In applications where lifting drums using a crane or overhead hoist is required, the model EL4CB is the perfect solution. The EL4CB can be purchased with the SRC option if required.



## ***EAGLE-POLY GRIP ATTACHMENTS***

**800 lb. capacity per drum**



Model EPG2-F slides on/off forks in seconds to move full pallets



Can grip one drum on either side or both drums together



Mechanical clamping arms hold drums securely while unloading



Drums rest against circular backrest for vertical support

European style plastic drums have steadily increased in numbers worldwide, especially among importers of fruit juices and other food products. Having a much larger lid or lifting chime, they are typically double stacked without pallets in overseas shipping containers and manhandled to be unloaded. The model EPG2-F can handle 1 or 2 of these containers at a time through the use of clamping arms which wrap around the tapered sides of the drum. This attachment slides onto the forks of any lift truck. It's fully automatic mechanical design requires no electrical or hydraulic connections to the lift truck. A safety chain with cam lock secures the attachment to the lift truck carriage in seconds without tools.

## ***EAGLE-TALON GRIP ATTACHMENTS***

**1500 lb. capacity per drum**

The model ETG1 is an under hook attachment used for lifting and transporting all types of steel, plastic and fiber drums. The positive mechanism of the ETG1 is completely mechanical and requires no electrical connections to the hoist or crane. An adjustable sliding counterweight can be preset to keep drums vertical.

An optional protective belt supports the side of the drum which eliminates ant cosmetic abrasions to the side of the drum. Special models are available to lift 2 drums at a time.



Model ETG1 can handle chimed drums of all sizes. Adjustable counterweight keeps drums of different weights and diameters perpendicular to floor when lifted. Used in conjunction with a hoist for palletizing drums off fill lines or placement onto secondary containment pallets.

## **EAGLE-GRIP™ ATTACHMENT SPECIFICATIONS**

### **EAGLE-GRIP™ I SERIES (Light Duty - Single Clamping Mechanism)**

<b>Model</b>	<b>Capacity (lbs/kg)</b>	<b>Weight (lbs/kg)</b>	<b>Height x Length x Width (inches) (mm)</b>		<b>Drums Handled</b>	<b>Attachment Mounting</b>
EG1SCM-CM	750/340	49/23	32 x 14 x 14	813 x 356 x 356	1	Carriage Mount
EG1SCM-F	750/340	123/56	36 x 34 x 31	889 x 864 x 787	1	Fork Mount
EG1SCM-FQC	750/340	244/111	41 x 47 x 31	1016 x 1194 x 787	1	Fork Mount
EG1SCM2-F	1500/680	175/80	36 x 34 x 38	889 x 864 x 965	1 or 2	Fork Mount
EG1SCM2-FQC	1500/680	296/134	41 x 47 x 38	1016 x 1194 x 965	1 or 2	Fork Mount

### **EAGLE-GRIP™ 2 SERIES (Light Duty - Double Clamping Mechanism)**

<b>Model</b>	<b>Capacity (lbs/kg)</b>	<b>Weight (lbs/kg)</b>	<b>Height x Length x Width (inches) (mm)</b>		<b>Drums Handled</b>	<b>Attachment Mounting</b>
EG2LDCM-CM	1000/454	66/30	32 x 14 x 14	813 x 356 x 356	1	Carriage Mount
EG2LDCM-F	1000/454	140/64	36 x 35 x 31	940 x 889 x 787	1	Fork Mount
EG2LDCM-FQC	1000/454	261/119	41 x 47 x 31	1016 x 1194 x 787	1	Fork Mount
EG2LDCM2-F	1500/680	200/91	36 x 35 x 38	940 x 889 x 965	1 or 2	Fork Mount
EG2LDCM2-FQC	1500/680	296/134	41 x 47 x 38	1016 x 1194 x 965	1 or 2	Fork Mount

### **EAGLE-GRIP™ 3 SERIES (Heavy Duty - Single Clamping Mechanism)**

<b>Model</b>	<b>Capacity (lbs/kg)</b>	<b>Weight (lbs/kg)</b>	<b>Height x Length x Width (inches) (mm)</b>		<b>Drums Handled</b>	<b>Attachment Mounting</b>
EG3SCM-CM	1500/680	85/39	33 x 15 x 18	838 x 381 x 457	1	Carriage Mount
EG3SCM-NF	1500/680	228/104	37 x 47 x 24	940 x 1194 x 610	1	Narrow Fork Mount
EG3SCM-NFQC	1500/680	316/143	42 x 47 x 24	1067 x 1194 x 610	1	Narrow Fork Mount
EG3SCM-F	1500/680	306/139	37 x 47 x 33	940 x 1194 x 838	1	Fork Mount
EG3SCM-FQC	1500/680	394/179	42 x 47 x 33	1067 x 1194 x 838	1	Fork Mount
EG3SCM2-F	3000/1361	382/173	37 x 47 x 41	940 x 1194 x 1042	1 or 2	Fork Mount
EG3SCM2-FQC	3000/1361	470/213	42 x 47 x 41	1067 x 1194 x 1042	1 or 2	Fork Mount

### **EAGLE-GRIP™ 4 SERIES (Heavy Duty - Double Clamping Mechanism)**

<b>Model</b>	<b>Capacity (lbs/kg)</b>	<b>Weight (lbs/kg)</b>	<b>Height x Length x Width (inches) (mm)</b>		<b>Drums Handled</b>	<b>Attachment Mounting</b>
EG4DCM-CM	2000/907	110/50	33 x 15 x 18	838 x 381 x 457	1	Carriage Mount
EG4DCM-NF	2000/907	253/115	37 x 47 x 24	940 x 1194 x 610	1	Narrow Fork Mount
EG4DCM-NFQC	2000/907	341/155	42 x 47 x 24	1067 x 1194 x 610	1	Narrow Fork Mount
EG4DCM-F	2000/907	330/150	37 x 47 x 33	940 x 1194 x 838	1	Fork Mount
EG4DCM-FQC	2000/907	418/190	42 x 47 x 33	1067 x 1194 x 838	1	Fork Mount
EG4DCM2-F	4000/1815	432/196	37 x 47 x 41	940 x 1194 x 1042	1 or 2	Fork Mount
EG4DCM2-FQC	4000/1815	520/236	42 x 47 x 41	1067 x 1194 x 1042	1 or 2	Fork Mount

## EAGLE POLY-GRIP ATTACHMENT (For handling European open head plastic drums)

Model	Capacity (lbs/kg)	Weight (lbs/kg)	Height x Length x Width (inches) (mm)	Drums Handled	Attachment Mounting
EPG1-F	800/363	171/78	22 x 52 x 27 559 x 1321 x 686	1	Fork Mount
EPG2-F	1600/725	252/114	22 x 52 x 52 559 x 1321 x 1321	1	Fork Mount

## EAGLE TALON-GRIP ATTACHMENT

Model	Capacity (lbs/kg)	Weight (lbs/kg)	Height x Length x Width (inches) (mm)	Drums Handled	Attachment Mounting
ETG1	1500/680	75/34	27 x 24 x 14 838 x 381 x 457	1	Hoist Mount

## EAGLE-GRIP™ FOUR DRUM HANDLING ATTACHMENTS

Model	Capacity (lbs/kg)	Weight (lbs/kg)	Height x Length x Width (inches) (mm)	Drums Handled	Attachment Mounting
EL4F	8000/3630	552/252	26 x 38 x 44 660 x 965 x 1105	1,2,3 or 4	Fork Mount
EL4F-SRC	8000/3630	575/261	26 x 38 x 44 660 x 965 x 1105	1,2,3 or 4	Fork Mount
EL4FQC	8000/3630	648/293	27 x 51 x 45 838 x 1283 x 1143	1,2,3 or 4	Fork Mount
EL4FQC-SRC	8000/3630	665/302	27 x 51 x 45 838 x 1283 x 1143	1,2,3 or 4	Fork Mount
EL4CB	8000/3630	474/217	33 x 27 x 27 838 x 673 x 673	1,2,3 or 4	Hoist Mount
EL4CB-SRC	8000/3630	575/261	33 x 27 x 27 838 x 673 x 673	1,2,3 or 4	Hoist Mount

**Note: Eagle-Grip™ Series 1, 2, 3 & 4 attachments equipped with scales will have a slight increase in length and weight.**

TO ORDER OR INQUIRE CONTACT  
 DICK JONES SALES, INC.  
 PO Box 141  
 258 Baltimore Street  
 Hanover, PA 17331  
 Phone 800-441-9955  
 Fax 800-253-4036  
 Email [dickjones@dickjonessales.com](mailto:dickjones@dickjonessales.com)