

A SENNECA COMPANY



IMPACT Traffic Doors

To Order or Inquire Please Contact: Dick Jones Sales, Inc. P 800-441-9955 F 800-253-4036 dickjones@dickjonessales.com RubbAir Door has provided users with quality double acting impact traffic doors that have given years of exceptional durability, reliability, and economy. This trouble free performance over four decades, in virtually every industrial and commercial environment, has made each model of RubbAir doors the standard in quality, workmanship, value and performance.



SLEN-DOR - HPL RETAIL

Slen-Dor is the attractive solution to provide a visual barrier within the demanding retail environments where durability and aesthetics are required.

The 1" thick door panel has a 3/4" composite wood core with .032 high pressure decorative laminate Face Sheets. Stainless Steel edge trim provides protection to the edge of the door. The Slen-Dor HPL has a 9" x 14" acrylic window and opens easily on the EZ-Hang OPH hardware system with 8-3/4" stainless steel jamb guard. The Slen-Dor is built to handle the thousands of cycles required in the retail industry.

	EZ-HANG HARDWARE
	STAINLESS STEEL BACK CHANNEL
	EDGE CAP 0.032" DECORATIVE HIGH-PRESSURE LAMINATE (BOTH SIDES) 9" X 14" CLEAR ACRYLIC WINDOW SET IN BLACK RUBBER MOLDING
8-3/4" JAMB GUARD	0.75" EXTERIOR GRADE SOLID WOOD CORE 1" TOTAL DOOR THICKNESS 18" HIGH STAINLESS STEEL BASE PLATE (OPTIONAL)

Specifications		
Door Construction:	Wood Core	
Face Sheets:	HPL Decorative Laminate	
Hardware:	EZ-Hang OPH Hardware w/ 8-3/4" Stainless Steel Jamb Guard	
Window:	Standard 9" x 14" Windows (other sizes available)	

Options Include: Stock or Custom HPL Laminate (see laminate colors on back), ABS Impact Plates (various heights in ABS, Galvanized Metal and Stainless Steel) & Molded Tear Drop Bumpers (black, various heights).




Specifications		
Door Construction:	Wood Core, Internal Expanded PVC Framework	
Face Sheets:	ABS Face Sheets	
Hardware:	EZ-Hang OPH Hardware w/ 8-3/4" Stainless Steel Jamb Guard	
Window:	Standard 9" x 14" Windows (other sizes available)	

Options Include: ABS Face Sheet Colors: Cloud Gray, Beige, Medium Brown, Antique White, Chocolate Brown, Off White, Forest Green, Red, Navy, Royal Blue, Cadet Blue, White, Fudge Brown, Gray, Metallic Gray & Black (see ABS colors on back), ABS Impact Plates (various heights in ABS, Galvanized Metal and Stainless Steel) & Molded Tear Drop Bumpers (black, various heights).

SLEN-DOR - ABS RETAIL

Slen-Dor is the attractive solution to provide a visual barrier within the demanding retail environments where durability and aesthetics are required.

The 5/8" thick door panel has an internal expanded PVC frame with a wood core and is clad on both sides with ABS face sheets. The black powder coated, galvanized steel back channel provides extra strength where it's needed most. The Slen-Dor has a 9" x 14" acrylic window and opens easily on the EZ-Hang OPH hardware system with 8-3/4" stainless steel jamb guard. The Slen-Dor is built to handle the thousands of cycles required in the retail industry.






SLEN-DOR - METAL CLAD RETAIL

Slen-Dor is the attractive solution to provide a visual barrier within the demanding retail environments where durability and aesthetics are required.

The 1" thick door panel has a 3/4" wood core with Galvanized, Aluminum or Stainless Steel face sheets. The Slen-Dor Metal Clad has a 9" x 14" acrylic window and opens easily on the EZ-Hang OPH hardware system with 8-3/4" stainless steel jamb guard. The Slen-Dor is built to handle the thousands of cycles required in the retail industry.

Specifications		
Door Construction:	Wood Core	
Face Sheets:	Metal Clad Face Sheets (Galvanized, Aluminum, Stainless Steel)	
Hardware:	EZ-Hang OPH Hardware w/ 8-3/4" Stainless Steel Jamb Guard	
Window:	Standard 9" x 14" Windows (other sizes available)	

Options Include: ABS Impact Plates (various heights available in ABS, Galvanized Metal and Stainless Steel) & Molded Tear Drop Bumpers (black, various heights).





Door Construction:	CFC-Free Urethane Foam Core, Extra Heavy Duty Welded Internal Steel Frame, External Extruded PVC Framework, Welded Steel Gussets at Corners & Window Locations, Full Perimeter Gasketing	
Face Sheets:	ABS Face Sheets	
Hardware:	Extra Heavy Duty Stainless Steel V-Cam Hinge System	
Window:	Standard 14-1/2" x 22-1/2" Polycarbonate Windows (other sizes available)	


Specifications

Options Include: ABS Face Sheet Colors: Cloud Gray, Beige, Medium Brown, Antique White, Chocolate Brown, Forest Green, Red, Navy, Royal Blue, Cadet Blue, White, Gray, Metallic Gray & Black (see ABS colors on back), Molded Tear Drop Bumpers (various heights), 180 x 90 Degree V-Cam Hinges & Spring Assist.

POLY-KOR XHD INDUSTRIAL

Poly-Kor XHD will maintain its shape and seal in large openings where other impact doors warp or lose their ability to effectively separate two environments.


The strength of the Poly-Kor XHD lies in its skeletal construction and the insulation value comes from the non CFC-Urethane core. An extra heavy duty welded steel frame with internal reinforcements at the window locations and a full perimeter extruded PVC outer frame bonded to impact resistant ABS cladding, create a durable and rugged impact traffic door suitable for most industrial applications including cart, pallet jack and medium fork lift traffic.



POLY-KOR SUPERMARKET / COMMERCIAL

The Poly-Kor Impact Traffic Door offers an attractive appearance and a strong internal structure with the ability to handle carts, hand truck and pallet traffic.

The 1-1/2" thick fully gasketed door panel includes a CFC-Free Urethane Foam core with an internal structural PVC framework which is clad with textured, impact resistant ABS face sheets. With this level of quality, the Poly-Kor Impact Door is an excellent choice for Restaurant, Supermarket and Commercial applications.



Specifications		
Door Construction:	CFC-Free Urethane Foam Core, Full Perimeter Gasketing, Internal PVC Perimeter Framework	
Face Sheets:	ABS Face Sheets	
Hardware:	V-Cam Composite Hinge System w/ Roller Assembly w/ an extruded Aluminum Back Spine	
Window:	Standard 14" x 16" Double Glazed Windows (other sizes available)	

Options Include: ABS Face Sheet Colors: Cloud Gray, Beige, Medium Brown, Antique White, Chocolate Brown, Off White, Forest Green, Red, Navy, Royal Blue, Cadet Blue, White Fudge Brown, Gray, Metallic Gray & Black (see ABS colors on back) ABS Impact Plates (various heights in ABS, Galvanized Metal & Stainless Steel) & Molded Tear Drop Bumpers (black, various heights).



Specifications


Door Construction:	1-3/4" Thick One Piece Molded Polyethylene Panel, CFC-Free Urethane Core, Full Perimeter Gasketing, Available up to 8' x 10' opening
Face Sheets:	One Piece Molded Polyethylene Face Sheets
Hardware:	Helix Hinge System (swing 125° in both directions) w/ 8-3/4" Stainless Steel Jamb Guard
Window:	Standard 14" x 22" Double Pane Polycarbonate Window (Panel sizes less than 36"), Standard 18" x 22" Molded-In Double Pane Polycarbonate Window (Panel sizes 36" and wider)

Options Include: Polyethylene Face Sheet Colors: Cloud Gray, Beige, Medium Brown, Chocolate Brown, Forest Green, Red, Navy, Royal Blue, Cadet Blue, White, Gray, Metallic Gray & Black (see polyeythylene colors on back), Molded Tear Drop Bumpers (Various Heights)

QUANTUM INDUSTRIAL

Quantum's seamless molded door body and smooth, easy opening helical hinge provide reliable operation.

Quantum's 1-3/4" thick CFC free Urethane core door includes a seamless on piece molded polyethylene shell which provides impact, water, and solvent resistance. Our unique Helix Hinge system provides a smooth 125 degree swing in both directions allowing tighter turns without risk of damage and utilizing more useable door space. These facts and more make Quantum the door of choice in corrosive and Industrial applications. Quantum is the door to use for the dirtiest and toughest applications.






ULTRA-25 SUPERMARKET / COMMERCIAL

The R-25 door provides compliance with the stringent EISA Federal regulation providing energy conservation to your project with the convenience of a free swinging traffic door. Our reliable and attractive design is a proven RubbAir product.

The 4" fully Gasketed door panel includes a CFC free Urethane foamed in place core that includes strength building internal structural PVC frame work which is clad with textured, impact resistant ABS face sheets. The OPH hardware delivers smooth, effortless 90 degree swing in either direction and centers back into your opening reliably every time.



Specifications CFC-Free Urethane Foam Core, Full Perimeter Gasketing, Internal PVC Perimeter Framework Face Sheets: ABS Face Sheets

Hardware:	OPH Hardware, Cast Aluminum Lower Jamb Guard
Window:	Standard 14" x 16" Double Glazed Windows (other sizes available)

Options Include: ABS Face Sheet Colors: Cloud Gray, Beige, Medium Brown, Antique White, Chocolate Brown, Off White, Forest Green, Red, Navy, Royal Blue, Cadet Blue, White, Fudge Brown, Gray, Metallic Gray & Black (see ABS colors on back), ABS Impact Plates (various heights, in ABS, Galvanized Metal & Stainless Steel) & Molded Tear Drop Bumpers (black, various heights).

u e		
		•

STEEL-LITE USPS / INDUSTRIAL / SECURITY


RubbAir proudly provides double acting doors that meet the stringent specifications of the United States Postal Service industry with our Steel Lite door.

The strength of the Steel Lite is in the PVC perimeter frame and the reinforced back spine. ABS or metal face sheets adhered to perimeter PVC frame and wood core provide optimal performance to ensure a secure and tough opening. These doors are manufactured to endure the abuse of the high cycled cart and motorized pallet traffic of the postal industry and will withstand your tough industrial applications.

Specifications

Door Construction:	1-1/2" Thick Door, Wood Core, Full Perimeter Gasketing, Full Perimeter PVC Frame w/ Reinforced Back Spine, Standard 38" Molded Tear Drop Bumpers
Face Sheets:	ABS or Metal Face Sheets
Hardware:	V-Cam Hinge System w/ 9" Lower Aluminum Cast Jamb Guard, 2" Lock Sleeve, 5/8" Diameter Top & Bottom Cane Bolts w/ Safety Clips
Window:	Standard 17" x 23" Double Pane Window Equipped w/ Internal Steel Security Rods

Options Include: ABS Face Sheet Colors: Forest Green, Cadet Blue, White, Metallic Gray, Cloud Gray, Antique White, Chocolate Brown, Red, Medium Bornw, Royal Blue, Navy, Black, Beige, Off White, Fudge Brown & Gray (see ABS colors on back), Metal Facing Options (Aluminum, SS & Galvanized Steel) and 10" x 16" Double Pane Windows Equipped w/ Internal Steel Security Rods (other sizes do not include internal security rods)





ULTRA-LITE SS SUPERMARKET / RETAIL

The Ultra-Lite SS was designed for effortless two-way swing. This attractive door provides both durability and aesthetics for those discerning customers requiring an insulated door product with the attractiveness of the Stainless Steel skins.

The foam core provides insulation values along with a full perimeter gasketing system making this door product a great choice for the Supermarket and Commercial environment when an insulated double acting door is required. The E-Z Hang hardware provides ease of swing with ADA compliance.

	- 14" X 16" CLEAR ACRYLIC WINDOW, DOUBLE GLAZED, SET IN BLACK RUBBER MOLDING.
	14" X 16" CLEAR ACRYLIC WINDOW, DOUBLE GLAZED, SET IN BLACK RUBBER MOLDING. EZ-HANG HARDWARE STAINLESS STEEL FACE SHEETS
STAINLESS STEEL JAMB GUARD	1-1/2" INSULATED WOOD CORE

Specifications	
Door Construction:	Wood and Foam Core, Full Perimeter Gasketing
Face Sheets:	Stainless Steel Face Sheets
Hardware:	EZ Hang OPH Hardware, Cast Aluminum Lower Jamb Guard
Window:	Standard 14" x 16" Windows (other sizes available)


Options Include: ABS Impact Plates (various heights, in ABS, Galvanized Metal & Stainless Steel) & Molded Tear Drop Bumpers (black, various heights).



ULTRA-LITE SUPERMARKET / COMMERCIAL

The Ultra-Lite was designed for effortless two-way using a combination of rigid PVC frame members bonded to ABS Face Sheets with a CFC Free Urethane Foam core .and is perfect for a wide array of applications including Retail, Supermarket and Restaurants.

The PVC sub-frame provides better structural integrity than wood core doors with less weight and less jamb stress. Full perimeter gasketing and insulated panels make Ultra-Lite ideal for Supermarket and Retail site. The E-Z Hang hardware provides ease of swing with ADA compliance.



Specifications

Door Construction:	CFC-Free Foam Core, Internal PVC Perimeter Framework, Full Perimeter Gasketing
Face Sheets:	ABS Face Sheets
Hardware:	EZ-Hang OPH Hardware, Cast Aluminum Lower Jamb Guard
Window:	Standard 14" x 16" Windows (other sizes available)

Options Include: ABS Face Sheet Colors: Cloud Gray, Beige, Medium Brown, Antique White, Chocolate Brown, Off White, Forest Green, Red, Navy, Royal Blue, Cadet Blue, White, Fudge Brown, Gray, Metallic Gray & Black (see ABS colors on back), ABS Impact Plates (various heights, in ABS, Galvanized Metal & Stainless Steel) & Molded Teardrop Bumpers (black, various heights)




TL-250 SUPERMARKET / RETAIL / RESTAURANT

The attractiveness of the TL-250 along with the durability of the product provides the perfect pairing of abuse resistance and affordability for back of house and stock room environment.

Our TL-250 is constructed of a 1/4" thick solid sheet of extruded ABS (color is throughout the thickness), with added layers of ABS and a back channel at the back spine for reinforcement, providing a door that is attractive, rugged and reliable. Our EZ Hang System operand quietly opening to 125 degree swing in both directions and always centers back into your opening. The will not chip, peel or corrode for a long lasting attractive solution to your back room openings.

\$ Specifications	
Door Construction:	Stainless Steel Back Channel, Two 1/4" Thick / 7" Wide Layers of ABS Sheets at Back Spine for Reinforcement
Face Sheets:	1/4" Thick ABS Face Sheets
Hardware:	EZ Hang OPH Hardware, Stainless Steel Lower Jamb Guard
Window:	Standard 9" x 14" Windows (other sizes available)

Options Include: ABS Face Sheet Colors: Cloud Gray, Beige, Medium Brown, Red, Navy, White & Black (see ABS colors on back), ABS Impact Plates (various heights, in ABS, Galvanized Metal & Stainless Steel) & Molded Tear Drop Bumpers (black, various heights).





FLAP-R120 LIGHT DUTY / COMMERCIAL


The Flap-R120 door is a cost effective way to provide a double acting swing door in an opening were visibility is key. RubbAir's 120 model manufactured from .120" thick PVC vinyl for complete visibility and provides a secondary door option for cooler openings.

Optional impact plates are available to provide additional protection when cart traffic is moving through the opening. Optional low temperature PVC material is available for applications requiring this material. Gravity top mounted only hinging system allows loads almost as wide as the opening to pass through without damaging the door panels.

Specifications

Door Construction:	PVC Vinyl Material with Stainless Steel Gravity Hinge System
Face Sheets:	120" Thick PVC Vinyl
Hardware:	Stainless Steel Top Mounted Gravity Hinge

Options Include: Impact Plates (Various Heights)






Door Construction:	Textured PVC, Top / Bottom / Side Edge Seals
Face Sheets:	2 Layers USDA Compliant Textured PVC
Hardware:	Top Mounted Gravity Hinge w/ Bracket Arm
Window:	Standard 15" x 14" Windows Centered in Each Panel, Optional 30" x 14" Window Centered in Opening for Pairs of Doors

Options Include: PVC Colors: Forest Green, Navy, Red, Black, Medium Brown, Chocolate Brown, Royal Blue, Beige & Dolphin Gray (see colors on back), Impact Plates (various heights, various locations)

FLAP-R150 COMMERCIAL / INDUSTRIAL

Flap-R Doors are the solution for narrow openings or sharp turns where more rigid double acting traffic doors continually fail. RubbAir's 150 model provides a solution to the abusive applications found in the Commercial and Industrial market

The door panel is constructed from two layers of USDA compliant abrasion resistant, textured PVC with two rows of flexible horizontal stays sandwiched between the layers to add stability. Further protection is provided by adding impact plates to guard against sharp carts and edges. Gravity top mounted only hinging system allows loads almost as wide as the opening to pass through without damaging the door panels.






Specifications

Door Construction:	Top, Bottom & Side Wiper Seals
Face Sheets:	Forest Green 2-Ply Belting Material
Hardware:	Top Mounted Gravity Hinge
Window:	Standard 15" x 14" Windows Centered in Each Panel

Options Include: Impact Plates (Various Heights, Various Locations)

FLAP-R300 INDUSTRIAL

Flap-R300 is the solution for narrow openings or sharp turns where more rigid double acting traffic doors continually fail. RubbAir's 300 model is for the toughest applications and will work within your freezer environment. The door panel is constructed of two-ply belting material. The layers are bonded together without the use of fastening devices such as rivets eliminating the risk of contamination. Each panel includes perimeter edge seals to completely seal the opening and is suitable for temperatures up to -30 degrees. Gravity top mounted only hinging system allows loads almost as wide as the opening to pass through without damaging the door panels. Available in Forest Green only - see colors on back.



ABS / POLYETHYLENE / PVC COLORS

SUPERMARKET / RETAIL / RESTAURANT



HIGH PRESSURE LAMINATE COLORS

Graphite Almond Black Dark Desert Fog Storm Hunter Chocolate Beige Green Smoky Spectrum Spectrum White Frosty Natural Antique Brittany Blue White Red White Almond White Blue Persian Platinum Blossom Natural Prestige Select Victorian Raven Blue Cherrywood Maple Walnut Cherry Mahogany Wild **Bannister** Vosges Natural Manitoba Gunstock Carmel Crown Cherry Oak Pear Oak Walnut Sagawood Maple Cherry

SUPERMARKET / RETAIL / RESTAURANT

Fonthill

Pear

Pearwood

Biltmore

Cherry

CONTACT US

To Order or Inquire Please Contact: Dick Jones Sales, Inc. P 800-441-9955 F 800-253-4036 dickjones@dickjonessales.com