



shop-air®

A Shop-Vac® Company

Portable 2.

SELF CONTAINED STAINLESS STEEL AIR CIRCULATOR

1033000 - 11 in. DIAMETER ELECTRIC AIR CIRCULATOR

1/4 HP 1200 MAX. CFM 11 in. DIAMETER 4 in. WHEELS



FEATURES:

- 3 speed settings: low/medium/high.
- Portable with telescopic handle & integrated wheels.
- High volume directional air movement.
- Floor level cooling that does not blow air in the operators face.
- Corrosion resistant stainless steel outer body with heavy-duty molded fan blade.
- OSHA approved grills.
- Convenient cord wrap.
- 1 year manufacturer's warranty.

TYPICAL CHARACTERISTICS**

Catalog #	1033000
Model #	SAIR-25
HP	1/4
UPC	0 26282 10330 7
Carton dimensions	26 5/8" x 15 3/4" x 19"
Cube	4.6
Shipping weight	28 lbs.
Cubic feet per minute	1200
Electric rating	120V-60Hz 2.0 Amps
Cord	30 ft.



Shop ventilation and cooling, floor and carpet drying, room drying, smoke/odor evacuation, mold remediation, storm damage.

1033100 - 14 in. DIAMETER ELECTRIC AIR CIRCULATOR

1/3 HP 2180 MAX. CFM 14 in. DIAMETER 7 in. WHEELS



TYPICAL CHARACTERISTICS**

Catalog #	1033100
Model #	SAIR-33
HP	1/3
UPC	0 26282 10331 4
Carton dimensions	26 5/8" x 18 1/2" x 21 5/8"
Cube	6.2
Shipping weight	35 lbs.
Cubic feet per minute	2180
Electric rating	120V-60Hz 3.0 Amps
Cord	30 ft.



Carpet and floor drying, large area ventilation, office, schools, hospitals, flood clean up, storm damage.

1033200 - 16 in. DIAMETER ELECTRIC AIR CIRCULATOR

1/2 HP 3040 MAX. CFM 16 in. DIAMETER 8 in. WHEELS



TYPICAL CHARACTERISTICS**

Catalog #	1033200
Model #	SAIR-50
HP	1/2
UPC	0 26282 10332 1
Carton dimensions	32 3/4" x 20 1/2" x 23 3/4"
Cube	9.2
Shipping weight	46 lbs.
Cubic feet per minute	3040
Electric rating	120V-60Hz 3.5 Amps
Cord	30 ft.



Smoke and odor evacuation, welding and factory workstations, personal cooling, carpet and floor drying, wall and room drying, warehouse ventilation, gymnasiums.

**Specifications subject to change without notice.



shop-air®

A Shop-Vac® Company

Portable 7.

AIR MOVER®

1030300 200 MAX. CFM

200 MAX. CFM



TYPICAL CHARACTERISTICS**

Catalog #	1030300
Model #	AM300
UPC	0 26282 10303 1
Carton dimensions	10 1/2" x 10" x 8"
Cube	0.5
Shipping weight	6 lbs.
Airflow/CFM	200
Electric rating	120V-60Hz 0.4A
Cord	6 ft.



Shop ventilation and cooling, floor and carpet drying, room drying, smoke/odor evacuation, mold remediation, storm damage.

FEATURES:

- 3 Speed air control.
- 3 Operating positions for drying carpets, floors, walls and ceilings.
- Units are stackable for easy storage.
- Lightweight and portable.
- 1 year manufacturer's warranty.

1032000 500 MAX. CFM

500 MAX. CFM



TYPICAL CHARACTERISTICS**

Catalog #	1032000
Model #	AM425
UPC	0 26282 10320 8
Carton dimensions	15" x 15" x 10 1/2"
Cube	1.4
Shipping weight	12 lbs.
Airflow/CFM	500
Electric rating	120V-60Hz 1.5A
Cord	10 ft.



Shop ventilation and cooling, floor and carpet drying, room drying, smoke/odor evacuation, mold remediation, storm damage.

FEATURES:

- 3 Speed air control.
- Built in outlets to connect multiple units.
- 3 Operating positions for drying carpets, floors, walls and ceilings.
- Units are stackable for easy storage.
- Lightweight and portable.
- 1 year manufacturer's warranty.

1030400 1000 MAX. CFM

1000 MAX. CFM



TYPICAL CHARACTERISTICS**

Catalog #	1030400
Model #	AM1000
UPC	0 26282 10304 8
Carton dimensions	19 1/4" x 19 1/4" x 13 7/8"
Cube	2.9
Shipping weight	24 lbs.
Airflow/CFM	1000
Electric rating	120V-60Hz 3.5A
Cord	10 ft.



Shop ventilation and cooling, floor and carpet drying, room drying, smoke/odor evacuation, mold remediation, storm damage.

FEATURES:

- 3 Speed air control.
- Built in outlets to connect multiple units.
- 3 Operating positions for drying carpets, floors, walls and ceilings.
- Units are stackable for easy storage.
- Lightweight and portable.
- 1 year manufacturer's warranty.

1030100 1600 MAX. CFM

1600 MAX. CFM



TYPICAL CHARACTERISTICS**

Catalog #	1030100
Model #	AM1800A
UPC	0 26282 10301 7
Carton dimensions	23 7/8" x 23 7/8" x 18 1/8"
Cube	6.0
Shipping weight	50 lbs.
Airflow/CFM	1600
Electric rating	120V-60Hz 5A
Cord	30 ft.



Shop ventilation and cooling, floor and carpet drying, room drying, smoke/odor evacuation, mold remediation, storm damage.

FEATURES:

- 3 Speed air control.
- 2 Operating positions for drying carpets, floors and ceilings.
- Units are stackable for easy storage.
- Collapsible transport handle and rear wheels.
- 1 year manufacturer's warranty.

**Specifications subject to change without notice.



shop-air®

A Shop-Vac® Company

Accessories 6.

9041800 - 16 in. LOADING DOCK AIR CIRCULATING KIT*

Provides continuous air circulation. Cools down hot trailers by forcing the cool air in and warm air out. The unique mounting bracket let's you easily mount the fan near any loading dock, clear of forklift traffic. With magnetic hose end mounting bracket, you're free to position the air duct hose anywhere within the dock door.

TYPICAL CHARACTERISTICS**

Catalog # 9041800
UPC 0 26282 90418 8



Air circulating mounting bracket.



Flexible air duct hose.



Magnetic hose end mounting bracket.



■ Forces cool air into trailer and warm air out.

■ Air circulator sold separately.

*For use with 16 in. portable and floor model



shop-air®

A Shop-Vac® Company

Air Cleaner

1030000 - AIR MANAGEMENT SYSTEM

FEATURES:

- Super quiet operation by long life induction motor.
- Superior airflow (235 CFM) over filter area.
- Efficient cleaning from 2 stage filter system.
- Lightweight enough to carry right to the source of the dust.
- Durable stainless steel tank with molded poly end castings.
- Provides 2000 sq. inches of filtration area to capture particles as small as 5 microns.
- 10' power cord with easy storage.
- Removable end grill for convenient filter maintenance.
- 2 year manufacturer's warranty.

TYPICAL CHARACTERISTICS**

Catalog # 1030000
Model # AC235A
UPC 0 26282 10300 0
Carton dimensions 26½" x 16½" x 18½"
Cube 4.6
Shipping weight 18 lbs.
Cubic feet per minute 235
Electric rating 120V ~ 60Hz 1.4A
Cord 10 ft.



Keep your workshop cleaner, healthier and safer! Filters the air in a 290 sq. ft. room every 10 minutes.

**Specifications subject to change without notice.

235
MAX. PEAK
CFM



shop-air®

A Shop-Vac® Company

Wall/Ceiling Mount 3.

SELF CONTAINED STAINLESS STEEL AIR CIRCULATOR

1034000 - 11 in. DIAMETER ELECTRIC AIR CIRCULATOR

1/4
HP

1200
MAX. CFM

11 in.
DIAMETER



■ Mobile floor mounting bracket is not included.

FEATURES:

- 3 speed settings: low/medium/high.
- High volume directional air movement.
- Adjustable arm lets you direct the airflow.
- Corrosion resistant stainless steel outer body with heavy-duty molded fan blade.
- OSHA approved grills.
- Convenient cord wrap.
- 1 year manufacturer's warranty.

TYPICAL CHARACTERISTICS**

Catalog # 1034000
Model # WAIR-25
HP 1/4
UPC 0 26282 10340 6
Carton dimensions 22¼" x 18¾" x 19"
Cube 4.6
Shipping weight 29 lbs.
Cubic feet per minute 1200
Electric rating 120V ~ 60Hz 2.0 Amps
Cord 15 ft.



Shop ventilation and cooling, floor and carpet drying, room drying, smoke/odor evacuation, mold remediation, storm damage.

1034100 - 14 in. DIAMETER ELECTRIC AIR CIRCULATOR

1/3
HP

2180
MAX. CFM

14 in.
DIAMETER



■ Mobile floor mounting bracket is not included.

TYPICAL CHARACTERISTICS**

Catalog # 1034100
Model # WAIR-33
HP 1/3
UPC 0 26282 10341 3
Carton dimensions 22¼" x 18¾" x 21½"
Cube 5.2
Shipping weight 35 lbs.
Cubic feet per minute 2180
Electric rating 120V ~ 60Hz 3.0 Amps
Cord 15 ft.



Carpet and floor drying, large area ventilation, office, schools, hospitals, flood clean up, storm damage.

1034200 - 16 in. DIAMETER ELECTRIC AIR CIRCULATOR

1/2
HP

3040
MAX. CFM

16 in.
DIAMETER



■ Mobile floor mounting bracket is not included.

TYPICAL CHARACTERISTICS**

Catalog # 1034200
Model # WAIR-50
HP 1/2
UPC 0 26282 10342 0
Carton dimensions 20¼" x 20½" x 23¾"
Cube 5.7
Shipping weight 38.5 lbs.
Cubic feet per minute 3040
Electric rating 120V ~ 60Hz 3.5 Amps
Cord 15 ft.



Smoke and odor evacuation, welding and factory workstations, personal cooling, carpet and floor drying, wall and room drying, warehouse ventilation, gymnasiums.

**Specifications subject to change without notice.



shop-air®

A Shop-Vac® Company

Filters 4.

FILTERS



Polyester, Anti-Microbial and Carbon



16 in. Diameter Mounting Ring (9041100) 14 in. Diameter Mounting Ring (9041000) 11 in. Diameter Mounting Ring (9040900)

FEATURES:

- Keeps your area dust free.
- Traps airborne particles to provide filtered air.
- Remove dust & contaminating particles.

FILTERS:

Parts	Description
9033700	Polyester Air Circulator Filter
9033800	Antimicrobial Air Circulator Filter
9033900	Carbon Air Circulator Filter
9036200	Polyester Air Circulator Filter with 11" Filter Mounting Ring
9036300	Antimicrobial Air Circulator with 11" Filter Mounting Ring
9036400	Carbon Air Circulator Filter with 11" Filter Mounting Ring
9036500	Polyester Air Circulator Filter with 14" Filter Mounting Ring
9036600	Antimicrobial Air Circulator Filter with 14" Filter Mounting Ring
9036700	Carbon Air Circulator Filter with 14" Filter Mounting Ring
9036800	Polyester Air Circulator Filter with 16" Filter Mounting Ring
9036900	Antimicrobial Air Circulator Filter with 16" Filter Mounting Ring
9037100	Carbon Air Circulator Filter with 16" Filter Mounting Ring

shop-air®

A Shop-Vac® Company

Mobile Floor & Wall/Ceiling Mounting Bracket*

9041900 - MOBILE FLOOR MOUNTING BRACKET*



FEATURES:

- Free standing design makes it easy to place where needed.
- Easy roll heavy-duty wheels for portability.
- Non-tipping design.
- Reinforced heavy-duty steel construction for long lasting performance.

TYPICAL CHARACTERISTICS**

Catalog # 9041900
 UPC 0 26282 90419 5
 Carton dimensions TBA

* For use with 11", 14" and 16" diameter wall mounted air circulators. Requires bracket included with air circulator or 9042100 mounting bracket.

■ Air circulator sold separately.

9042100 - WALL AND CEILING MOUNTING BRACKET*



FEATURES:

- Steel construction.
- Easily attaches to your wall and ceiling.
- Adjustable arm lets you direct the airflow.

TYPICAL CHARACTERISTICS**

Catalog # 9042100
 UPC 0 26282 90421 8
 Carton dimensions TBA

* For use with 11", 14" and 16" diameter wall mounted air circulators.

**Specifications subject to change without notice

■ Air circulator sold separately.



shop-air®

A Shop-Vac® Company

Accessories 5.

MULTI-DIRECTIONAL AIRFLOW ADAPTER

FEATURES:

- Allows you to direct airflow up to 8 different directions.
- Dries moisture in confined and hard to reach areas.
- 11 in. diameter adapter includes: Ring adapter, (4) 2-1/2in. x 12ft. flexible hoses (9041200).
- 14 in. diameter adapter includes: Ring adapter, (6) 2-1/2in. x 12ft. flexible hoses (9041300).
- 16 in. diameter adapter includes: Ring adapter, (8) 2-1/2in. x 12ft. flexible hoses (9041400).



Direct airflow to dry carpets/floors, rooms, crawl spaces, under desks and equipment, etc.

TYPICAL CHARACTERISTICS**

9041200 - 11 in.
 Catalog # 9041200
 UPC 0 26282 90412 6

9041300 - 14 in.
 Catalog # 9041300
 UPC 0 26282 90413 3

9041400 - 16 in.
 Catalog # 9041400
 UPC 0 26282 90414 0

■ Air circulator sold separately.



16 in. diameter adapter shown.

FLEXIBLE AIR DUCT ADAPTER



FEATURES:

- Allows you to adapt flexible air duct hosing to your Air Circulator.
- Available in 11in., 14in., and 16in., diameter sizes
- Dust evacuation.
- Smoke evacuation.

TYPICAL CHARACTERISTICS**

9041500 - 11 in.
 Catalog # 9041500
 UPC 0 26282 90415 7

9041600 - 14 in.
 Catalog # 9041600
 UPC 0 26282 90416 4

9041700 - 16 in.
 Catalog # 9041700
 UPC 0 26282 90417 1



16 in. Diameter Mounting Ring (9041700) 14 in. Diameter Mounting Ring (9041600) 11 in. Diameter Mounting Ring (9041500)

■ Air circulator sold separately.

**Specifications subject to change without notice

■ 11 in., 14 in., or 16 in. diameter mounting ring included.

Air Mover/Air Circulators

Model	Description	Price
Portable Air Movers		
1030300	Mini Air Mover	\$71
1030400	Medium Air Mover	\$206
1030100	Air Mover	\$391
1032000	Small Air Mover	\$97
Portable Stainless Air Circulators/Blowers		
1033000	11", 1/4HP Portable Blower	\$377
1033100	14", 1/3HP Portable Blower	\$465
1033200	16", 1/2HP Portable Blower	\$566
Wall Mounts Stainless Steel Air Circulator		
1034000	11" Wall Mount Air Circulator	\$402
1034100	14" Wall Mount Air Circulator	\$503
1034200	16" Wall Mount Air Circulator	\$604
Filters for Portable Air Circulators/Blowers		
9033700	Polyester Air Circulator Filter, 2PK	\$40
9033800	Antimicrobial Air Circulator Filter, 2PK	\$27
9033900	Carbon Air Circulator Filter, 2PK	\$57
Accessories for Portable Air Circulators/Blowers		
9040900	11" Filter Mounting Ring	\$18
9041000	14" Filter Mounting Ring	\$19
9041100	16" Filter Mounting Ring	\$20
9041200	11" Multi-Directional Airflow Adapter	\$131
9041300	14" Multi-Directional Airflow Adapter	\$181
9041400	16" Multi-Directional Airflow Adapter	\$234
9041500	11" Flexible Air Duct w/Adapter	\$172
9041600	14" Flexible Air Duct w/Adapter	\$269
9041700	16" Flexible Air Duct w/Adapter	\$356
9041800	16" Air Circulator Loading Dock Kit	\$406

Deduct a 20% courtesy discount from the prices shown. FOB PA Quick Ship.