

MODULAR DRAWER CABINETS CATALOG Engineered for Strength





PROVIDING STORAGE SOLUTIONS SINCE 1901

A Message from Lyon Workspace Products

About Lyon Workspace Products

Iorkspace Products

Lyon Workspace Products, headquartered in Aurora, IL, is an innovator, manufacturer and marketer of storage systems and workspace products. Since 1901, Lyon has pioneered technologies and system solutions in the product categories of lockers, shelving, storage-racking and modular drawer cabinets. Today, Lyon continues its commitment to helping distributors and end-users store and organize their products while maximizing workspace.

High Density Storage Solution

Lyon Workspace Products offers a complete line of modular drawer storage cabinets and accessories that provide the maximum use of cubic space for the highest level of product storage density. Lyon modular drawer cabinets are the best solution for the secure, organized storage and retrieval of small to mid-sized products.

Drawers can be subdivided into an infinite range of custom compartments to better organize your products. Lyon drawers are ergonomically designed to bring these individual compartments to full view at the best possible human reach points. This results in improved worker efficiency and increased productivity while often doubling storage capacity within the same amount of floor space.

Installations ranging from a single-freestanding cabinet to multiplestacked groups of cabinets provide flexible solutions to meet every storage requirement while maximizing your storage space. Lyon modular drawer cabinets have been designed for applications in many fields like:

GSA Advantage!®

- Manufacturing
- Government
- Utilities
- **Transportation**
- Healthcare
- Education and more...

Customizing the Right Storage Solution

Contact us with your special requirements; Lyon's engineering and manufacturing departments will develop a unique modular drawer cabinet to fit your special application.

Quick-Ship Program

Lyon has developed a unique manufacturing process that provides quick delivery of all products shown in this catalog.

Modular Drawer Cabinet Warranty







MODULAR DRAWER CABINETS

Table of Contents



TABLE OF CONTENTS

Product Features	4
Pre-Engineered Ordering Guide	5
Pre-Engineered Modular Drawer Ca	binets
Standard (30" Wide)	6-13
Standard Drawer Layouts	14-15
Slender (22-13/16" Wide)	
Slender Drawer Layouts	19
Medium (36–3/8" Wide)	20
Medium Drawer Layouts	21
Extra (44-3/8" Wide)	22-23
Extra Drawer Layouts	24-25
Double (59-5/8" Wide)	26-27
Double Drawer Layouts	28-29

Overhead Units	
Custom Design Modular Drawer Cabinets	
Custom Design Ordering Guide32	,
Step 1: Housing Selection32	,
Step 2: Drawer Selection32	2
Step 3: Locking Selection33	5
Step 4: Color Selection	5
Step 5: Layout Selection (optional)	5
Modular Drawer Cabinet Accessories	
Housing Options	,
Drawer Options	
Pre-Engineered Mobile	
Mobile Cabinets42	2
Mobile Workstations43	5

Organized Storage

(front and back)

Custom Design Mobile Workstations

Step 1: Housing Selection44	
Step 2: Drawer and/or Door Selection44	
Step 3: Workstation Options45	
Step 4: Color Selection45	
Work Benches	
Work Bench Concepts/Accessories54-57	
Drawers in Shelving	
Weapons Storage60-61	
Computer Workstations	
Spare Parts List	



Manufactured in the USA with US domestic steel. Keeping jobs in America.

Why choose Lyon Modular Drawer Cabinets..

...to provide you with the highest density storage solution for small to mid-sized products, while reducing your storage footprint by as much as 50%.

Performance

The Lyon drawer suspension features the highest quality ball bearing rollers resulting in the "smoothest" operating drawers in the industry, empty and fully loaded.

Accessibility

Full extension drawers provide 100% visibility to the stored product. Lyon drawers are ergonomically engineered to provide the best possible human reach points.

Efficiency

Drawer interiors can be sub-divided into compartments for the storage of parts without cartons. Neat and organized storage improves inventory control.

Security

Choose from many different types of latching systems to provide for the safe secure storage of valuable products.

Modularity

Flexible design based on a "Building-Block" approach. From pre-engineered to custom-built products, Lyon offers an innovative array of easy order options to adapt to your future growth.

NOTE: With a fully loaded (400 lbs.) drawer capacity, Lyon averaged 8,000 cycles compared to 4,000 competitive cycles before drawer push-pull forces exceeded 50 lbs.

Designed for Efficiency, Engineered for Strength! **Cylinder Lock** with Dust Cover Side and Back and Jumbo Key **Top Knock-Out Holes for** Holes for Multi-Level Stacking Multi-Cabinet Attachment "Double-Wall" Drawer Construction High-Performance 400 lb. Capacity **Drawer Suspension Ergonomic Handles** with Removable **Labels and Shields** Rugged, Reinforced **Cabinet Bottoms** Wide Base Opening for Forklift Access **Removable Base Closure Panels** Note: All attachment and


anchoring fasteners included.




Product Features

Drawer Heights

These color shades quickly identify relative drawer sizes in this catalog.





		н	U	S
DRAWER SIZE	DRAWER NUMBER	Front Height	Usable Height	Side Height
Small	40	3-1/16"	2-1/4"	1 7/0"
Sman	50	3-7/8"	3"	1-7/8"
Medium	60	4-5/8"	3-7/8"	3"
weulum	70	5-7/16"	4-5/8"	3
Lorgo	80	6-3/16"	5-3/8"	4-5/8"
Large	90	7"	6-1/4"	4-0/0
	100	7-3/4"	7"	
	110	8-9/16"	7-3/4"	
	120	9-3/8"	8-1/2"	
F .	130	10-1/8"	9-3/8"	
Extra Large	140	10-7/8"	10-1/8"	6-1/4"
20.90	150	11-3/4"	10-7/8"	
	160	12-1/2"	11-3/4"	
	170	13-5/16"	12-1/2"	
	180	14-1/16"	13-1/4"	








30-1/8" High 310




Mid-Range 37-3/16" High 400




Counter 44-1/4" High **490**





Pre-Engineered Ordering Guide





Single Drawer Access 250 Cabinet Series

Automatically locks unopened drawers when one drawer is pulled out, preventing accidental tipping. **The only "True-Interlock" in the industry.**



Multiple Drawer Access 251 Cabinet Series


Provides access to multiple drawers, and is an economical alternative, but requires proper anchoring to prevent accidental tipping.

Both styles include a keyed lock with 2 keys, pre-punched anchoring holes, and fastener kit. Cabinets can be anchored to each other, to a wall, or to the floor.



e er	Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
aw	Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
25	Drawer Size	SM	ALL	MED	IUM	LAF	RGE				E)	(TRA LAR	GE			

Desk (26-7/8" High)




144 compartments


270B




4 drawers with 70 compartments 2701004



4 drawers with 41 compartments 2701001



3 drawers with 50 compartments



ADE IN THE

48 compartments







Table (30-1/8" High)














ADE IN TH

Standard (30" Wide)

e.	Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
rawer	Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
ā	Drawer Size	SM	ALL	MED	IUM	LAF	RGE				ΕX	(TRA LAR	GE			

Mid-Range (37-3/16" High)



4 drawers with 48 compartments 4001004 4 drawers with 44 compartments 4001014 2 drawers with 48 compartments, base shelf and adjustable shelf behind lockable swing door **4001006**

Base shelf and adjustable shelf behind lockable swing door 2514001008 Base shelf and adjustable shelf 2514001009








MADE IN THE

ъ.	Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
aw	Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
P P	Drawer Size	SM	ALL	MED	IUM	LAF	RGE				E)	(TRA LARC	GE			

Eye-Level (59-1/4" High)







te e Dr	rawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
	sable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
	rawer Size	SM/	ALL	MED	IUM	LAF	RGE				EX	(TRA LAR	GE			

MADE IN THE

Eye-Level (59-1/4" High)










Usable Height


To identify compartment height available, locate the "Usable Height" dimension for the specific drawer number listed in the chart below.

Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Drawer Size	SM	ALL	MED	NUI	LAF	RGE				ΕX	(TRA LAR	GE			

Compartment Size

Compartment Size	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Dimension	1-7/8"	2-11/16"	3-1/2"	4-1/4"	5-1/16"	5-7/8"	6-11/16"	7-1/2"	8-1/4"	9-1/16"	9-7/8"	10-11/16"	11-1/2"	12-1/4"	13-1/16"
Compartment Size	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Dimension	13-7/8"	14-11/16"	15-1/2"	16-1/4"	17-1/16"	17-7/8"	18-11/16"	19-1/2"	20-1/4"	21-1/16"	21-7/8"	22-11/16"	23-7/16"	24-1/4"	25-1/16"








Usable Height


To identify compartment height available, locate the "Usable Height" dimension for the specific drawer number listed in the chart below.


Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Drawer Size	SM	ALL	MED	IUM	LAF	RGE				E)	(TRA LAR	GE			

Compartment Size

Compartment Size	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Dimension	1-7/8"	2-11/16"	3-1/2"	4-1/4"	5-1/16"	5-7/8"	6-11/16"	7-1/2"	8-1/4"	9-1/16"	9-7/8"	10-11/16"	11-1/2"	12-1/4"	13-1/16"
Compartment Size	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Dimension	13-7/8"	14-11/16"	15-1/2"	16-1/4"	17-1/16"	17-7/8"	18-11/16"	19-1/2"	20-1/4"	21-1/16"	21-7/8"	22-11/16"	23-7/16"	24-1/4"	25-1/16"









L o	Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
Drawe Table	Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
	Drawer Size	SMA	LL	MED	IUM	LAR	GE				E	XTRA LAI	RGE			



Desk (26-7/8" High)



5 drawers with 144 compartments 270SLB



4 drawers with 70 compartments 270SL1004




4 drawers with 41 compartments 270SL1001




3 drawers with 50 compartments



3 drawers with 48 compartments 270SL1007






3 drawers with 42 compartments 270SL1005



3 drawers with 38 compartments 270SL1006



Base shelf and adjustable shelf behind lockable swing door 251270SL1002




251270SL1003


Table (30-1/8" High)




7 drawers with 160 compartments 310SLA




3 drawers with 34 compartments 310SL1013



6 drawers with 132 compartments **310SL1010**




3 drawers with 28 compartments 310SL1004



5 drawers with 112 compartments 310SLB




1 drawer with 16 compartments, base shelf and adjustable shelf behind lockable swing door 251310SL1006



5 drawers with 102 compartments 310SL1011



Base shelf and adjustable shelf behind lockable swing door **251310SL1007**



4 drawers with 62 compartments **310SL1001**



Base shelf and adjustable shelf **251310SL1008**



r .																	
	Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	
	Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"	
	Drawer Size	SM/	ALL	MED	IUM	LAR	GE				l	EXTRA LAI	RGE				I
Bench (3	3-1/4" High)																
	J E E K K P P P			E P P C C C C B B			40 40 40 40 50 140				40 40 50 60 60 100			5.0	30 30 30 drawers v		
	compartments 350SL1001			partments 350SL1			10 comp					partments 50SL100			4 compa		
92 co	awers with ompartments 350SL1003	g	0 com	E E K HFF ers with partment 350SL1		8	40 60 80 170 4 drawers 8 compa 3	artment			70 70 140 4 drawers 62 compa 3		32	- - - - - - - - - - - - - - - - - - -	50 50 90 140 drawers v 6 compar 35(
21 c		2	24 com	K HFF HFF ers with partment 350SL1		base behi	awer with e shelf an nd locka	nd adju ble swi	0	elf a	ockable s	Door If and e shelf bel swing doo	or	а	ase shelf djustable 2513		13


251350SL1012


251350SL1006




5	Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
Table	Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
	Drawer Size	SMA	LL	MED	NUM	LAR	GE				E	XTRA LAI	RGE			

Mid-Range (37-3/16" High)






6 drawers with 88 compartments 400SL1016



5 drawers with 78 compartments **400SL1013**





Base shelf and adjustable shelf behind lockable swing door **251400SL1008**



Base shelf and adjustable shelf **251490SL1009**

Counter (44-1/4" High)





6 drawers with 72 compartments 490SL1023



3 drawers with 60 compartments, base shelf and adjustable shelf behind lockable swing door 490SL1020



Base shelf and adjustable shelf behind lockable swing door 251490SL1021




Base shelf and adjustable shelf **251490SL1022**

Eye-Level (59-1/4" High)



9 drawers with 120 compartments 680SL1039



8 drawers with 88 compartments



7 drawers with 60 compartments 680SL1041



Base shelf and adjustable shelf behind lockable swing door 251680SL1022



Base shelf and adjustable shelf **251680SL1023**




Usable Height

To identify compartment height available, locate the "Usable Height" dimension for the specific drawer number listed in the chart below.

Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Drawer Size	SMA	LL	MED	NUM	LAF	RGE				E	XTRA LARC	θE			

Compartment Size

Compartment Size	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Dimension	1-7/8"	2-11/16"	3-1/2"	4-1/4"	5-1/16"	5-7/8"	6-11/16"	7-1/2"	8-1/4"	9-1/16"	9-7/8"	10-11/16"	11-1/2"	12-1/4"	13-1/16"
Compartment Size	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Dimension		14-11/16"				1 (0)		10 1 (0)	00.1//	01 1/10		22-11/16"		0/ 1//!	05 1/10






Medium (36-3/8" Wide)


ъ a	Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
Drawe	Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
	Drawer Size	SMA	LL	MED	NUM	LAR	GE				E	XTRA LAI	RGE			

Bench (33-1/4" High)


MADE IN THE USA



Counter (44-1/4" High)



Eye-Level (59-1/4" High)





Medium (36-3/8" Wide)


Usable Height

To identify compartment height available, locate the "Usable Height" dimension for the specific drawer number listed in the chart below.

Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Drawer Size	SMALL MEDIUM		NUM	LAF	GE				E	XTRA LARC	È				

Compartment Size

Compartment Size	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Dimension	1-7/8"	2-11/16"	3-1/2"	4-1/4"	5-1/16"	5-7/8"	6-11/16"	7-1/2"	8-1/4"	9-1/16"	9-7/8"	10-11/16"	11-1/2"	12-1/4"	13-1/16"
Compartment Size	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Dimension	13-7/8"	14-11/16"	15-1/2"	16-1/4"	17-1/16"	17-7/8"	18-11/16"	19-1/2"	20-1/4"	21-1/16"	21-7/8"	22-11/16"	23-7/16"	24-1/4"	25-1/16"





	Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	
	Usable Height Drawer Size	2-1/4" SMA	3"	3-7/8" MED	4-5/8"	5-3/8" LAR	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8" EXTRA LA	10-7/8" RGF	11-3/4"	12-1/2"	13-1/4"	
Be	nch (33-1/4" High)	UNIX	LL	IVILU		LAIN											
ſ	40 40 40 40 40 40 50 60 8 drawers with	O H H H H H H A J A J		40 40 50 60 60 100	s with	A	N	40 50 60 80 12		s with		1	50 60 80 80 80	rawers w	ith	O AJ E P P	
	280 compartments 350X1016		2	04 comp	artments			1	56 comp	oartments			104	compar 350	tments		J
	50 100 100 100	AJ K K K		0		A. F	0 J J 4 9 3			•	Doo						
	4 drawers with 92 compartments 350X1017		8		s with artments 50XA			b	ehind lo	f and adj ckable sv 350X10	ving door	helf 's	adju	e shelf ar stable sh			
	33071017			3	JUXN			-	231	330710	00			23133			
Co	unter (44-1/4" High)																
ſ	40 40 40 50 50 50 50 130	O AJ E E P P P L L D		40 40 50 60 60 60 60 120			○ J J K P E K P L L L	7 7 7 7 7 7 7 7	0 0 0 0		E K F F L		60 70 80 80 100 100			° AJ AJ E E K K	
	9 drawers with 180 compartments 490XB		1		with artments 90X100					s with partments 90X100			152	rawers w 2 compar 490	tments		
	80 100 100 160	o MM AJ E E K	-	90 100 120 180			° P P L D					or					
	5 drawers with 140 compartments 490X1023				s with artments 90X100	9			behind	nelf and a lockable 51490X	swing do	e shelf oors	ac	ase shelf djustable 2514		22	





23

251680X1022



Usable Height


To identify compartment height available, locate the "Usable Height" dimension for the specific drawer number listed in the chart below.

Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Drawer Size	SMALL MEDIUM		NUM	LAF	GE				E	XTRA LARC	ìE				

Compartment Size

24

Compartment Size	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Dimension	1-7/8"	2-11/16"	3-1/2"	4-1/4"	5-1/16"	5-7/8"	6-11/16"	7-1/2"	8-1/4"	9-1/16"	9-7/8"	10-11/16"	11-1/2"	12-1/4"	13-1/16"
Compartment Size	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Dimension	13-7/8"	14-11/16"	15-1/2"	16-1/4"	17-1/16"	17-7/8"	18-11/16"	19-1/2"	20-1/4"	21-1/16"	21-7/8"	22-11/16"	23-7/16"	24-1/4"	25-1/16"






Usable Height

To identify compartment height available, locate the "Usable Height" dimension for the specific drawer number listed in the chart below.

Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Drawer Size			NUM	LAF	GE				E	XTRA LARC	ìE	•			

Compartment Size

Compartment Size	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Dimension	1-7/8"	2-11/16"	3-1/2"	4-1/4"	5-1/16"	5-7/8"	6-11/16"	7-1/2"	8-1/4"	9-1/16"	9-7/8"	10-11/16"	11-1/2"	12-1/4"	13-1/16"
Compartment Size	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Dimension	13-7/8"	14-11/16"	15-1/2"	16-1/4"	17-1/16"	17-7/8"	18-11/16"	19-1/2"	20-1/4"	21-1/16"	21-7/8"	22-11/16"	23-7/16"	24-1/4"	25-1/16"






Double (59-5/8" Wide)


e er	Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
Drawe Table	Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
	Drawer Size	SMA	LL	MED	NUI	LAR	GE				E	XTRA LAI	RGE			


Bench (33-1/4" High)





Counter (44-1/4" High)






490XL1011

26



Base shelf and adjustable shelf behind lockable swing doors



Base shelf and adjustable shelf

Workspace Products

Double (59-5/8" Wide)

_												-				
ъ.	Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
Drawe Table	Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
	Drawer Size	SMA	LL	MED	NUM	LAR	GE				E	XTRA LA	RGE			

Eye-Level (59-1/4" High)



	0 AS 0 AS 0 AS 0 AS 0 AS 0 AS 0 AR 0 AR	50 AS 50 AS 60 AR 60 AR 70 AR 70 L 80 AE 80 AE 80 AE 80 AE 80 AE 10 drawers with	60 AR 60 P 60 P 60 P 80 L 80 L 80 L 120 L 9 drawers with 9 drawers with
	372 compartments	216 compartments 680XL1025	140 compartments
80 80 80 80 10 10	P L L L L 0 L 0 L	80 AS 100 AR 100 AR	90 AS 90 AR 100 AR 120 AR 120 AE 160 AE
	8 drawers with 104 compartments	7 drawers with 208 compartments	6 drawers with 144 compartments
	0 AR 0 AE 0 AE	680XL1015	680XL1016

5 drawers with 86 compartments

680XL1017

Base shelf and two (2) adjustable shelves behind lockable swing doors 251680XL1022

Base shelf and two (2) adjustable shelves 251680XL1023



Double (59-5/8" Wide)

Usable Height


To identify compartment height available, locate the "Usable Height" dimension for the specific drawer number listed in the chart below.

Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Drawer Size	SMA	LL	MED	NUM	LAF	GE				E	XTRA LARG	ìE			

Compartment Size

28

Compartment Size	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Dimension	1-7/8"	2-11/16"	3-1/2"	4-1/4"	5-1/16"	5-7/8"	6-11/16"	7-1/2"	8-1/4"	9-1/16"	9-7/8"	10-11/16"	11-1/2"	12-1/4"	13-1/16"
Compartment Size	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Dimension	13-7/8"	14-11/16"	15-1/2"	16-1/4"	17-1/16"	17-7/8"	18-11/16"	19-1/2"	20-1/4"	21-1/16"	21-7/8"	22-11/16"	23-7/16"	24-1/4"	25-1/16"





Double (59-5/8" Wide)


Usable Height

To identify compartment height available, locate the "Usable Height" dimension for the specific drawer number listed in the chart below.

Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Drawer Size	SMA	LL	MED	DIUM	LAR	GE			•	E	XTRA LARC	ìE			

Compartment Size

Compartment Size	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Dimension	1-7/8"	2-11/16"	3-1/2"	4-1/4"	5-1/16"	5-7/8"	6-11/16"	7-1/2"	8-1/4"	9-1/16"	9-7/8"	10-11/16"	11-1/2"	12-1/4"	13-1/16"
Compartment Size	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Dimension	13-7/8"	14-11/16"	15-1/2"	16-1/4"	17-1/16"	17-7/8"	18-11/16"	19-1/2"	20-1/4"	21-1/16"	21-7/8"	22-11/16"	23-7/16"	24-1/4"	25-1/16"







PRE-ENGINEERED MODULAR DRAWER CABINETS

Overhead Units



Slender (22-13/16" Wide)






Base shelf and adjustable shelf behind lockable swing door without base channels 251270SL1055




- Flat bottom attaches directly to cabinet top below (no drilling-fasteners supplied)
- Door locks are keyed-alike to cabinet below if ordered together
- Shipped pre-assembled to lower cabinet if ordered together

Note: Overhead cabinet width must match width of lower cabinet.







Base shelf and adjustable shelf without base channels **251350SL1050**




Base shelf and adjustable shelf behind lockable swing door without base channels 251350SL1055

Standard (30" Wide)






Base shelf and adjustable shelf behind lockable swing door without base channels 2512701055




Base shelf and adjustable shelf without base channels **2513501050**




without base channels **2513501055**

Medium (36-3/8" Wide)






Base shelf and adjustable shelf behind lockable swing door without base channels 251270M1055



Base shelf and adjustable shelf without base channels **251350M1050**



Base shelf and adjustable shelf behind lockable swing door without base channels 251350M1055


Overhead Units



- Provides additional bulk storage above cabinets
- Flat bottom attaches directly to cabinet top below (no drilling-fasteners supplied)
- Door locks are keyed-alike to cabinet below if ordered together
- Shipped pre-assembled to lower cabinet if ordered together


Note: Overhead cabinet width must match width of lower cabinet; exception, Double overhead cabinets at 59-5/8" wide can be assembled over two (2) standard cabinets which are 30" wide, keep in mind this installation will produce a 3/8" gap on either side of the overhead unit. Field installation only.





Base shelf and adjustable shelf behind lockable swing doors without base channels 251350X1055

Double (59-5/8" Wide)




Base shelf and adjustable shelf

without base channels

251350X1050



Housing Selection



Step 2 - Drawer Selection

Determine which drawers are needed by measuring the height of the products being stored. Then choose drawer catalog numbers with "Usable Heights" **slightly larger** based on the housing width chosen in step 1.

mple =		
50 Drawer	=	50
80 Drawer	=	160
140 Drawer	=	140
Total	=	350 🗸
	80 Drawer 140 Drawer	mple =50 Drawer=80 Drawer=140 Drawer=Total

✓ The total of the drawer numbers must add up to the housing number.

USABLE	Cat. No.	CAT. No.	Cat. No.	Сат. No.	CAT. NO.
HEIGHT	SLENDER WIDTH	STANDARD WIDTH	MEDIUM WIDTH	Extra Width	DOUBLE WIDTH
2-1/4"	40SL	40	40M	40X	40XL
3"	50SL	50	50M	50X	50XL
3-7/8"	60SL	60	60M	60X	60XL
4-5/8"	70SL	70	70M	70X	70XL
5-3/8"	80SL	80	80M	80X	80XL
6-1/4"	90SL	90	90M	90X	90XL
7"	100SL	100	100M	100X	100XL
7-3/4"	110SL	110	110M	110X	110XL
8-1/2"	120SL	120	120M	120X	120XL
9-3/8"	130SL	130	130M	130X	130XL
10-1/8"	140SL	140	140M	140X	140XL
10-7/8"	150SL	150	150M	150X	150XL
11-3/4"	160SL	160	160M	160X	160XL
12-1/2"	170SL	170	170M	170X	170XL
13-1/4"	180SL	180	180M	180X	180XL

Locking, Color and Layout Selection



Step 3 - Locking Selection

Determine which locking system meets your requirements. Then add the three (3) digit prefix (**250** or **251** as shown below) to all housing and drawer catalog numbers chosen in steps 1 & 2.

Example = 250

Qty.	Cat. No.	Description
1	250 350	Bench Standard Housing, 30"w x 33-1/4"h
1	250 50	Standard Drawer, 3" Usable
2	250 80	Standard Drawer, 5-3/8" Usable
1	250 140	Standard Drawer, 10-1/8" Usable



Single Drawer Access 250 Cabinet Series

Automatically locks unopened drawers when one drawer is pulled out, preventing accidental tipping. **The only "True-Interlock"** in the industry.



Multiple Drawer Access 251 Cabinet Series

Provides access to multiple drawers, and is an economical alternative, but requires proper anchoring to prevent accidental tipping.

Step 4 - Color Selection

Determine which color meets your requirements, then add the two (2) letter digits *(seen to the right)* as another **prefix** to the catalog numbers in step 3.



Example = KK (housing) **DD** (drawers)

Qty.	Cat. No.	Description
1	KK250350	Bench Standard Housing, 30"w x 33-1/4"h
2	DD25050	Standard Drawer, 3" Usable
1	DD25080	Standard Drawer, 5-3/8" Usable
1	DD250140	Standard Drawer, 10-1/8" Usable


Step 5 - Layout Selection (optional)

Р

If layouts are required in the drawers, determine which kits will meet your requirements based on the drawer width chosen, see pages 14-15, 19, 21, 24-25, 28, and 29. Then add a dash, followed by the letter(s) of the layout kit as a suffix to the drawer catalog number. This option will provide factory installed layout kits.

Example = DD25050-K

Qty.	Cat. No.	Description
1	KK250350	Bench Standard Housing, 30"w x 33-1/4"h
1	DD25050-K	Standard Drawer, 3" Usable / 20 Compartment Layout
2	DD25080-P	Standard Drawer, 5-3/8" Usable /16 Compartment Layout
1	DD250140-D	Standard Drawer, 10-1/8" Usable / 8 Compartment Layout









Deduct Forklift Base

- · Removes forklift channels and closure strips from housing
- Decreases overall height of housing by 2-1/8"
- · Cost effective option when using casters
- · Cost effective option when stacking cabinets
- · Can still be anchored without drilling holes
- · Factory removed only

Cat. No.*	Housing
240DBC22	Slender
240DBC30	Standard
240DBC36	Medium
240DBC45	Extra
240DBC60	Double



Housing Reinforcement

- · Reinforcing channels welded to side panels
- · Additional welding to increase strength
- Increases the stacking height capacity from 180" to 240"
- · Increases the total load capacity from 15,000 lbs. to 28,000 lbs.
- · Factory installed only

Cat. No.*	Housing	Cat. No.*	Но
240SR270	Desk	240SR400	Mio
240SR310	Table	240SR490	Со
240SR350	Bench	240SR680	Eye

Cat. No.*	Housing	
40SR400	Mid-Range	
40SR490	Counter	
40SR680	Eye-Level	

Pallet Truck Base

- Provides necessary clearance for moving housing with pallet truck
- · Clear dimensions for pallet truck; Height = 4 - 1/8''Width = housing width minus 2-3/4".
- · Replaces forklift channels (deduct forklift base is included)
- Increases overall height of typical housing by 2"
- Includes closure strips (front and back)
- · Can be anchored without drilling holes
- · Factory installed only
- Painted to match housing color. (add the two (2) letter digit as a prefix from step 4 on page 33)

Cat. No.*	Housing
250PTB22	Slender
250PTB30	Standard
250PTB36	Medium
250PTB45	Extra
250PTB60	Double



Cabinet Stacking Holes

(Only required if stacked cabinet features Forklift Base)

240502

- · Pierced slots in cabinet top pan
- · Factory installed only
- · Fasteners supplied with cabinet



240603

Cat. No.* Description

240STK5 **Cabinet Stacking Holes**

Mobile Base and Handle

- Includes two (2) fixed and two (2) swivel casters. Swivel casters feature a foot activated brake. Polyolefin caster tread does not mar floors
- · Includes handle and all fastening hardware
- Installs without drilling
- Not recommended for housings taller than Mid-Range (37-3/16" High)
- · Field installed only

34

• Specify color (add the two (2) letter digit as a prefix from step 4 on page 33)

Cat. No.* Diameter/ Capacity		Housing Style	Housing Height Increase
240502	5" @ 650 lbs. ea	Forklift Base	6-1/2"
240602	240602 6" @ 700 lbs. ea		7"
240512**	5" @ 650 lbs. ea	w/o Forklift Base	4-1/2"
240603**	6" @ 700 lbs. ea	w/o Forklift Base	5"

** Must also specify the deduct forklift base (see above).

*Order entry note: List the catalog number of option(s) chosen directly below the housing catalog numbers. (see example on page 32-33).



Workspace Products

Housing Options

Laminated Hardwood Top

- Kiln-dried hard maple, birch or beech grade selects and better.
- 1-3/4" thick, 28" deep with 3/16" rounded edges
- Flush to housing sides
- · Finished with a two-coat moisture resistant sealer
- Can be field installed (fasteners supplied)
- · Shipped pre-assembled when ordered with cabinet

Cat. No.*	Housing	Top Size
250LHT22	Slender	22-13/16"w
250LHT30	Standard	30"w
250LHT36	Medium	36-3/8"w
250LHT45	Extra	44-3/8"w
250LHT60	Double	59-5/8"w



Rubber Mats

- Ribbed non-skid made of grease resistant pliable rubber
- 1/8" thick, 28-1/8"d, Black only
- Ribbing runs front to back

Cat. No.*	Housing	Mat Size
240250SL	Slender	22-5/8"w
240250	Standard	29-7/8"w
240250M	Medium	36"w
240250X	Extra	44-1/4"w
240250XL	Double	59-1/2"w

Keyed-Alike Locks

- · For one-key access into a group of cabinets
- Replaces standard lock with keyed-alike lock (includes two (2) keys)
- Factory installed only
- Used on locks of cabinets, swing doors and individual drawers

Cat. No.*	Description
240KA1	Cabinet Lock - Keyed to M751
240KA2	Cabinet Lock - Keyed to M752
240KA3	Cabinet Lock - Keyed to M753
240KA4	Cabinet Lock - Keyed to M754
240KA5	Cabinet Lock - Keyed to M755

Maintain Single Drawer Access

- Removes cabinet lock but keeps single drawer access
- · Can only be ordered with 250 cabinets

Cat. No.*	Description	
250NLSL	Deduct Lock and Lock Rod	

Steel Retainer Top with Vinyl Mat

- Retains tools and small parts from rolling off top of mobile cabinets
- Heavy-gauge steel top 28-1/4"d, with 3/4" raised edges on all four sides
- Flush with all edges of cabinet
- Includes black duraflex vinyl mat
- Can be field installed (no drilling-fasteners supplied)
- Shipped pre-assembled when ordered with cabinet
- Specify color (add the two (2) letter digit as a prefix from step 4 on page 33)

Cat. No.*	Housing	Top Size
250SRT22	Slender	22-13/16"w
250SRT30	Standard	30"w
250SRT36	Medium	36-3/8"w
250SRT45	Extra	44-3/8"w
250SRT60	Double	59-5/8"w



External Lock Bar

- Secures all drawers with hinged bar (padlock not included)
- · Ideal for mobile applications or use in high-risk locations
- Field or factory installed (drilling required—fasteners supplied)
- Specify color (add the two (2) letter digit as a prefix from step 4 on page 33)

Cat. No.*	Housing
240ELB270	Desk
240ELB310	Table
240ELB350	Bench
240ELB400	Mid-Range
240ELB490	Counter
240ELB680	Eye-Level



Deduct Cabinet Locking System

- Removes cabinet locking system
- Can only be ordered with 251 cabinets

Cat. No.*	t. No.* Housing	
251DINT270	0 Desk	
251DINT310	Table	
251DINT350	Bench	
251DINT400	Mid-Range	
251DINT490	Counter	
251DINT680	Eye-Level	

*Order entry note: List the catalog number of option(s) chosen directly below the housing catalog numbers. (see example on page 32-3).







Roll-Out Shelf

- · Easy access to large, bulky items with 100% extension
- Typical drawer suspension for ease of operation
- Flush, front access to slide out stored product
- Supports evenly distributed loads of 400 lbs.
- Adjustable on 3/4" vertical centers
- 25-1/2" d with 1-3/4" raised edges on back and sides
- 2" lowered front edge with typical drawer handle
- · Field or factory installed
- Specify color (add the two (2) letter digit as a prefix from step 4 on page 33)
- Specify Locking system to match housing (add the three (3) number digit as a prefix from step 3 on page 33)

Shelf Dividers

- 24"d with formed front edge to conform to shelf
- Magnetic base flange to hold firmly in place
- Infinite adjustment along length of shelf
- · Can be screwed in place
- Can be used on Bottom Shelf

• Specify color (add the two (2) letter digit as a prefix from step 4 on page 33)

 Cat. No.*
 Description

 240DIV09
 Shelf Divider, 9"h

 240DIV12
 Shelf Divider, 12"h



Cat. No.*	Housing	Drawer Width
22 R	Slender	18-5/16"
30R	Standard	25-1/2"
36 R	Medium	31-7/8"
45 R	Extra	39-7/8"
60R	Double	55-1/16"



Bottom Shelf

- Supports an evenly distributed load
- 25"d with 1" raised edges on back and both sides
- · Field or factory installed
- Specify color (add the two (2) letter digit as a prefix from step 4 on page 33)

Cat. No.*	Housing	Shelf Width	Capacity
24022FB	Slender	22-5/16"	400 lbs.
24030FB	Standard	28-1/2"	400 lbs.
24036FB	Medium	34-7/8"	400 lbs.
24045FB	Extra	42-7/8"	800 lbs.
24060FB	Double	58-1/8"	800 lbs.

Adjustable Shelf

- · Supports an evenly distributed load
- Adjustable on 3/4" vertical centers
- 25"d with 1" raised edges on back and both sides
- 1-1/2" lowered front edge
- Field or factory installed
- Specify color (add the two (2) letter digit as a prefix from step 4 on page 33)

Cat. No.*	Housing	Shelf Width
400 lbs.		
24022S	Slender	22-5/16"
24030S	Standard	28-1/2"
24036S	Medium	34-7/8"
24045S	Extra	42-7/8"
24060S	Double	58-1/8"
800 lbs.		
24022SH	Slender	22-5/16"
24030SH	Standard	28-1/2"
24036SH	Medium	34-7/8"
24045SH	Extra	42-7/8"
24060SH	Double	58-1/8"



*Order entry note: List the catalog number of option(s) chosen directly below the housing catalog numbers. (see example on page 32-33).



Housing Options



Flush Swing Doors

- Doors open 180° on full height continuous hinge
- Two point keyed locking system
- Magnetic door stops included
- Black, plastic easy-access handle
- · Field or factory installed
- Not compatible over drawers or over roll-out shelves
- Specify color (add the two (2) letter digit as a prefix from step 4 on page 33)





Single Door

	Housing Width						
Housing		Single, Flush Swing Do	Double, Flush Swing Door				
	Cat. No.* Slender	Cat. No.* Standard	Cat. No.* Medium	Cat. No.* Extra	Cat. No.* Double		
Desk	251SD270SL	251SD270	251SD270M	251SD270X	251SD270XL		
Table	251SD310SL	251SD310	251SD310M	251SD310X	251SD310XL		
Bench	251SD350SL	251SD350	251SD350M	251SD350X	251SD350XL		
Mid-Range	251SD400SL	251SD400	251SD400M	251SD400X	251SD400XL		
Counter	251SD490SL	251SD490	251SD490M	251SD490X	251SD490XL		
Eye-Level	251SD680SL	251SD680	251SD680M	251SD680X	251SD680XL		

Deduct Door Locking System

- Removes locking system from swing door(s)
- · Factory removed only

Cat. No.*	Housing	C
Slender, Stand	ard, Medium	E
250DSDL270	Desk	2
250DSDL310	Table	2
250DSDL350	Bench	2
250DSDL400	Mid-Range	2
250DSDL490	Counter	2
250DSDL680	Eye-Level	2

Cat. No.*	Housing
Extra, Double	
250DDDL270	Desk
250DDDL310	Table
250DDDL350	Bench
250DDDL400	Mid-Range
250DDDL490	Counter
250DDDL680	Eye-Level








Partitions

- Used to divide drawer front-to-back, or side-to-side
- Slots (*segments*) on drawer walls allow for base flanged partitions to securely fit in place to the drawer bottom
- Galvanized finish

38








Divide a drawer into four compartments by adding three partitions.

Note: All drawer sizes are designed to carry an evenly distributed load of 400 lbs. In some cases, partitions (screwed in place) are necessary to properly support the bottom of drawer. It is recommended to have one (1) partition in extra and double width drawers.

Drawer	Total Number of Segments	Compartment
Depth	Front-to-Back	Depth (Clear)
All	32	25-1/8"

Drawer Width	Total Number of Segments Side-to-Side	Compartment Width (Clear)
Slender	23	17-15/16"
Standard	32	25-1/8"
Medium	40	31-1/2"
Extra	50	39-1/2"
Double	69	54-11/16"

Drawer Width	Number of Segments	Approximate Length	Cat. No.* Fits 40 & 50 Drawers (1-7/8"h)	Cat. No.* Fits 60 & 70 Drawers (2-13/16"h)	Cat. No.* Fits 80 & 90 Drawers (4-1/2"h)	Cat. No.* Fits 100 - 180 Drawers (5-13/16"h)
Slender	23	18-1/4"	24045PSL	24067PSL	24089PSL	240100PSL
Standard	32	25-7/16"	24045P	24067P	24089P	240100P
Medium	40	31-3/4"	24045PM	24067PM	24089PM	240100PM
Extra	50	39-3/4"	24045PX	24067PX	24089PX	240100PX
Double	69	54-15/16"	24045PXL	24067PXL	24089PXL	240100PXL








Dividers

- Used with partitions to further subdivide drawer
- Slots (segments) in drawer walls and on partitions allow for dividers to securely fit in place
- Dividers larger than 14 segments feature a base flange to secure it to the drawer bottom with screws supplied
- Galvanized finish




Sample Layout for 70 Drawer Dividers = (4) **24067D8**



Divide a drawer into eight compartments by adding four dividers to three partitions.





Drawer Width	Total Number of Segments Side-to-Side	Compartment Width (Clear)
Slender	23	17-15/16"
Standard	32	25-1/8"
Medium	40	31-1/2"
Extra	50	39-1/2"
Double	69	54-11/16"

Drawer	Total Number of Segments	Compartment
Depth	Front-to-Back	Depth (Clear)
All	32	25-1/8"

Number	Approximate	Comportment	Cat. No.*	Cat. No.*	Cat. No.*	Cat. No.* Fits 100 - 180 Drawers
of Segments	Length	Width (Clear)	(1-7/8"h)	(2-13/16"h)	(4-1/2"h)	(5-13/16"h)
-						
3	2-1/4"	1-7/8"	24045D3	24067D3	24089D3	240100D3
4	3-1/16"	2-3/4"	24045D4	24067D4	24089D4	240100D4
5	3-7/8"	3-1/2"	24045D5	24067D5	24089D5	240100D5
6	4-5/8"	4-1/4"	24045D6	24067D6	24089D6	240100D6
7	5-7/16"	5-1/8"	24045D7	24067D7	24089D7	240100D7
8	6-1/4"	5-7/8"	24045D8	24067D8	24089D8	240100D8
9	7-1/16"	6-3/4"	24045D9	24067D9	24089D9	240100D9
10	7-7/8"	7-1/4"	24045D10	24067D10	24089D10	240100D10
11	8-5/8"	8-1/4"	24045D11	24067D11	24089D11	240100D11
12	9-7/8"	9-1/2"	24045D12	24067D12	24089D12	240100D12
13	10-1/4"	9-7/8"	24045D13	24067D13	24089D13	240100D13
14	11-1/8"	10-3/4"	24045D14	24067D14	24089D14	240100D14
15	11-7/8"	11-1/2"	24045D15	24067D15	24089D15	240100D15
16	12-5/8"	12-1/4"	24045D16	24067D16	24089D16	240100D16
17	13-7/16"	13-1/8"	24045D17	24067D17	24089D17	240100D17
18	14-1/4"	13-7/8"	24045D18	24067D18	24089D18	240100D18
19	15-1/16"	14-3/4"	24045D19	24067D19	24089D19	240100D19
20	15-7/8"	15-1/2"	24045D20	24067D20	24089D20	240100D20
21	16-5/8"	16-1/4"	24045D21	24067D21	24089D21	240100D21
22	17-7/16"	17-1/8"	24045D22	24067D22	24089D22	240100D22
23	18-1/4"	17-7/8"	24045D23	24067D23	24089D23	240100D23
24	19-1/16"	18-5/8"	24045D24	24067D24	24089D24	240100D24





Plastic Bins and Dividers

- Perfect for storing small items such as screws, nuts, washers
- · Can be easily removed when required
- Each size can be sub-divided with corresponding dividers
- Each size has molded-in label holders
- In addition to standard yellow, high carbon content, anti-static conductive black bins and dividers are available



Bins



Conductive Black Bins

			STANDA	RD YELLOW	CONDUC	TIVE BLACK
Size (w x d x h)	Qty To Fill Standard Drawer	Used With Drawer #	Bin Cat. No.*	Divider Cat. No.*	Bin Cat. No.*	Divider Cat. No.*
3" x 3" x 2"	64	40 & 50	240332	240332DIV	240332CB	240332CBDIV
3" x 6" x 2"	32	40 & 50	240362	240332DIV	240362CB	2403326DDIV
6" x 6" x 2"	16	40 & 50	240662	240662DIV	240662CB	240662CBDIV
3" x 3" x 3"	64	60 & 70	240333	240333DIV	240333CB	040000CBDIV
3" x 6" x 3"	32	60 & 70	240363	240333DIV	240363CB	240333CBDIV
6" x 6" x 3"	16	60 & 70	240663	240663DIV	240663CB	240663CBDIV

Plastic Groove Trays and Steel Dividers

- Excellent for storage of drill bits and other elongated items
- Trays are 3-1/8" wide x 25" long
- Designed to run front to back in any width drawer

240200 240199 240201 240202 240203 240204


Cat. No.*Description2402022402032402012402011 Groove Tray, For Items Up To 2-5/8" Diameter2402022 Groove Tray, For Items Up To 1-1/4" Diameter2402033 Groove Tray, For Items Up To 7/8" Diameter2402044 Groove Tray, For Items Up To 21/32" Diameter240199Divider For 1 And 3-Groove Trays, Galvanized Steel240200Divider For 2 And 4-Groove Trays, Galvanized Steel

.

_

Plastic Quarter Trays

- Convenient and cost effective way to store very small, loose items
- Four trays fill a standard width drawer
- Designed for two (2) to run front to back in any width drawer



Cat. No.*	Description
240420	20-Compartment, 12-1/2"w x 12-1/2"d x 1-1/4"h
	each compartment = $2" \times 2-5/8"$
240435	35-Compartment, 12-1/2"w x 12-1/2"d x 1-1/4"h
	each compartment = $2" \times 1-3/8"$

Milling Cutter Holders

- Locator pins and arbor bushing are perfect for storing milling cutters or any item with a center hole
- Yellow-plastic arbor bushings slide onto the 5/16" diameter locator pins
- Pins must be attached to the galvanized drawer-bottom insert

40


• Drawer bottoms inserts are designed to run front to back in any width drawer

Cat. No.*	Description
240212	Locator Pin - 5/16" dia. x 1-9/16"h
240205	Arbor Bushing - 1/2"dia. x 2-17/32"h
240217	Arbor Bushing - 15/16"dia. x 1-17/32"h
240206	Arbor Bushing - 15/16"dia. x 2-17/32"h
240218	Arbor Bushing - 1-3/16"dia. x 1-17/32"h
240207	Arbor Bushing - 1-3/16"dia. x 2-17/32"h
240219	Arbor Bushing - 1-7/16"dia. x 1-17/32"h
240208	Arbor Bushing - 1-7/16"dia. x 2-17/32"h
240220	Galvanized drawer-bottom insert 12-5/16"w x 25"d



240207







Cat. No.*

240IDL1SL

240IDL2SL

240IDL1

240IDL2

240IDL1M

240IDL2M

240IDL1X

240IDL2X

240IDL1XL

240IDL2XL

Cat. No.* 250LILO

Latch-in/Latch-out device

Description

Drawer Keylock (right side)

Drawer Keylock (right side)

Drawer Keylock (right side)

Drawer Keylock (right side)

Drawer Keylocks (both sides)

Drawer Keylocks (both sides)

Drawer Keylocks (both sides)

Drawer Keylocks (both sides)

Description:

(left side only)

Drawer

Slender

Slender

Standard

Standard

Medium

Medium

Extra

Extra

Double

Double



Individual Drawer Latch-in/Latch-out

- · Secures drawers in fully-closed position until latch is released
- Allows drawers to remain fully-opened until latch is released
- Recommended for mobile cabinet applications when multiple drawer access is utilized
- Can be applied to any size drawers
- · Factory installed only

Individual Drawer Keylock(s)

- Includes security panel between drawers to limit access to individual drawers
- To control access, a lock is provided on each drawer
- Drawers are keyed differently to allow individual drawer access (unless otherwise specified)
- Individual drawer keylocks can be accessed with master key
 (add apportable app path list on page (2))

(sold seperately, see parts list on page 63)

- Each lock includes two keys
- Reduces usable height of drawer by 1/2". Not available on drawers with a usable height of 2-1/4" or drawer number (40).
- · Factory installed only

Drawer Bottom Inserts




Green Felt - 3/64"t x 25-3/8"d

Cat. No.*	Drawer	Width	
240221SL	Slender	18-3/16"	
240221	Standard	25-3/8"	
240221M	Medium	31-3/4"	
240221X	Extra	39-3/4"	
240221XL	Double	55"	

Hanging File Frame

(Letter Size)


- Used for letter size hanging file folders
- · Adjustable for installation in any width drawer
- Can only be used in drawers with usable height of 10-1/8" or drawer number (**140**) or higher drawers



Black Polyester Mesh - 1/8"t x 25-3/8"d

Cat. No.*	Drawer	Width
240222SL	Slender	18-3/16"
240222	Standard	25-3/8"
240222M	Medium	31-3/4"
240222X	Extra	39-3/4"
240222XL	Double	55"






White Plastic Sheet - 1/32"t x 25-3/8"d

Cat. No.*	Drawer	Width
240223SL	Slender	18-3/16"
240223	Standard	25-3/8"
240223M	Medium	31-3/4"
240223X	Extra	39-3/4"
240223XL	Double	55"

	Qty to F	it Drawer
Drawer	Left-Right	Front-Back
Slender	2	-
Standard	2	2
Medium	2	2
Extra	2	3
Double	4	4
	Standard Medium Extra	DrawerLeft-RightSlender2Standard2Medium2Extra2





Mobile Cabinets




Various mobile cabinet sizes provide a workshop on wheels.


- Includes tubular handle and rubber end caps
- Includes (2) fixed and (2) swivel with brake, 6" dia. x 2"w casters (2,800 lb. capacity)
- Drawer units feature single drawer access
- Polyolefin caster tread does not mar floors
- Cabinet ships pre-assembled. Assembly required for casters and handle
- Drawer layout kits include black
 polyester mesh insert
- Choose an optional retainer top or hardwood top (see page 47)

5 0	Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
Drawei Table	Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
	Drawer Size	SMA	LL	MED	IUM	LAR	GE				E	XTRA LA	RGE			


Standard (30" Wide)



Medium (36-3/8" Wide)



Extra (44-3/8" Wide)





Mobile Workstations



Side-by-side cabinets provide a workshop on wheels.

Includes tubular handle and rubber end caps


• Includes (2) fixed and (2) swivel


w/brake, 6" dia. x 2"w casters


(2,800 lb. capacity)

- Polyolefin caster tread does not mar floors
- Drawer units feature single drawer accessCabinet and door locks are keyed-alike
- Cabinet ships pre-assembled. Assembly required for casters and handle
- Drawer layout kits include black polyester mesh insert
- Choose an optional retainer top or hardwood top *(see page 47)*

	-															
<u>.</u>	Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
Drawel Table	Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
	Drawer Size	SMA	LL	MED	IUM	LAR	GE				E	XTRA LA	RGE			











• All keylocks within a workstation

• Includes tubular handle w/rubber

• Includes (2) fixed and (2) swivel w/brake, 6" dia. x 2"w casters (2,800 lb. capacity)

are coded the same unless

otherwise requested

end caps



Mobile Workstations

Side-by-side cabinets provide a workshop on wheels.

- All units are 28-1/4"d
- Cabinets supported by a reinforced bottom pan for rigidity

Step 1 - Housing Selection

Choose housing based on height, width, and locking system.



Cat. No.	Height	Width	Lock	
250350W1000	39-3/4"	45-5/8"		
250350W2000	(Bench)	60"	Single	
250400W1000	43-3/4"	45-5/8"	Drawer Access	
250400W2000	(Mid-Range)	60"		
251350W1000	39-3/4"	45-5/8"		
251350W2000	(Bench)	60"	Multiple*	
251400W1000	43-3/4"	45-5/8"	Drawer Access	
251400W2000	(Mid-Range)	60"		

· Polyolefin caster tread does not mar floors

assembly required for casters and handle

• Cabinet ships pre-assembled. Field

*It is recommended that the drawer latch-in/latchout or the housing external lock bar be utilized to minimize the potential for tipping during transit.

Step 2 - Drawer and/or Swing Doors

Choose two (2) sets of either drawers, swing doors, or combinations to add-up to the catalog number based on the housing chosen in step 1.




Swing Doors

-			
		Cat. I	No.
		Slender (45-5/8"w)	Standard (60"w)
0.0	Bench	251SD350SL	251SD350
Swing Door	Mid-Range	251SD400SL	251SD400
Adjustable Sh	elf	24022S	24030S
Bottom Shelf		24022FB	24030FB

Example of Drawer Selection

When selecting drawer configurations you must add the drawer numbers to equal the 3 digits of the Housing.

400) Housing (2	504	400W2	2000)
(1)	40 Drawers	=	40	
(1)	60 Drawers	=	60	
(1)	80 Drawers	=	80	
(1)	100 Drawers	=	100	
(1)	120 Drawers	=	120	
	Total	=	400	



Drawers

	н	U	S	Cat. No.	Cat. No.
DRAWER SIZE	Front Height	Usable Height	Side Height	Slender Width	Standard Width
Small	3-1/16"	2-1/4"	1-7/8"	40SL	40
SIIIali	3-7/8"	3"	1-770	50SL	50
Medium	4-5/8"	3-7/8"	3"	60SL	60
Medium	5-7/16"	4-5/8"	э	70SL	70
Larga	6-3/16"	5-3/8"	<i>μ</i> Ε (0)	80SL	80
Large	7"	6-1/4"	4-5/8"	90SL	90
	7-3/4"	7"		100SL	100
	8-9/16"	7-3/4"		110SL	110
	9-3/8"	8-1/2"		120SL	120
_	10-1/8"	9-3/8"		130SL	130
Extra Large	10-7/8"	10-1/8"	6-1/4"	140SL	140
24190	11-3/4"	10-7/8"		150SL	150
	12-1/2"	11-3/4"		160SL	160
	13-5/16"	12-1/2"		170SL	170
	14-1/16"	13-1/4"		180SL	180




Mobile Workstations



Step 3 - Workstation Options

Drawer Layouts

Determine your drawer layout kits based on the drawer width shown in the illustrations to the right. Add a dash, followed by the letter(s) of the layout kit as a suffix to the drawer catalog number. *(i.e. PP25050SL-E).* This option will provide factory installed layout kits.



Steel Peg Rack

- · Perforated panel with channel reinforcements
- 5/16" diameter holes on 1" centers
- * Slender = 45"w x 24"h Standard = 60"w x 24"h



	Cat. No.						
	Slender (45-5/8"w)	Standard (60"w)					
Peg Rack	250SPKWS1	250SPKWS2					
*Hardwood Top	250LHTWS1	250LHTWS2					
*Retainer Top	250SRTWS1	250SRTWS2					
*Polyester Mesh Liner	240222SL	240222					

*Refer to "Options" section of catalog for specific features.

Step 4 - Color Selection


Determine your color, then add the two (2) letter digits *(seen to the right)* as a **prefix** to the catalog numbers chosen in steps 1-3.





Retainer Tops

Hardwood Tops



Polyester Mesh Liner



Example

Custom designed workstations should be ordered with the Housing listed first, followed by the Drawers. (*Drawers are required to be listed in sequence from top to bottom*).



Qty	Cat. No.	Description
1	JJ250350W1000	Bench Slender workstation housing, 45-5/8"w x 39-3/4"h
1	PP250SPKWS1	Slender peg rack
1	250LHTWS1	Hardwood top
1	PP25050SL-E	Slender drawer 3"h usable / 24 compartment layout
1	PP25060SL-K	Slender drawer, 3-7/8" usable / 20 compartment layout
3	PP25080SL-P	Slender drawer, 5-3/8" usable / 16 compartment layout
1	PP251SD350SL	Bench Slender swing door
1	PP24022S	Slender adjustable shelf
1	PP24022FB	Slender bottom shelf

Layout kits will be factory installed.





Work Bench Concepts

- Choose pre-engineered units (*single catalog number*) or build your own by modifying the "consist of" lists.
- Component details can be found on pages 55-57
- All pre-engineered units feature empty drawers (*no layouts*) and multiple drawer locking system
- All concepts can be assembled either left or right side
- Field assembled only (easy to follow instructions provided)
- Specify framework/housing color and drawer color, same as steps 1 and 2 on page 5.

Example = **DD251WBC01**

(for dove gray frame/housing and dove gray drawers)



Concept 1 - Cat. No. 251WBC01

Consists of:

Qty.	Cat. No.	Description
1	251350SLA	Bench Slender Pre-Engineered Cabinet
1	2510PL350	Bench Open Panel Leg
1	240853	Adjustable Footrest
1	251WHD60	Hardwood Work Surface, 60"w



Concept 2 - Cat. No. 251WBC02

Consists of:		
Qty.	Cat. No.	Description
1	251350SLA	Bench Slender Pre-Engineered Cabinet
1	2510PL350	Bench Open Panel Leg
1	240853	Adjustable Footrest
1	251WHD60	Hardwood Work Surface, 60"w
1	251WBS60	Back Stop, 60"w
1	251WSSR	Side Stop, RH
1	251WSSL	Side Stop, LH
1	2625	12"h Shelf Riser, 60"w



Concept 3 - Cat. No. 251WBC03

Consists of:

00131313 01.		
Qty.	Cat. No.	Description
1	251350SLA	Bench Slender Pre-Engineered Cabinet
1	251350SLB	Bench Slender Pre-Engineered Cabinet
1	251WHD72	Hardwood Work Surface, 72"w







Work Bench Concepts

- Choose pre-engineered units (single catalog number) or build your own by modifying the "consist of" lists.
- Component details can be found on pages 55-57
- All pre-engineered units feature empty drawers (*no layouts*) and multiple drawer locking system
- All concepts can be assembled either left or right side
- Field assembled only (easy to follow instructions provided)
- Specify framework/housing color and drawer color, same as steps 1 and 2 on page 5.

Example = **DD251WBC01**

(for dove gray frame/housing and dove gray drawers)



Concept 4 - Cat. No. 251WBC04

Consists of:

00131313 01.		
Qty.	Cat. No.	Description
1	251350SLA	Bench Slender Pre-Engineered Cabinet
1	251350SLB	Bench Slender Pre-Engineered Cabinet
1	251WHD72	Hardwood Work Surface, 72"w
1	251WBS72	Back Stop, 72"w
1	251WSSR	Side Stop, RH
1	251WSSL	Side Stop, LH
1	2629	18"h Shelf Riser, 72"w
1	2631	Pick Rack, 72"w



Concept 5 - Cat. No. 251WBC05

Consists of:

CONSISTS OF.		
Qty.	Cat. No.	Description
1	251350SLB	Bench Slender Pre-Engineered Cabinet
2	2510PL350	Bench Open Panel Leg
2	251STR21	Stringer
1	251WHD72	Hardwood Work Surface, 72"w



Concept 6 - Cat. No. 251WBC06

Consists of:		
Qty.	Cat. No.	Description
1	251350SLB	Bench Slender Pre-Engineered Cabinet
2	2510PL350	Bench Open Panel Leg
2	251STR21	Stringer
1	251WHD72	Hardwood Work Surface, 72"w
1	251WBS72	Back Stop, 60"w
1	251WSSR	Side Stop, RH
1	251WSSL	Side Stop, LH
1	2629	18"h Shelf Riser, 72"w
1	2631	Pick Rack, 72"w







Work Bench Concepts

- Choose pre-engineered units (*single catalog number*) or build your own by modifying the "consist of" lists.
- Component details can be found on pages 55-57
- All pre-engineered units feature empty drawers (*no layouts*) and multiple drawer locking system
- All concepts can be assembled either left or right side
- Field assembled only (easy to follow instructions provided)
- Specify framework/housing color and drawer color, same as steps 1 and 2 on page 5.

Example = **DD251WBC01**

(for dove gray frame/housing and dove gray drawers)



Concept 7 - Cat. No. 251WBC07

Consists of:

Qty.	Cat. No.	Description
1	2516801014	Eye-Level Standard Pre-Engineered Cabinet
1	2510PL350	Bench Open Panel Leg
2	251UCSD60	Under-Counter Shelf
1	250HILO	Hi-Lo Bracket Kit
1	251WHD60	Hardwood Work Surface, 60"w

Concept 8 - Cat. No. 251WBC08

Cor	isists	of:

60131313 01.		
Qty.	Cat. No.	Description
1	2516801014	Eye-Level Standard Pre-Engineered Cabinet
1	2510PL350	Bench Open Panel Leg
2	251UCSD60	Under-Counter Shelf
1	250HILO	Hi-Lo Bracket Kit
1	251WHD60	Hardwood Work Surface, 60"w
1	251WBS60	Back Stop 60"w
1	251WSSL	Side Stop, LH
1	2625	12"h Shelf Riser, 60"w



Concept 9 - Cat. No. 251WBC09

Consists of:

Qty.	Cat. No.	Description
1	2516801014	Eye-Level Standard Pre-Engineered Cabinet
1	251350B	Bench Standard Pre-Engineered Cabinet
1	250HILO	Hi-Lo Bracket Kit
1	251WHD72	Hardwood Work Surface, 72"w







Work Bench Concepts

- Choose pre-engineered units (single catalog number) or build your own by modifying the "consist of" lists.
- Component details can be found on pages 55-57
- All pre-engineered units feature empty drawers (*no layouts*) and multiple drawer locking system
- All concepts can be assembled either left or right side
- Field assembled only (easy to follow instructions provided)
- Specify framework/housing color and drawer color, same as steps 1 and 2 on page 5.

Example = **DD251WBC01**

(for dove gray frame/housing and dove gray drawers)



Concept 10 - Cat. No. 251WBC10

Consists of:		
Qty.	Cat. No.	Description
1	2516801014	Eye-Level Standard Pre-Engineered Cabinet
1	251350B	Bench Standard Pre-Engineered Cabinet
1	250HILO	Hi-Lo Bracket Kit
1	251WHD72	Hardwood Work Surface, 72"w
1	251WBS72	Back Stop 72"w
1	251WSSL	Side Stop, LH
1	2629	18"h Shelf Riser, 72"w
1	2631	Pick Rack, 72"w

Concept 11 - Cat. No. 251WBC11

Consists of:		
Qty.	Cat. No.	Description
1	251350A	Bench Standard Pre-Engineered Cabinet
1	251CPL350	Bench Closed Panel Leg
2	251UCS72	Under-Counter Shelf
1	251MDP72350	Bench Modesty Panel
1	251WHD72	Hardwood Work Surface, 72"w



Concept 12 - Cat. No. 251WBC12

Consists of:				
Qty.	Cat. No.	escription		
1	251350A	Bench Standard Pre-Engineered Cabinet		
1	251CPL350	Bench Closed Panel Leg		
2	251UCS72	Under-Counter Shelf		
1	251MDP72350	Bench Modesty Panel		
1	251WHD72	Hardwood Work Surface, 72"w		
1	251WSSR	Side Stop, RH		
1	251WSSL	Side Stop, LH		
1	251BRS7221	21"h Bookcase Riser, 72"w		
1	251RBP7221	21"h Bookcase Riser Back Panel, 72"w		
1	79020	Light Fixture		







- Choose pre-engineered units (*single catalog number*) or build your own by modifying the "consist of" lists.
- Component details can be found on pages 55-57
- All pre-engineered units feature empty drawers (*no layouts*) and multiple drawer locking system
- All concepts can be assembled either left or right side
- Field assembled only (easy to follow instructions provided)
- Specify framework/housing color and drawer color, same as steps 1 and 2 on page 5.

Example = **DD251WBC01**

(for dove gray frame/housing and dove gray drawers)



Concept 13 - Cat. No. 251WBC13

Consists of:				
Qty.	Cat. No.	Description		
1	251350A	Bench Standard Pre-Engineered Cabinet		
1	251CPL350	Bench Closed Panel Leg		
2	251UCS72	Under-Counter Shelf		
1	251MDP72350	Bench Modesty Panel		
1	251WHD72	Hardwood Work Surface, 72"w		
1	251WSSR	Side Stop, RH		
1	251WSSL	Side Stop, LH		
1	251BRS7221	21"h Bookcase Riser, 72"w		
1	251RBP7221	21"h Bookcase Riser Back Panel, 72"w		
1	79020	Light Fixture		
2	251BKCD270M	Bookcase with Doors, 36"w		



Concept 14 - Cat. No. 251WBC14

Consists of:				
Qty.	Cat. No.	Description		
1	251350A	Bench Standard Pre-Engineered Cabinet		
1	251350B	Bench Standard Pre-Engineered Cabinet		
1	251WHD90	Hardwood Work Surface, 90"w		



Concept 15 - Cat. No. 251WBC15

Consists of:				
Qty.	Cat. No. Description			
1	251350A	Bench Standard Pre-Engineered Cabinet		
1	251350B	Bench Standard Pre-Engineered Cabinet		
1	251WHD90	Hardwood Work Surface, 90"w		
1	251BRS9021	Bookcase Riser		





CUSTOM DESIGN WORK BENCHES

Work Bench Conceptions



- Choose pre-engineered units (single catalog number) or build your own by modifying the "consist of" lists.
- Component details can be found on pages 55-57
- All pre-engineered units feature empty drawers (*no layouts*) and multiple drawer locking system
- All concepts can be assembled either left or right side
- Field assembled only (easy to follow instructions provided)
- Specify framework/housing color and drawer color, same as steps 1 and 2 on page 5.

Example = **DD251WBC01**

(for dove gray frame/housing and dove gray drawers)



Concept 16 - Cat. No. 251WBC16

Consists of:				
Qty.	Cat. No. Description			
1	251350A	Bench Standard Pre-Engineered Cabinet		
1	251350B	Bench Standard Pre-Engineered Cabinet		
1	251WHD90	Hardwood Work Surface, 90"w		
1	251BRS9021	Bookcase Riser		
3	251BKCD270	Bookcase with Doors, 30"w		



Concept 17 - Cat. No. 251WBC17



Consists of:				
Qty.	Cat. No. Description			
1	251350A	Bench Standard Pre-Engineered Cabinet		
1	251350B	Bench Standard Pre-Engineered Cabinet		
1	2510PL350 Bench Open Panel Leg			
1	251WHD90	Hardwood Work Surface, 90"w		
1	251WHD60	Hardwood Work Surface, 60"w		
1	250SPLICE	Splice Plate Kit		



CUSTOM DESIGN WORK BENCHES

Work Bench Conceptions



- Choose pre-engineered units *(single catalog number)* or build your own by modifying the "consist of" lists.
- Component details can be found on pages 55-57
- All pre-engineered units feature empty drawers (*no layouts*) and multiple drawer locking system
- All concepts can be assembled either left or right side
- Field assembled only (easy to follow instructions provided)
- Specify framework/housing color and drawer color, same as steps 1 and 2 on page 5.

Example = **DD251WBC01**

(for dove gray frame/housing and dove gray drawers)



Concept 18 - Cat. No. 251WBC18



Consists of:				
Qty.	Cat. No.	Description		
1	251350A	Bench Standard Pre-Engineered Cabinet		
1	251350B	Bench Standard Pre-Engineered Cabinet		
1	2510PL350	Bench Open Panel Leg		
1	251WHD90	Hardwood Work Surface, 90"w		
1	251WHD60	Hardwood Work Surface, 60"w		
1	250SPLICE	Splice Plate Kit		
2	251BRS6021	Bookcase Riser		
2	251RBP6021	Bookcase Riser Back Panel		
1	251BCR3021	Bookcase Corner Riser		
2	79020	Light Fixture		



CUSTOM DESIGN WORK BENCHES

Work Bench Conceptions



- Choose pre-engineered units (single catalog number) or build your own by modifying the "consist of" lists.
- Component details can be found on pages 55-57
- All pre-engineered units feature empty drawers (*no layouts*) and multiple drawer locking system
- All concepts can be assembled either left or right side
- Field assembled only (easy to follow instructions provided)
- Specify framework/housing color and drawer color, same as steps 1 and 2 on page 5.

Example = **DD251WBC01**

(for dove gray frame/housing and dove gray drawers)



Concept 19 - Cat. No. 251WBC19



Consists of:				
Qty.	Cat. No. Description			
1	251350A	Bench Standard Pre-Engineered Cabinet		
1	251350B	Bench Standard Pre-Engineered Cabinet		
1	2510PL350	Bench Open Panel Leg		
1	251WHD90	Hardwood Work Surface, 90"w		
1	251WHD60	Hardwood Work Surface, 60"w		
1	250SPLICE	Splice Plate Kit		
2	251BRS6021	Bookcase Riser		
2	251RBP6021	Bookcase Riser Back Panel		
1	251BCR3021	Bookcase Corner Riser		
2	79020	Light Fixture		
4	251BKCD270	Bookcase with Doors, 30"w		





(A) Modular Drawer Cabinets

Choose from any Standard Pre-Engineered Cabinet (pages 6-13) or Slender Pre-Engineered Cabinet (page 16-18) or create your own custom cabinet (pages 32-33).

Note: Consider cabinets with 251 locking (Multiple Drawer Access), since tipping is highly unlikely.

(B) Panel Legs

- One-piece, heavy-gauge welded frame pre-punched for ease of assembly
- Supplied with knock-outs for customer supplied electrical outlet
- Supplied with leg levelers and mounting hardware to compensate for uneven floors
- · Match panel leg height to cabinet height chosen

Specify color

Open Panel Leg (for industrial applications)

- NO. 2510PL270 Desk, 26-7/8"H
- NO. 2510PL310 Table, 30-1/8"H
- NO. 2510PL350 Bench, 33-1/4"H
- NO. 2510PL400 Mid-Range, 37-3/16"H

Closed Panel Leg (for office applications)

- NO. 251CPL270 Desk, 26-7/8"H
- NO. 251CPL310 Table, 30-1/8"H
- NO. 251CPL350 Bench, 33-1/4"H
- NO. 251CPL400 Midrange, 37-3/16"H

(C) Side Stops

- · Helps to keep small parts from rolling off work-surface
- Extends 3" above work surface
- Front tapered to 1-1/2" above work surface with rounded front edge
- Includes mounting fasteners

Specify color

NO. 251WSSR - Right Side

NO. 251WSSL - Left Side

(D) Back Stops

- · Helps to keep small parts from rolling off work-surface
- Extends 3" above work surface
- Match the length of the Back Stop to the work surface width chosen
- Includes mounting fasteners

Specify color

NO. 251WBS60 - 60"w **NO. 251WBS72** - 72"w

251WBS72 - 72"w **NO. 251WBS90** - 90"w

(E) Shelf Risers

- Easy to reach shelf storage above work surface
- Match the width of the Shelf Riser to the work surface width chosen

Specify color

60"w Work Surface

NO. 2625 - 12"h x 10-1/2"d **NO. 2628** - 18"h x 14"d

72"w Work Surface

NO. 251WBS84 - 84"w

NO. 2626 - 12"h x 10-1/2"d **NO. 2629** - 18"h x 14"d



(F) Pick Racks

- · Allows easy hanging of plastic bins for additional on-hand storage
- · Easy attachment to back of Shelf Risers
- Match the width of the Pick Rack to the Shelf Riser width chosen

Specify color NO. 2630 - 60"w NO. 2631 - 72"w

(G) Plastic Bins

- · Allows for moveable storage of small parts from the work area
- Impervious to most solvents and corrosives
- Color=Blue only
- **NO. 78203** 4-1/8"w x 4-1/8"d x 3"h
- **NO. 78206** 4-1/8"w x 7-1/4"d x 3"h
- **NO. 78209** 5-7/8"w x 11-1/2"d x 5"h

(H) Stringers

- · Economic alternative to adjustable Footrest
- Formed steel channel attaches panel leg to cabinet with mounting hardware supplied

Specify color

60"w Work Surface

NO. 251STR60SL - 33-1/4"L used with Slender Cabinet NO. 251STR60 - 26-1/16"L used with Standard Cabinet 72"w Work Surface

2"w Work Surface

- NO. 251STR72SL 45-1/4"L used with Slender Cabinet
- NO. 251STR72 38-1/16"L used with Standard Cabinet
- NO. 251STR36 20-5/8"L used with Slender Cabinet

Color S	election					
Determin	e the color and	l add the	two letter 📕	digits as a p	refix to catal	og numbe
AA	BB	DD	HH	JJ	KK	PP
Ash	Wedgewood Blue	Dove Gray	Roaring Red	Forest Green	Vulcan Black	Putty

ers





Work Surfaces

Available in Laminate, Shop Top, Steel, Hardwood, or Stainless Cover over Industrial Grade Particle Board (ISPB). Custom lengths for all work surfaces are available on special request.

Laminate (WLT) = Particle board core with plastic laminate cover.

- Ideal for light-duty applications • 180° soft edge, chip resistant
- Color = Putty or Dove Gray Only. Specify color

NO. 251WLT60 - 30"d x 1-5/8"t x 60"w NO. 251WLT72 - 30"d x 1-5/8"t x 72"w

Shop Top (WSP) = Medium density fiberboard core with particle board surface.

NO. 251WSP60 - 30"d x 1-3/4"t x 60"w NO. 251WSP72 - 30"d x 1-3/4"t x 72"w

Outlet Strip

width chosen • Color = Light Gray only

NO. 2662 - 5 outlets - 60"w

NO. 2663 - 8 outlets - 72" w

Steel (WSL) = 12 Gauge formed panel with reinforcing channels. Ideal for heavy-duty maintenance work

• 40% harder work surface than hardwood

· Resistant to conventional liquids

· Specify color

• Match the length of the Outlet Strip to the work surface

NO. 251WSL60 - 30"d x 1-3/4"t x 60"w NO. 251WSL72 - 30"d x 1-3/4"t x 72"w

• Easily attaches to any flanged surface

• UL approved for 15 AMPS @ 125V



Hardwood (WHD) = Solid-laminated with rounded edges and



- Ideal for precision work
- · Sealed Kiln-dried hardwoods • 3/16" radius edges

NO. 251WHD60 - 30"d x 1-3/4"t x 60"w
NO. 251WHD72 - 30"d x 1-3/4"t x 72"w
NO. 251WHD84 - 30"d x 1-3/4"t x 84"w
NO. 251WHD90 - 30"d x 1-3/4"t x 90"w
NO. 251WHD96 - 30"d x 1-3/4"t x 96"w
NO. 251WHD120 - 30"d x 1-3/4"t x 120"w

Stainless (WST) = 16-Gauge type 304, #4 finish formed stainless steel cover over Industrial Grade Particle Board (ISPB).



• For the ultimate work bench application · Edges are wrapped and welded

NO. 251WST60 - 30"d x 1-5/8"w x 60"w NO. 251WST72 - 30"d x 1-5/8"w x 72"w

Adjustable Footrest


- Multi-formed, reinforced steel channels pre-punched for assembly
- · Sleeved and adjustable for many length combinations

Specify color

NO. 240853 - 27" to 46-1/4" NO. 240855 - 18" to 29"



NO. 240854 - 46-1/4" to 69"



Hi-Lo Bracket Kit

- · Allows for mounting worksurface directly to the side of a cabinet
- Includes mounting fasteners
- · Galvanized finish
- **NO. 250HILO**



Splice Plate Kit

- · Allows for attaching two (2) worksurfaces into a corner, creating an "L"
- Includes mounting fasteners
- Galvanized finish
- NO. 250SPLICE





K

J

L

(J) Bookcase Risers

Workspace Products

- Maintains work surface area while providing additional storage space above
- Designed to support the weight of up to three, loaded Bookcases
- Attaches to Work Surface with supplied hardware
- Corner Riser used to join two adjacent ends *(includes Back Panel)*
- Hardware supplied to support the optional
 No. 79020 Light Fixture

Specify color

Bookcase Riser

NO. 251BRS6018 - 60"w x 14"d x 18"h NO. 251BRS6021 - 60"w x 14"d x 21"h NO. 251BRS6024 - 60"w x 14"d x 24"h NO. 251BRS7218 - 72"w x 14"d x 24"h NO. 251BRS7221 - 72"w x 14"d x 21"h NO. 251BRS7224 - 72"w x 14"d x 24"h NO. 251BRS9018 - 90"w x 14"d x 21"h NO. 251BRS9021 - 90"w x 14"d x 21"h NO. 251BRS9024 - 90"w x 14"d x 21"h

Bookcase Corner Riser (pictured on page 52)

- **NO. 251BCR3018** 90"w x 14"d x 18"h **NO. 251BCR3021** - 90"w x 14"d x 21"h
- **NO. 251BCR3024** 90"w x 14"d x 24"h

(K) Bookcases

- · Similar construction to an MDC "Housing"
- One bottom shelf and one adjustable shelf included with 100Lb. capacity each
- Overhead storage unit attaches to Riser with supplied hardware
- · Can be wall-mounted, hardware not included

Specify color

30"W without lockable swing doors

NO. 251BKC270 - 30"w x 14"d x 24-3/4"h **NO. 251BKC350** - 30"w x 14"d x 31-1/8"h

30"W with lockable swing doors

NO. 251BKCD270 - 30"w x 14"d x 24-3/4"h **NO. 251BKCD350** - 30"w x 14"d x 31-1/8"h

(L) Bookcase Riser Back Panels

- Protected cord access holes in all four corners
- Provides privacy above for work bench applications

Specify color

NO. 251RBP6018	- 60"w x 18"h
NO. 251RBP6021	- 60"w x 21"h
NO. 251RBP6024	- 60"w x 24"h

NO. 251RBP7218	- 72"w x 18"h
NO. 251RBP7221	- 72"w x 21"h
NO. 251RBP7224	- 72"w x 24"h

NO. 251RBP9018 - 90"w x 18"h NO. 251RBP9021 - 90"w x 21"h NO. 251RBP9024 - 90"w x 24"h



36"W without lockable swing doors

- **NO. 251BKC270M** 36"w x 14"d x 24-3/4"h
- NO. 251BKC350M 36"w x 14"d x 31-1/8"h

36"W with lockable swing doors

- NO. 251BKCD270M 36"w x 14"d x 24-3/4"h
- NO. 251BKCD350M 36"w x 14"d x 31-1/8"h



(M) Modesty Panel

MADE IN THE

- Provides privacy below for work bench applications
- Formed steel panel attaches panel leg to cabinet with hardware supplied
- Match modesty panel size to width of work surface and cabinet

Specify color

for 60"w Work Surface with Desk/Table Slender Cabinet NO. 251MDP60270SL NO. 251MDP60270

for 60"w Work Surface with Bench/Mid-Range Slender Cabinet NO. 251MDP60350SL NO. 251MDP60350

for 72"w Work Surface with Desk/Table Slender Cabinet NO. 251MDP72270SL NO. 251MDP72270

for 72"w Work Surface with Bench/Mid-Range Slender Cabinet NO. 251MDP72350SL NO. 251MDP72350

(N-1) Under-Counter Shelves

- · Provides additional storage space below work surface
- 150Lb. evenly distributed weight capacity, 12-1/2" deep
- Formed steel panel attaches to panel leg and cabinet with brackets and hardware supplied

Specify color

for 60"w Work Surface

NO. 251UCS60SL - Slender Cabinet NO. 251UCS60 - Standard Cabinet for 72"w Work Surface

NO. 251UCS72SL - Slender Cabinet NO. 251UCS72- Standard Cabinet

Μ


N-1

(N-2) Under-Counter Shelves Side-Mounted to Cabinet

· Available in pairs for work surfaces side-mounted to the cabinet (Hi-Lo Bracket).

Specify color for 60"w Work Surface NO. 251UCSD60 - 2 shelves

for 72"w Work Surface NO. 251UCSD72 - 2 shelves







PRE-ENGINEERED SHELVING SECTIONS

Drawers in Shelving



Pre-Engineered Units

Shelving System is 30"w x 30"d x 84"h

- Pre-engineered units can be used as standalone starter units or assemble them in rows with add-on units
- Drawers feature capacity of 400 lbs. and fully extend for visual and physical access (same drawers used in Standard, 30"w Cabinets)
- Add drawer layout kits to increase storage density within each drawer (same layout kits used in Standard, 30"w Cabinets—see pages 14-15)
- Shelves feature capacity of 400 lbs. and are adjustable on 1-1/2" centers
- Shipped knocked-down for field assembly only

Step 1

Select Shelving Color –

Enter **LETTER** designation

Step 2

Select Drawer Color – Enter **LETTER** designation



Accessories


External Lock bar

- Secures all drawers with hinged bar (padlock not included)
- Field installed only (drilling required fasteners supplied)
- Specify color from Drawer Colors
- **890ELB250:**

fits 18"h Drawer Guide Support

- **890ELB480:**
 - fits 36"h Drawer Guide Support

۳n	Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
DRAWER TABLE	Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
E DE	Drawer Size	SMA	LL	MED	NUM	LAR	GE				E	EXTRA LA	RGE			







Drawers in Shelving



Custom Design Units

Shelving System is 30"w x 30"d x 84"h



Example

Qty.	Cat. No.	Description
2	PP8886	Upright 30"d x 84"h
6	PP8648	Back, 30"w x 84"h
1	PP8593H	Shelf, 30"w x 30"d
1	BB890250	Support, 18"h
1	BB890040	Drawer, 2-1/4" usable
1	BB890050	Drawer, 3" usable
2	BB890080	Drawer, 5-3/8" usable

Step 1 - Shelving Selection

Select shelving.

Cat. No.	Description				
	FRAME WORK				
8886	Upright Assembly (2 required per starter section)*				
8648	Shelving Back (1 required per section)				
SHELVES					
	Shelf 30"w x 30"d (minimum 4 per section required)				
Note: Shelve guide suppo	es required immediately above and below drawer rt. *Only 1 required per add-on selection.				

Step 2 - Shelving Color Selection

Determine your color, then add the two (2) letter digits as a **prefix** to the shelving catalog numbers chosen in step 1.



Step 3 - Support Selection

Select the drawer guide support(s), depending on whether you want a short stack of drawers (18" High) or a tall stack (36" High) or a combination.

DRAWER GUIDE SUPPORTS			
Cat. No.	Description		
890250	Drawer Guide Support, 18"h		
890480	Drawer Guide Support, 36"h		

Step 4 - Drawer Selection

Select the number of drawers desired. (see example).

	LAR DRAM	
Cat. No.	Front Height	Usable Height
890040	3-1/16"	2-1/4"
890050	3-7/8"	3"
890060	4-5/16"	3-7/8"
890070	5-7/16"	4-5/8"
890080	6-3/16"	5-3/8"
890090	7"	6-1/4"
890100	7-3/4"	7"
890110	8-9/16"	7-3/4"
890120	9-3/8"	8-1/2"
890130	10-1/4"	9-3/8"
890140	10-7/8"	10-1/8"
890150	11-3/4"	10-7/8"
890160	12-1/2"	11-3/4"
890170	13-15/16"	12-1/2"
890180	14-1/16"	13-1/4"
89030R	Roll-ou	ıt Shelf —

Example

When selecting drawer configurations you must add the drawer numbers to equal the last 3 digits of the Drawer Guide Support.

Drawer Guide Support No. 890250

(3) **No. 890040** drawers = 120

(1) **No. 890060** drawer = 60

(1) **No. 890070** drawer = 70

Total = 250



Step 5 - Support/Drawer Color Selection

Determine your color, then add the two (2) letter digits as a prefix to the catalog numbers chosen.



Step 6 - Layout Selection (optional)

Determine your drawer layouts from pages 12-13, then choose the catalog number specific to the drawer size. Layouts are shipped unassembled.










Secure, High Density Weapons Storage

The Ultimate Storage Solution for military, domestic defense and police professionals

Maximize your storage, workspace and security with LYON Modular Drawer Weapons Cabinets. This high density storage solution provides a maximum level of security in an organized and efficient storage footprint.

- Meets the requirements of paragraph 4 of the Small Arms Storage Rack Certification Document; part of AR 190-11 for the physical security of arms, ammunition and explosives
- Integrated locking system at both vertical drawer ends provides for ultimate security (*padlock not included*)
- 4:1 storage space savings as compared to typical rack systems
- Rubber-coated gun partitions and foam inserts for pistols protect and secure weapons within each drawer
- All drawers feature a bottom polyester mesh liner for weapon surface protection








Choose a hardwood top work surface or

 Add an Overhead Unit for the bulk storage of ancillary items

Pre-engineered units are Eye-Level - 59-1/4"h x 28-1/4"d







Weapons Storage




To custom design a Weapons Storage, begin by following the steps on pages 32-33 keeping in mind that there is a drawer height minimum as referenced on this page, highlighted in gray or contact Dimensions listed are the clear inside dimensions of the drawer. Customer Service at

Partitions (Rifle Storage)

*Weapons length must be less than 39-1/4" for storage in "Extra" (39-1/2"w) Drawer

WEAPON MODEL	DRAWER INSERT PART NUMBER (includes drawer liner)	MINIMUM DRAWER HEIGHT	EXTRA (39-1/2"w)	WEAPONS PER DRAWER DOUBLE (54-11/16"w)
SUBMA	SUBMACHINE GUN			
A4	250GSP1	130	8	
A4	250GSP3	130		16
A5	250GSP1	140	8	
A5	250GSP3	140		16
MP5A2	250GSP1	130	8	
MP5A2	250GSP3	130		16
MP5A3	250GSP1	140	8	
MP5A3	250GSP3	140		16
M3A1	250GSP5	120	11	
M3A1	250GSP6	120		15
SD	250GSP1	140	8	
SD	250GSP3	140		16
CARBIN	E			
CAR15	250GSP2	130		8
M4	250GSP1	130	8	
M4	250GSP2	130		8
M4A1	250GSP1	130	8	
M4A1	250GSP2	130		8

WEAPON MODEL	DRAWER INSERT PART NUMBER (includes drawer liner)	MINIMUM DRAWER HEIGHT	EXTRA (39-1/2"w)	WEAPONS PER DRAWER DOUBLE (54-11/16"w)
MACHIN	NE GUN			
MAG-58	250GSP4	160		5
M240B	250GSP4	160		5
M240G	250GSP4	160		5
M249	250GSP4	160		5
SHOTGU	IN			
M1200*	250GSP1	130	8	
M1200	250GSP2	130		8
RIFLE				
M16*	250GSP1	130	8	
M16	250GSP2	130		8
M16 w/ M203	250GSP2	130		8
M-1A	250GSP2	130		8
SNIPER	RIFLE			
M-24	250GSP2	130		8
BARREL				
M2	250GSP2	100		8



Foam Insert (Pistol Storage)

DRAWER WIDTH	DRAWER INSERT PART NUMBER (includes drawer liner)	MINIMUM DRAWER HEIGHT	WEAPONS PER DRAWER
Slender (17-15/16")	250PSF1	130	44
Standard (25-1/8")	250PSF2	130	64
Medium (31-1/2")	250PSF3	130	80
Extra (39-1/2")	250PSF4	130	100
Double (54-11/16")	250PSF5	130	140

Foam Insert

(Rifle Storage)

WEAPON MODEL	WEAPON STYLE	DRAWER INSERT PART NUMBER (includes drawer liner)	MINIMUM DRAWER HEIGHT	WEAPONS PER DRAWER DOUBLE (54-11/16"w)
M2	Machine Gun	250GSF1	140	4
M60	Machine Gun	250GSF2	130	4
MK19	Machine Gun	250GSF3	130	2

To custom design a Weapons Storage, Contact Customer Service at

	Qty.	Cat. No.	Description
For the storage of (32) A5 Submachine Guns	1	PP251310XL	Double Table Housing
	1	251DINT310	Cabinet Lock Deduct
	2	PP240ELB310	External Lockbar
	1	250LHT60	Hardwood Top
	1	PP251150XL-GSP3	Double Drawer, 10-7/8" usable/16 Weapon Layout
	1	PP251160XL-GSP3	Double Drawer, 11-3/4" usable/16 Weapon Layout





Computer Workstation











This professional-grade computer workstation features individually locking compartments for maximum safety control. The mobile base package provides safe and easy mobility.

FEATURES

- Ships assembled for immediate use (casters not installed)
- Clear view monitor door allows for visibility and protection of up to a 24" monitor
- Individual locking monitor, keyboard and printer/CPU doors (keyed-alike)
- Fully removable back panel for clear access to computer wiring
- Four, 5" diameter swivel casters with total-lock brake and rubber wheel tread
- Includes pre-installed 80 CFM cooling fan with filter media and 6 outlet surge protector
- Overall cabinet: 30"w x 28-1/4"d x 57-1/8"h (casters add 6-5/8" to height)

Stationary:


250680PCSRD (without casters) 30"w x 28-1/4"d x 57-1/8"h


Mobile:

250680PCMRD (with casters) 30"w x 28-1/4"d x 63-3/4"h

Color Selection

Determine your color, then add the two (2) letter digits (seen below) as a prefix to the catalog number chosen.







Spare Parts



Cat. No.	Description
	Touch-Up Paint
AA7003	Aerosol Spray – 4.5 oz. Can, Ash
BB7003	Aerosol Spray – 4.5 oz. Can, Wedgewood Blue
DD7003	Aerosol Spray – 4.5 oz. Can, Dove Gray
HH7003	Aerosol Spray – 4.5 oz.Can, Roaring Red
JJ7003	Aerosol Spray – 4.5 oz. Can, Forest Green
KK7003	Aerosol Spray – 4.5 oz. Can, Vulcan Black
PP7003	Aerosol Spray – 4.5 oz. Can, Putty
AATOUCHUP	Brush Applicator – 0.6 oz. Bottle, Ash
BBTOUCHUP	Brush Applicator – 0.6 oz. Bottle, Wedgewood Blue
	Brush Applicator – 0.6 oz. Bottle, Dove Gray
	Brush Applicator – 0.6 oz. Bottle, Roaring Red
JJTOUCHUP	
	Brush Applicator – 0.6 oz. Bottle, Vulcan Black Brush Applicator – 0.6 oz. Bottle, Putty
PPTOUCHUP	
101000	Closure
101928	Tree Clip, Black Closure – Forklift Base, Slender Wide (specify color)
102213	Closure – Forklift Base, Stender Wide (<i>specify color</i>) Closure – Forklift Base, Standard Wide (<i>specify color</i>)
102214 102561	Closure – Forklift Base, Standard Wide (specify color) Closure – Forklift Base, Medium Wide (specify color)
102561	Closure – Forklift Base, Extra Wide (specify color)
102215	Closure – Forklift Base, Extra Wide (specify color) Closure – Forklift Base, Double Wide (specify color)
103335	Closure – Pallet Base, Slender Wide (specify color)
103336	Closure – Pallet Base, Standard Wide (specify color)
103337	Closure – Pallet Base, Medium Wide (specify color)
103537	Closure – Pallet Base, Extra Wide (specify color)
103538	Closure – Pallet Base, Double Wide (specify color)
100000	Nameplate
101780	Lyon Nameplate, plain
103180	Lyon Nameplate, single drawer access
103181	Lyon Nameplate, multiple drawer access
	Cabinet Lock
100694	Lock Hole Plug, black plastic
101782	Cabinet Lock (includes nut and two keys, specify code)*
102601	Cabinet Lock Wrench
240KEY	Replacement Key for all MDC locks (<i>specify code</i>)*
103017	Lockrod, single drawer access
103018	Lockrod, multiple drawer access
103150	Locking Channel, multiple drawer access, Desk High
103151	Locking Channel, multiple drawer access, Table High
103152	Locking Channel, multiple drawer access, Bench High
103153	Locking Channel, multiple drawer access, Mid-Range High
103154	Locking Channel, multiple drawer access, Counter High
103155	Locking Channel, multiple drawer access, Eye-Level High
103157	Lock Bar Supports, multiple drawer access
102871	Screw for lock system, #6 x 1/2"
103539	Drawer Clip, single drawer access (includes rivet)
240MK1	Master Key
101000	Drawer
101892	Handle End Cap, LH
101893	Handle End Cap, RH Cardboard Label for bandle
240112 240111	Cardboard Label for handle Plastic Shield for handle
102200	Screw for drawer handle, #10 x 5/16" (T20)
102200	Screw for partition-divider, #6 x 1/4" (T15)
102212	Drawer Handle, Slender Wide (includes End Caps and fasteners)
102217	Drawer Handle, all sizes except Slender (includes End Caps and fasteners)
103540	Drawer Lock (includes cam, nuts and two keys, <i>specify code</i>)*
103540	Latch-In/Latch-Out Mechanism
102141	Vinyl End Cap, LI/LO
102171	

Cat No	Description
Cat. No. Description Drawer Suspension	
102199	Screw for drawer guide, 1/4" x 3/4" (T20)
	Drawer Carrier, Slender Wide
	Drawer Carrier, Standard Wide
	Drawer Carrier, Medium Wide
	Drawer Carrier, Extra Wide
103297	Drawer Carrier, Double Wide
	Drawer Guides, LH & RH (includes fasteners)
	Shelf
103542	Shelf Supports, pair (includes fasteners)
Swing Door	
103383	Screw for door hinge-stop, 1/4" x 1/2" (T30)
103543	Door Lock (includes cam, nuts and two keys, <i>(specify key code)</i> *
	Door Handle, black plastic (includes fasteners)
	Door Stop, single door (includes magnet and fasteners)
103546	Door Stop, double door (includes magnet and fasteners)
	Caster
	Cabinet Handle (includes End Caps and Fasteners, specify color)
	Handle End Cap, black rubber
103547	
103548	
	Swivel Caster, 5" Diameter (includes fasteners)
103551	
Cabinet Tops	
	Black Duraflex Vinyl Mat for retainer top, Slender Wide
	Black Duraflex Vinyl Mat for retainer top, Standard Wide
	Black Duraflex Vinyl Mat for retainer top, Medium Wide
103625	
103626 103627	
	Retainer Top Fastener Kit
	Hardwood Top Fastener Kit
Work bench	
103554	Footrest Fastener Kit
	Panel Leg Fastener Kit
	Steel Top Fastener Kit
Workstation	
103557	Pegboard Fastener Kit
Shelving Drawers	
102195	Frame Bracket Kit, 18"h
	Frame Bracket Kit, 36"h
Computer	
102270	Black Rubber Grommet
102271	Fan
	Fan Filter
	Fan Guard
	Fan Power Cord
102275	
	Fan Fastener Kit
-	Drawer Slide, LH (includes fasteners)
103560	
103561 103562	Locking Kit, keyboard Locking Kit, upper door
103562	
103563	Swivel Caster, 5" Diameter (includes fasteners)
Hardware	
240CAK Cabinet Anchoring Kit	
103565	
103566	
103567	
102123	Screw for external lock bar, #8 x 1/2"

*The key code number is stamped on the key and the face of the lock cylinder. **EXAMPLE: M853**