



Tub and Undercarriages

Model	Description	Wt. (lbs)	W x L x H (plus capacity)	Characteristics	Applications & Markets
6901 6905	Tub Tub with 1" drain plug	31.0 31.0	30.5"x 54.7"x 20.6" 30.5"x 54.7"x 20.6" 1,000 lb. capacity 13.7 cubic ft. 11-bushel 102.5 US gallons	 High-density polyethylene Meets all USDA specifications Made from FDA-compliant materials Available in colors by special order (minimum order quantities required) Drain plug available 	 Meat, seafood, poultry Commercial fishing Candy Bakeries Dairy farms (grain) Storage
902	Lid	15.0	31"x 55.5"x 2"	High-density polyethylene	
6903 6906 6904	Regular undercarriage (galvanized) Stainless steel undercarriage Low undercarriage (galvanized)	69.0 58.0 105.0	15.5" (height) 15.5" (height) 7.5" (height)	 Caster wheels impervious to meat fat Caster bearings equipped with grease fittings Available in galvanized and stainless steel frames Replacement casters and wheels available 	












Tub and Undercarriage


Different configuration, but many of the same attractive features as our 6901 tubs. Ideal for handling, transporting, freezing, and storing, this tub is tough and long lasting. It's available stand-alone or with a steel undercarriage, with an optional 1" drain plug, and (in orders meeting a minimum quantity requirement) your choice of colors.




Tub and Undercarriage

Model	Description	Wt. (lbs)	W x L x H (plus capacity)	Characteristics	Applications & Markets
6911 6915	Tub Tub with drain plug	21.0 21.0	26"x 46.6"x 16.2" 26"x 46.6"x 16.2" 560 lb. capacity 10 cubic ft. 8-bushel 70 US gallons	 High-density polyethylene Meets all USDA specifications Made from FDA-compliant materials Available in colors by special order (minimum order quantities required) Drain plug available 	 Meat, seafood, poultry Commercial fishing Candy Bakeries Dairy farms (grain) Storage
6912	Lid	11.0	26.5"x 47"x 1.7"	High-density polyethylene	
6913	Undercarriage (galvanized)	60.0	7.2" (height)	 Caster wheels impervious to meat fat Caster bearings equipped with grease fittings Galvanized steel frames Replacement casters available 	











Aero-Tote

Model	Description	Wt. (lbs)	W x L x H (plus capacity)	Characteristics	Applications & Markets
6921 6925	Aero-Tote tub Aero-Tote tub with drain plug	22.0 22.0	36"x 40"x 21.1" 36"x 40"x 21.1" 800 lb. capacity 17.6 cubic ft. 14-bushel	 High-density polyethylene Ribbed bottom for drainage Meets all USDA specifications Made from FDA-compliant materials 	 Meat, seafood, poultry Commercial fishing Candy Dairy farms (grain) Bakeries Storage
6922	Aero-Tote lid	13.0	36.5"x 41"x 2"	Thick, rigid polyethylene Allows column stacking	
6923	Aero-Tote pallet	20.0	32.7"x 37.2"x 9.5"	 Easily snaps on and off Thick, rigid high-density polyethylene Access hole in leg for optional drain plug Column stackable and nestable Can be moved with a forklift 	
36	6922	20,0		Can be moved with a lorking	

