



Jamco Products

Flyer
SS13



All Welded Stainless

- **Cabinets - NEW**
- **Wall Cabinets - NEW**
- **Work Height Cabinets**
- **Workbenches & Workbench Tops - NEW**
- **Work Stands**
- **Mobile Work Stands**
- **Mobile Cabinets**
- **Carts - Service, Platform, Linen, Supply, Stock, Transfer & Tote**



Capacities from
600 lb to 1,800 lb

78 Models Total

with premium polished stainless
14, 16 & 20 gauge shelves



All Models Ship...



Distributed By:



Our Quality Serves You Longer

JAMCO ADVANTAGE

Jamco [redacted] manufactures fully welded frame, all stainless units. No galvanized parts are used. All of our models are built for durability to stand the test of time and will outlast and outperform lighter gauge and bolt together products many times over.

[redacted]

[redacted]

- Qwik Ship - Standard models can ship less than 6 in one week.
- Versatility - Standard models come in various sizes, shelf & lip configurations, and heights with options to increase the possibilities. All casters are bolt on for easy replacement and upgrade, without replacing the complete unit.
- Freight - **Jamco** [redacted] offers freight quotes with their prepay and add system. Jamco [redacted] will handle claims as long as the receiving party inspects the goods and refuses damaged items from the freight carrier. On your specified carrier, we do not handle claims, reclassifications, special delivery requirements, or other charges.

All items are:

- Brick static load tested to ensure capacity accuracy.
 - Mig/tig and/or spot welded for industrial grade use.
 - Stainless steel with premium polished shelves for a beautiful finish.
 - Packaged and strapped to pallets to ship via LTL truck (unless otherwise noted).
- All weight capacities are evenly distributed between shelves and over the full area of the shelf.

[redacted]

SUMMARY INDEX BY CAPACITY

FIXED

MEDICAL CABINETS	4
WALL MEDICAL CABINETS	5
WORK STAND CABINETS	6 - 7
WORKBENCHES	8 - 9
WORK STANDS - 2 & 3 Shelf	10

MOBILE

WORK STANDS	11
WORK HEIGHT CABINETS	12 - 15
600 lb CAPACITY CARTS	16 - 20
- Service Carts - 2 & 3 Shelf	16 - 18
- Linen Carts	19
- Supply Carts - 3, 4, & 5 Shelf	19 - 20
1,200 lb CAPACITY CARTS	21 - 25
- Service Carts - 2 & 3 Shelf	21 - 24
- Platform Trucks	25
- Transfer Carts	25
1,800 lb CAPACITY CARTS	26 - 27
- Service & Transfer Carts - 2 & 3 Shelf	26
- Platform Trucks	26
- Stock Trucks - 3, 4, & 5 Shelf	27
TOTE BOX TRUCKS	28



Stainless Steel Cabinets with Paddle Latch

Models KU, KV, KW - Stainless steel cabinets with paddle latch

Product Features:

- Fully welded premium polished 304 stainless steel.
- 3 sided 18 gauge stainless wrap construction with 12 gauge feet.
- Feet have slots for bolt down kit to secure cabinet to floor.
- 18 gauge stainless steel shelves.
- Shelves adjust on 2-1/2" centers.
- Top has flush front, sides and back have 1-1/4" lips up.
- Smooth hemmed edges.
- Twin 18 gauge doors with dual latch system.
- Flush paddle latch lock in 304 stainless steel, includes 2 keys.
- Overall heights:
 - 41" (Model KU only)
 - 65" (Model KV only)
 - 77" (Model KW only)

Options:

- Additional shelves - see chart for shelf model
- Bolt down kit - Code SK

Model KU - Cabinet - 41" Height, 2 shelves

DxW (in)	Model	Wgt. (lbs)
18 x 36	KU136	132
48	KU148	162
24 x 36	KU236	142
48	KU248	186

DxW (in)	Shelf Model	Wgt. (lbs)
18 x 36	OY136	12
48	OY148	16
24 x 36	OY236	16
48	OY248	20

Model KV - Cabinet - 65" Height, 3 shelves

DxW (in)	Model	Wgt. (lbs)
18 x 36	KV136	200
48	KV148	240
24 x 36	KV236	212
48	KV248	274

DxW (in)	Shelf Model	Wgt. (lbs)
18 x 36	OY136	12
48	OY148	16
24 x 36	OY236	16
48	OY248	20

Model KW - Cabinet - 77" Height, 4 shelves

DxW (in)	Model	Wgt. (lbs)
18 x 36	KW136	238
48	KW148	284
24 x 36	KW236	256
48	KW248	326

DxW (in)	Shelf Model	Wgt. (lbs)
18 x 36	OY136	12
48	OY148	16
24 x 36	OY236	16
48	OY248	20



Model KU Shown



Model KV Shown



Model KW Shown



Stainless Steel Wall Cabinets with Bins

Model KP - Stainless steel wall cabinets with bins & paddle latch

Product Features:

- Fully welded premium polished 304 stainless steel.
- 3 sided 18 gauge stainless wrap construction.
- 18 gauge stainless steel shelves.
- Includes 30-InSight® Ultra Clear Bins - 4-1/8" w x 7-3/8" d x 3-1/4" h.
- Top has flush front, sides and back have 1-1/4" lips up.
- Smooth hemmed edges.
- Twin 18 gauge doors with dual latch system.
- Flush paddle latch lock in 304 stainless steel, includes 2 keys.
- Overall height - 30".

Options:

- Additional Bins - see chart for bin model
- Bin covers - Code RL



Model KP Shown

Model KP - Bins, Paddle Latch

DxW (in)	Model	Wgt. (lbs)	DxW (in)	Bin Model	Wgt. (lbs)
12 x 30	KP130	92	12 x 30	RM	6



Stainless Steel Wall Cabinets with Shelves

Model KS - Stainless steel wall cabinets with shelves & paddle latch

Product Features:

- Fully welded premium polished 304 stainless steel.
- 3 sided 18 gauge stainless wrap construction.
- Includes 2-18 gauge stainless steel shelves.
- Shelves adjust on 2-1/2" centers.
- Shelves are secured with bolts for maximum stability.
- Top has flush front, sides and back have 1-1/4" lips up.
- Smooth hemmed edges.
- Twin 18 gauge doors with dual latch system.
- Flush paddle latch lock in 304 stainless steel, includes 2 keys.
- Overall height - 30".

Options:

- Additional Shelves - see chart for shelf model



Model KS Shown

Model KS - Shelves, Paddle Latch

DxW (in)	Model	Wgt. (lbs)	DxW (in)	Shelf Model	Wgt. (lbs)
12 x 30	KS130	80	12 x 30	OZ130	8

Stainless Steel Work Height Cabinets

Models ZP, ZU, ZV - Stainless steel fixed cabinets with drawers and or door(s)

1,200 LB CAPACITY



Model ZP Shown

1,200 LB CAPACITY



Model ZU Shown

1,200 LB CAPACITY



Model ZV Shown

Product Features:

- All welded construction.
- **Stainless, premium polished shelves in durable 16 gauge.**
- 3 sided 16 gauge stainless wrap construction with 14 gauge feet.
- **Lockable Stainless Drawers** (4-1/4" h x 16" w x 16" d) with 2 keys (except Model ZP).
- **Lockable Stainless Door(s)** with 2 keys.
- Top shelf - flush front lip with other 3 sides lips up.
- All locks are keyed alike - call for other key options.

Dimensions:

Cabinet Model	Overall Height	Clearance Behind Door(s)
ZP	34"	24"
ZU	34"	18"
ZV	34"	24"

Options:

- Middle shelf behind door(s) - **Code SM** (Models ZP & ZU only)
Code HM (Model ZV only)
- Vinyl matting on top shelf - **Code VM**

Model ZP – 2 Doors

DxW (in)	Model	Wgt. (lbs)
18 x 36	ZP136	100
24 x 36	ZP236	114

Model ZU – 2 Drawers, 2 Doors

DxW (in)	Model	Wgt. (lbs)
18 x 36	ZU136	140
24 x 36	ZU236	154

Model ZV – 4 Drawers, 1 Door

DxW (in)	Model	Wgt. (lbs)
18 x 36	ZV136	172
24 x 36	ZV236	186

Stainless Steel Narrow Work Height Cabinets

Models VW, VX, VY – Stainless steel fixed cabinets with drawer(s) and/or a door

1,200 LB CAPACITY

Product Features:

- All welded construction.
- **Stainless, with premium polished shelves in durable 16 gauge.**
- 3 sided 16 gauge stainless wrap construction with 14 gauge feet.
- **Lockable Stainless Drawer(s)** (4-1/4" h x 16" w x 16" d) with 2 keys (Models VW & VX only).
- **Lockable Stainless Door** with 2 keys (Models VX & VY only).
- Top shelf - flush front lip with other 3 sides lips up.
- All locks are keyed alike - call for other key options.

Dimensions:

Mobile Cabinet Model	Overall Height	Clearance Behind Door
VW	34"	N/A
VX	34"	18"
VY	34"	24"

Options:

- Middle shelf behind door - **Code HM** (Models VX & VY only)
- Vinyl matting on top shelf - **Code VM**



Model VW Shown

1,200 LB CAPACITY



Model VX Shown

1,200 LB CAPACITY



Model VY Shown

Model VW – 4 Drawers

DxW (in)	Model	Wgt. (lbs)
18 x 18	VW118	136

Model VX – 1 Drawer, 1 Door

DxW (in)	Model	Wgt. (lbs)
18 x 18	VX118	80

Model VY – 1 Door

DxW (in)	Model	Wgt. (lbs)
18 x 18	VY118	62



Stainless Steel Workbenches

Models UK, VN, VO - Stainless steel workbenches with solid wood core tops

1,200 LB CAPACITY



Model UK Shown

1,200 LB CAPACITY



Model VN Shown

1,200 LB CAPACITY



Model VO Shown

Product Features:

- Fully welded frame construction.
- **Durable 16 gauge premium polished stainless steel.**
- Stainless top is double formed around solid wood core.
- Base and bottom shelf are inset.
- 1-1/2" square tubular legs with adjustable feet for use on uneven surfaces.

Other Specifications:

Model UK:

- Clearance between shelves is 19".

Model VN:

- 18 gauge one piece stainless steel wrap around shell.
- Clearance between shelves is 19".

Model VO:

- 18 gauge one piece stainless steel wrap around shell.
- Includes 3 lockable stainless drawers (4-1/4" h x 16" w x 16" d) with 2 keys.
- Clearance under drawers is 13".

Model UK – Workbench

DxW (in)	Model	Wgt. (lbs)
30 x 60	UK360	140
72	UK372	156

Model VN – Workbench, Sides

DxW (in)	Model	Wgt. (lbs)
30 x 60	VN360	174
72	VN372	190

Model VO – Workbench, Sides, Drawers

DxW (in)	Model	Wgt. (lbs)
30 x 60	VO360	240
72	VO372	256



Stainless Steel Workbenches

Models VP, YE, UL - Stainless steel workbenches

Product Features:

Model VP:

- Fully welded frame construction.
- **Durable 16 gauge premium polished stainless steel.**
- Stainless top is double formed around solid wood core.
- Base and bottom shelf are inset.
- 1-1/2" square tubular legs with adjustable feet for use on uneven surfaces.
- 18 gauge one piece stainless steel wrap around shell.
- Includes 3 lockable stainless drawers (4-1/4"h x 16"w x 16"d) with 2 keys.
- Clearance between shelves is 19".

Model UL:

- **Durable 16 gauge premium polished stainless steel.**
- Stainless top is double formed around solid wood core.
- Top can be placed on sets of legs or on existing flush work surfaces.

Model YE: ***NEWLY IMPROVED***

- Fully welded frame construction.
- **Durable 14 gauge premium polished stainless steel.**
- Bottom shelf is set back for comfortable use.
- 2" angle frame legs with pre-punched floor mounting pads.
- Flush top shelf.

Options for Model YE only:

- Vinyl matting on top shelf - **Code VM**
- Lockable stainless drawer (4-1/4"h x 16"w x 16"d) with 2 keys - **Code DZ**

Model VP - Workbench, Sides, Drawers

DxW (in)	Model	Wgt. (lbs)
30 x 60	VP360	236
72	VP372	252

Model UL - Workbench Top

DxW (in)	Model	Wgt. (lbs)
30 x 60	UL360	84
72	UL372	100


Model YE - Workbench

DxW (in)	Model	Wgt. (lbs)
24 x 48	YE248	82
30 x 60	YE360	106
72	YE372	124

1,200 LB CAPACITY



Model VP Shown



Model UL Shown

1,500 LB CAPACITY



Model YE Shown

Stainless Steel Work Stands

Models XU, XW, YG - Stainless steel work stands

1,200 LB CAPACITY



Model XU Shown

Product Features:

- All welded construction.
- **Stainless, premium polished shelves in durable 16 gauge.**
- 1-1/2" Stainless 16 gauge corner angles.
- Pre-punched mounting pads.

Dimensions:

Table Model	Overall Height	Clearance Between Shelves
XU	34"	9"
XW	30"	20"
YG	32"	10"

Other Specifications:

Model XU:

- **Lockable Stainless Drawer** (4-1/4" h x 16" w x 16" d) with 2 keys.
- Top & middle shelf - flush front with other 3 sides lips up.
- Bottom shelf - flush.

Models XW & YG:

- All shelves flush.

Options:

- Vinyl matting on top shelf - **Code VM**
- Lockable stainless drawer (4-1/4" h x 16" w x 16" d) with 2 keys - **Code DZ** (Model XW only)

1,200 LB CAPACITY



Model XW Shown

Model XU - Work Stand, 3 Shelves, 1 Drawer

DxW (in)	Model	Wgt. (lbs)
18 x 18	XU118	70

Model XW - Work Stand, 2 Shelves

DxW (in)	Model	Wgt. (lbs)
18 x 24	XW124	32
30	XW130	36
36	XW136	40
24 x 36	XW236	50
48	XW248	62

1,200 LB CAPACITY



Model YG Shown

Model YG - Work Stand, 3 Shelves

DxW (in)	Model	Wgt. (lbs)
18 x 24	YG124	42
30	YG130	50
36	YG136	56
24 x 36	YG236	70
48	YG248	90

Stainless Steel Mobile Narrow Work Stands

Models XX, XR, YD - Stainless steel work stands

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in durable 16 gauge.**
- 16 gauge, 1-1/2" stainless corner angles (Models XX & XR only).
- 3 sided 16 gauge stainless wrap construction (Model YD only).
- **Lockable Stainless Drawer** (4-1/4"h x 16"w x 16"d) with 2 keys. (Models XR & YD only).
- Top shelf - flush front lip with other 3 sides lips up, bottom shelf flush.
- Middle shelf - flush front lip with other 3 sides lips up (Models XX & XR only).
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are all swivel, available in stainless or steel rigs.
- All locks are keyed alike - call for other key options.

Dimensions:

Work stand Model	Overall Height	Clearance Between Shelves
XX	.34"	.11"
XR	.34"	.8"
YD	.34"	.18"

Options:

- 2 wheel brakes on swivel casters -
Caster Code**Brake Code**
U5/T5**B5**
S5**BX**
- Vinyl matting on top shelf - **Code VM**
- Front leg "L" bumpers - **Code LB** (Models XX & XR only)

Model XX - 3 Shelves

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 18	XX118-U5-AS	XX118-S5-AS	XX118-T5-AS	44

Model XR - 3 Shelves, 1 Drawer

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 18	XR118-U5-AS	XR118-S5-AS	XR118-T5-AS	70

Model YD - 2 Shelves, 1 Drawer

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 18	YD118-U5-AS	YD118-S5-AS	YD118-T5-AS	84

1,200 LB CAPACITY



Model XX Shown

1,200 LB CAPACITY



Model XR Shown

1,200 LB CAPACITY



Model YD Shown

Stainless Steel Mobile Narrow Cabinets

Models YF, YS, YT – Stainless steel mobile cabinets with drawer(s) and/or a door

1,200 LB CAPACITY



Model YF Shown

1,200 LB CAPACITY

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in durable 16 gauge.**
- 3 sided 16 gauge stainless wrap construction.
- **Lockable Stainless Drawer(s)** (4-1/4”h x 16”w x 16”d) with 2 keys (Models YF & YS only).
- **Lockable Stainless Door** with 2 keys (Models YS & YT only).
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are all swivel, available in stainless or steel rigs.
- Top shelf - flush front lip with other 3 sides lips up.
- Bottom shelf - flush (Models YS & YT only).
- All locks are keyed alike - call for other key options.

Dimensions:

Mobile Cabinet Model	Overall Height	Clearance Between Shelves
YF	34"	N/A
YS	34"	18"
YT	34"	24"

Options:

- 2 wheel brakes on swivel casters -
Caster Type**Brake Code**
U5/T5**B5**
S5**BX**
- Middle shelf behind door - **Code HM** (Models YS & YT only)
- Vinyl matting on top shelf - **Code VM**

Model YF – 4 Drawers

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 18	YF118-U5-AS	YF118-S5-AS	YF118-T5-AS	144



Model YS Shown

1,200 LB CAPACITY

Model YS – 1 Drawer, 1 Door

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 18	YS118-U5-AS	YS118-S5-AS	YS118-T5-AS	92



Model YT Shown

Model YT – 1 Door

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 18	YT118-U5-AS	YT118-S5-AS	YT118-T5-AS	74

Stainless Steel Mobile Work Stands

Models XV, YC, YR, YK - Stainless mobile work stands

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in durable 16 gauge.**
- 16 gauge 1-1/2" stainless corner posts (Models XV & YR only).
- 3 sided 16 gauge stainless wrap construction (Models YC & YK only).
- **Lockable Stainless Drawers** (4-1/4" h x 16" w x 16" d) with 2 keys (Models YR & YK only).
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are 2 rigid & 2 swivel for superior tracking, available in stainless or steel rigs.
- Top shelf - flush front lip with other 3 sides lips up.
- Middle shelf:
 - Flush front lip with other 3 sides up (Model XV only).
 - Flush (Model YC only).
- Bottom Shelf:
 - Flush (Models XV, YC, & YK only).
 - 1-1/2" lips up (Model YR only).

Dimensions:

Cabinet Model	Overall Height	Clearance Between Shelves
XV	34"	11"
YC	34"	11"
YR	34"	18"
YK	34"	18"

Options:

- 2 wheel brakes on swivel casters -
Caster Type Brake Code
U5/T5 B5
S5 BX
- All swivel casters - Code AS
- Vinyl matting on top shelf - Code VM
- Front leg "L" bumpers - Code LB (Models XV & YR only)



Model XV – 3 Shelves

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 24	XV124-U5	XV124-S5	XV124-T5	56
30	XV130-U5	XV130-S5	XV130-T5	62
36	XV136-U5	XV136-S5	XV136-T5	68
24 x 36	XV236-U5	XV236-S5	XV236-T5	86

Model YC – 3 Shelves

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 18	YC118-U5	YC118-S5	YC118-T5	68
36	YC136-U5	YC136-S5	YC136-T5	98
24 x 36	YC236-U5	YC236-S5	YC236-T5	120

Model YR – 2 Shelves, 2 Drawers

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 36	YR136-U5	YR136-S5	YR136-T5	96
24 x 36	YR236-U5	YR236-S5	YR236-T5	106

Model YK – 2 Shelves, 2 Drawers

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 36	YK136-U5	YK136-S5	YK136-T5	130
24 x 36	YK236-U5	YK236-S5	YK236-T5	146

1,200 LB CAPACITY



Model XV Shown

1,200 LB CAPACITY



Model YC Shown

1,200 LB CAPACITY



Model YR Shown

1,200 LB CAPACITY



Model YK Shown

Stainless Steel Mobile Cabinets

Models YW, YZ, YV - Stainless mobile cabinets

1,200 LB CAPACITY



Model YW Shown

1,200 LB CAPACITY



Model YZ Shown

1,200 LB CAPACITY



Model YV Shown

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in durable 16 gauge.**
- 3 sided 16 gauge stainless wrap construction.
- **Lockable Stainless Drawers** (4-1/4" h x 16" w x 16" d) with 2 keys (Model YV only).
- **Lockable Stainless Doors** with 2 keys.
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are 2 rigid & 2 swivel for superior tracking, available in stainless or steel rigs.
- Top shelf - flush front lip with other 3 sides lips up.
- All locks are keyed alike - call for other key options.

Dimensions:

Cabinet Model	Overall Height	Clearance Between Shelves
YW	34"	24"
YZ	34"	11"
YV	34"	18"

Options:

- 2 wheel brakes on swivel casters -
Caster Type **Brake Code**
U5/T5 **B5**
S5 **BX**
- All swivel casters - **Code AS**
- Middle shelf behind doors - **Code SM** (Model YV only)
- Vinyl matting on top shelf - **Code VM**

Model YW – 2 Doors

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 36	YW136-U5	YW136-S5	YW136-T5	108
24 x 36	YW236-U5	YW236-S5	YW236-T5	124

Model YZ – 2 Doors, Middle Shelf

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 36	YZ136-U5	YZ136-S5	YZ136-T5	122
24 x 36	YZ236-U5	YZ236-S5	YZ236-T5	140

Model YV – 2 Drawers, 2 Doors

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 36	YV136-U5	YV136-S5	YV136-T5	146
24 x 36	YV236-U5	YV236-S5	YV236-T5	162

Stainless Steel Mobile Cabinets

Models YX, YY, ZO - Stainless mobile cabinets

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in durable 16 gauge.**
- 3 sided 16 gauge stainless wrap construction.
- **Lockable Stainless Drawer(s)** (4-1/4" h x 16" w x 16" d) with 2 keys.
- **Lockable Stainless Door** with 2 keys (Models YX & YY only).
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are 2 rigid & 2 swivel for superior tracking, available in stainless or steel rigs.
- Top shelf - flush front lip with other 3 sides lips up.
- All locks are keyed alike - call for other key options.

Dimensions:

Cabinet Model	Overall Height	Clearance Between Shelves Behind Door	Clearance Between Drawer And Shelf
YX	34"	24"	18"
YY	34"	24"	N/A
ZO	34"	N/A	N/A

Options:

- 2 wheel brakes on swivel casters -
Caster Type**Brake Code**
U5/T5**B5**
S5**BX**
- All swivel casters - **Code AS**
- Middle shelf behind door - **Code HM** (Models YX & YY only)
- Vinyl matting on top shelf - **Code VM**

Model YX – 1 Door, 1 Drawer

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 36	YX136-U5	YX136-S5	YX136-T5	128
24 x 36	YX236-U5	YX236-S5	YX236-T5	148

Model YY – 4 Drawers, 1 Door

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 36	YY136-U5	YY136-S5	YY136-T5	180
24 x 36	YY236-U5	YY236-S5	YY236-T5	196

Model ZO – 8 Drawers

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 36	Z0136-U5	Z0136-S5	Z0136-T5	258
24 x 36	Z0236-U5	Z0236-S5	Z0236-T5	274

1,200 LB CAPACITY



Model YX Shown

1,200 LB CAPACITY



Model YY Shown

1,200 LB CAPACITY



Model ZO Shown

Medium Duty 2 Shelf Stainless Steel Utility Carts

Models ZE, ZF, ZG - Stainless carts with standard and ergonomic handles

600 LB CAPACITY



Model ZE Shown

600 LB CAPACITY



Model ZF Shown

600 LB CAPACITY



Model ZG Shown

Product Features:

- All welded construction (except casters & ergonomic handles).
- **Stainless, premium polished shelves in 20 gauge with hemmed edges.**
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are all swivel, available in stainless or steel rigs.
- **Stainless tubular handle**
 - Standard welded (Models ZE & ZF only)
 - Ergonomic bolt on (Model ZG only)
- 1-1/4" shelf lips
 - All lips up for retention (Models ZE & ZG only)
 - Flush right side with other 3 sides lips up (Model ZF only)
- Bumper guards on all 4 corners.
- Overall height (not including handle) - 34".
- Clearance between shelves - 25".

Options:

- Brakes on 2 swivel casters -
 - Caster Type**Brake Code**
 - U4/T4**B4**
 - S4**BV**
- Change casters to 2 rigid, 2 swivel - **Remove AS from model**
- Add ergonomic handle - **Code EH (Model ZF only)**

Model ZE - Standard Handle - Lips Up

WxL (in)	4" Urethane Casters Model		4" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
16 x 24	ZE124-U4-AS	ZE124-S4-AS	ZE124-T4-AS	34
30	ZE130-U4-AS	ZE130-S4-AS	ZE130-T4-AS	36
22 x 36	ZE236-U4-AS	ZE236-S4-AS	ZE236-T4-AS	44
48	ZE248-U4-AS	ZE248-S4-AS	ZE248-T4-AS	50

Model ZF - Standard Handle - 3 Lips Up & 1 Lip Down

WxL (in)	4" Urethane Casters Model		4" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
16 x 24	ZF124-U4-AS	ZF124-S4-AS	ZF124-T4-AS	34
30	ZF130-U4-AS	ZF130-S4-AS	ZF130-T4-AS	36
22 x 36	ZF236-U4-AS	ZF236-S4-AS	ZF236-T4-AS	44
48	ZF248-U4-AS	ZF248-S4-AS	ZF248-T4-AS	50

Model ZG - Ergonomic Handle - Lips Up

WxL (in)	4" Urethane Casters Model		4" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
16 x 24	ZG124-U4-AS	ZG124-S4-AS	ZG124-T4-AS	36
30	ZG130-U4-AS	ZG130-S4-AS	ZG130-T4-AS	38
22 x 36	ZG236-U4-AS	ZG236-S4-AS	ZG236-T4-AS	46
48	ZG248-U4-AS	ZG248-S4-AS	ZG248-T4-AS	52

BOXED TO SHIP FED EX GROUND

Note: 22" x 48" Ship Freight

Medium Duty 3 Shelf Stainless Steel Utility Carts

Models ZH, ZJ, ZK - Stainless carts with standard and ergonomic handles

Product Features:

- All welded construction (except casters & ergonomic handles).
- **Stainless, premium polished shelves in 20 gauge with hemmed edges.**
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are all swivel, available in stainless or steel rigs.
- **Stainless tubular handle**
 - Standard welded (Models ZH & ZJ only)
 - Ergonomic bolt on (Model ZK only)
- 1-1/4" shelf lips
 - All lips up for retention (Models ZH & ZK only)
 - Flush right side with other 3 sides lips up (Model ZJ only)
- Bumper guards on all 4 corners.
- Overall height (not including handle) - 34".
- Clearance between shelves - 11".

Options:

- Brakes on 2 swivel casters -
 - Caster Type**Brake Code**
 - U4/T4**B4**
 - S4**BV**
- Change casters to 2 rigid, 2 swivel - **Remove AS from model**
- Add ergonomic handle - **Code EH (Model ZJ only)**

600 LB CAPACITY



Model ZH Shown

600 LB CAPACITY



Model ZJ Shown

600 LB CAPACITY



Model ZK Shown

Model ZH - Standard Handle - Lips Up

WxL (in)	4" Urethane Casters Model		4" Thermorubber Casters Model		Wgt. (lbs)
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)	
16 x 24	ZH124-U4-AS	ZH124-S4-AS	ZH124-T4-AS	38	
30	ZH130-U4-AS	ZH130-S4-AS	ZH130-T4-AS	42	
22 x 36	ZH236-U4-AS	ZH236-S4-AS	ZH236-T4-AS	54	
48	ZH248-U4-AS	ZH248-S4-AS	ZH248-T4-AS	64	

Model ZJ - Standard Handle - 3 Lips Up & 1 Lip Down

WxL (in)	4" Urethane Casters Model		4" Thermorubber Casters Model		Wgt. (lbs)
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)	
16 x 24	ZJ124-U4-AS	ZJ124-S4-AS	ZJ124-T4-AS	38	
30	ZJ130-U4-AS	ZJ130-S4-AS	ZJ130-T4-AS	42	
22 x 36	ZJ236-U4-AS	ZJ236-S4-AS	ZJ236-T4-AS	54	
48	ZJ248-U4-AS	ZJ248-S4-AS	ZJ248-T4-AS	64	

Model ZK - Ergonomic Handle - Lips Up

WxL (in)	4" Urethane Casters Model		4" Thermorubber Casters Model		Wgt. (lbs)
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)	
16 x 24	ZK124-U4-AS	ZK124-S4-AS	ZK124-T4-AS	40	
30	ZK130-U4-AS	ZK130-S4-AS	ZK130-T4-AS	44	
22 x 36	ZK236-U4-AS	ZK236-S4-AS	ZK236-T4-AS	56	
48	ZK248-U4-AS	ZK248-S4-AS	ZK248-T4-AS	66	

BOXED TO SHIP FED EX GROUND

Note: 22" x 48" Ship Freight

Medium Duty 2 Shelf Stainless Steel Deep Lip Carts

Model ZM - Stainless steel carts with standard handle and 2-1/2" deep lips

600 LB CAPACITY



Model ZM Shown

BOXED TO SHIP FED EX GROUND
Note: 22" x 48" Ship Freight

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in 20 gauge with hemmed edges.**
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- 2-1/2" Lips up for retention.
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are all swivel, available in stainless or steel rigs.
- **Stainless Tubular Handle.**
- Bumper guards on all 4 corners.
- Overall height - 34".
- Clearance between shelves - 22".

Options:

- Brakes on 2 swivel casters -
Caster Type**Brake Code**
U4/T4**B4**
S4**BV**
- Change casters to 2 rigid, 2 swivel - **Remove AS from model**
- Add ergonomic handle - **Code EH**

Model ZM - 2 Shelves

WxL (in)	4" Urethane Casters Model		4" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
16 x 24	ZM124-U4-AS	ZM124-S4-AS	ZM124-T4-AS	36
30	ZM130-U4-AS	ZM130-S4-AS	ZM130-T4-AS	38
22 x 36	ZM236-U4-AS	ZM236-S4-AS	ZM236-T4-AS	48
48	ZM248-U4-AS	ZM248-S4-AS	ZM248-T4-AS	54

Medium Duty 3 Shelf Stainless Steel Deep Lip Carts

Model ZN - Stainless steel carts with standard handle and 2-1/2" deep lips

600 LB CAPACITY



Model ZN Shown

BOXED TO SHIP FED EX GROUND
Note: 22" x 48" Ship Freight

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in 20 gauge with hemmed edges.**
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- 2-1/2" Lips up for retention.
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are all swivel, available in stainless or steel rigs.
- **Stainless Tubular Handle.**
- Bumper guards on all 4 corners.
- Overall height - 34".
- Clearance between shelves - 10".

Options:

- Brakes on 2 swivel casters -
Caster Type**Brake Code**
U4/T4**B4**
S4**BV**
- Change casters to 2 rigid, 2 swivel - **Remove AS from model**
- Add ergonomic handle - **Code EH**

Model ZN - 3 Shelves

WxL (in)	4" Urethane Casters Model		4" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
16 x 24	ZN124-U4-AS	ZN124-S4-AS	ZN124-T4-AS	44
30	ZN130-U4-AS	ZN130-S4-AS	ZN130-T4-AS	48
22 x 36	ZN236-U4-AS	ZN236-S4-AS	ZN236-T4-AS	60
48	ZN248-U4-AS	ZN248-S4-AS	ZN248-T4-AS	70

Medium Duty 4 Shelf Stainless Steel Linen Carts

Model ZL - Stainless steel linen carts with nylon cover

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in 20 gauge with hemmed edges.**
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- **Blue nylon cover**, velcro closures, flame resistant & durable.
- Shelves are flush for easy load and unload.
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are all swivel, available in stainless or steel rigs.
- **Stainless Tubular Handle.**
- Bumper guards on all 4 corners.
- Overall height - 47".
- Clearance between shelves - 12".

Options:

- Brakes on 2 swivel casters -
Caster TypeBrake Code
U5/T5B5
S5BX
- Change casters to 2 rigid, 2 swivel - Remove AS from model
- Add ergonomic handle - Code EH

Model ZL - 4 Shelves, Nylon Cover

WxL (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
22 x 36	ZL236-U5-AS	ZL236-S5-AS	ZL236-T5-AS	70
48	ZL248-U5-AS	ZL248-S5-AS	ZL248-T5-AS	84

600 LB CAPACITY



Model ZL Shown

Medium Duty 3 Shelf Stainless Steel Supply Carts

Model ZW - Stainless steel supply carts with standard handle

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in 20 gauge with hemmed edges.**
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- 1-1/4" Lips up for retention.
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are all swivel, available in stainless or steel rigs.
- **Stainless Tubular Handle.**
- Bumper guards on all 4 corners.
- Overall height - 42".
- Clearance between shelves - 16".

Options:

- Brakes on 2 swivel casters -
Caster TypeBrake Code
U5/T5B5
S5BX
- Change casters to 2 rigid, 2 swivel - Remove AS from model
- Add ergonomic handle - Code EH

Model ZW - 3 Shelves

WxL (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
22 x 36	ZW236-U5-AS	ZW236-S5-AS	ZW236-T5-AS	52
48	ZW248-U5-AS	ZW248-S5-AS	ZW248-T5-AS	62

600 LB CAPACITY



Model ZW Shown

Medium Duty 4 Shelf Stainless Steel Supply Carts

Model ZX - Stainless steel supply carts with standard handle

600 LB CAPACITY



Model ZX Shown

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in 20 gauge with hemmed edges.**
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- 1-1/4" Lips up for retention.
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are all swivel, available in stainless or steel rigs.
- **Stainless Tubular handle.**
- Bumper guards on all 4 corners.
- Overall height - 48".
- Clearance between shelves - 12".

Options:

- Brakes on 2 swivel casters -
Caster Type**Brake Code**
U5/T5**B5**
S5**BX**
- Change casters to 2 rigid, 2 swivel - **Remove AS from model**
- Add ergonomic handle - **Code EH**

Model ZX - 4 Shelves

WxL (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
22 x 36	ZX236-U5-AS	ZX236-S5-AS	ZX236-T5-AS	66
48	ZX248-U5-AS	ZX248-S5-AS	ZX248-T5-AS	80

Medium Duty 5 Shelf Stainless Steel Supply Carts

Model ZY - Stainless steel supply carts with standard handle

600 LB CAPACITY



Model ZY Shown

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in 20 gauge with hemmed edges.**
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- 1-1/4" Lips up for retention.
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are all swivel, available in stainless or steel rigs.
- **Stainless Tubular handle.**
- Bumper guards on all 4 corners.
- Overall height - 53".
- Clearance between shelves - 10".

Options:

- Brakes on 2 swivel casters -
Caster Type**Brake Code**
U5/T5**B5**
S5**BX**
- Change casters to 2 rigid, 2 swivel - **Remove AS from model**
- Add ergonomic handle - **Code EH**

Model ZY - 5 Shelves

WxL (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
22 x 36	ZY236-U5-AS	ZY236-S5-AS	ZY236-T5-AS	78
48	ZY248-U5-AS	ZY248-S5-AS	ZY248-T5-AS	94

Tubular Frame Stainless Steel 2 & 3 Shelf Service Carts

Models XF, XM, XG, XN - Stainless steel "U" frame service carts, bumpers

Product Features:

- All welded construction (except casters & donut handle).
- **Stainless, premium polished shelves** in durable 16 gauge.
- **1" square tubular stainless "U" frame.**
- 1" stainless tubular handle with donut bumper ends.
- "L" shaped bumpers on front legs.
- Flush right side with other 3 sides 1-1/2" lips up.
- Casters are available with stainless or steel rigs.
- **Wheels:**
 - 2 - 8" x 1-1/2" on an axle, 2 - 5" x 1-1/4" swivel casters (Models XF & XG only).
 - 2 rigid, 2 swivel 5" x 1-1/4" casters (Models XM & XN only).
- Overall height - 37".
- **Clearance:**
 - 22" (Models XF & XM only)
 - 10" (Models XG & XN only)

Options:

- 2 wheel brakes on swivel casters

Caster Type.....	Brake Code
TR, T5, U5.....	B5
TS, ST, S5.....	BX
- Vinyl matting on top shelf - **Code VM**
- Lockable stainless drawer (4-1/4" h x 16" w x 16" d) with 2 keys - **Code DZ** (Models XF & XM only)

800 LB CAPACITY



Model XF Shown

1,200 LB CAP.*(*800 lb with thermorubber casters)



Model XM Shown

800 LB CAPACITY



Model XG Shown

1,200 LB CAP.*(*800 lb with thermorubber casters)



Model XN Shown

Model XF - 2 Shelves (8" wheels & 5" casters)

WxL (in)	8"/5" Thermorubber Casters Model		
	Steel Rig	Stainless Rig	Wgt. (lbs)
18 x 24	XF124-TR	XF124-TS	48
30	XF130-TR	XF130-TS	54
36	XF136-TR	XF136-TS	60
24 x 36	XF236-TR	XF236-TS	72
48	XF248-TR	XF248-TS	86

Model XM - 2 Shelves (5" casters)

WxL (in)	5" Thermorubber No.'s		5" Urethane Model		Wgt. (lbs)
	Steel Rig	Stainless Rig	Steel Rig	Stainless Rig	
18 x 24	XM124-T5	XM124-ST	XM124-U5	XM124-S5	48
30	XM130-T5	XM130-ST	XM130-U5	XM130-S5	54
36	XM136-T5	XM136-ST	XM136-U5	XM136-S5	60
24 x 36	XM236-T5	XM236-ST	XM236-U5	XM236-S5	72
48	XM248-T5	XM248-ST	XM248-U5	XM248-S5	86

Model XG - 3 Shelves (8" wheels & 5" casters)

WxL (in)	8"/5" Thermorubber Casters Model		
	Steel Rig	Stainless Rig	Wgt. (lbs)
18 x 24	XG124-TR	XG124-TS	60
30	XG130-TR	XG130-TS	68
36	XG136-TR	XG136-TS	76
24 x 36	XG236-TR	XG236-TS	92
48	XG248-TR	XG248-TS	112

Model XN - 3 Shelves (5" casters)

WxL (in)	5" Thermorubber Model		5" Urethane Model		Wgt. (lbs)
	Steel Rig	Stainless Rig	Steel Rig	Stainless Rig	
18 x 24	XN124-T5	XN124-ST	XN124-U5	XN124-S5	60
30	XN130-T5	XN130-ST	XN130-U5	XN130-S5	68
36	XN136-T5	XN136-ST	XN136-U5	XN136-S5	76
24 x 36	XN236-T5	XN236-ST	XN236-U5	XN236-S5	92
48	XN248-T5	XN248-ST	XN248-U5	XN248-S5	112

Stainless Steel 2 & 3 Shelf Standard & Ergonomic Handle Carts

Models XB, XA, XS, XT - Stainless steel standard & ergonomic handles

1,200 LB CAPACITY



Model XB Shown

1,200 LB CAPACITY



Model XA Shown

1,200 LB CAPACITY



Model XS Shown

1,200 LB CAPACITY



Model XT Shown

Product Features:

- All welded construction (except casters).
- **Stainless with premium polished shelves** in durable 16 gauge.
- 1-1/2" stainless corner angles, and stainless caster mounts.
- Bolt on casters, 2 swivel & 2 rigid, for superior tracking.
- Caster rigs available in steel or stainless for urethane wheels and steel only for semi pneumatic wheels.
- **Tubular handle** with smooth radius bend - standard (XA & XB), raised ergonomic (XS & XT).
- 1-1/2" shelf lips up for retention.
- Top shelf height - 34" (Add 4" for Z8 casters).
- Clearance between shelves - 25" (Models XB & XS); 11" (Models XA & XT).

Options:

- 2 wheel brakes on swivel casters - Caster Type **Brake Code**
 U5 **B5**
 S5 **BX**
 Z8 **BN**
- Right side lip down, other three sides lips up (all shelves) - **Code LA**
- Thermorubber casters available.
- Lockable stainless drawer (4-1/4" x 16" w x 16" d) with 2 keys (Models XB & XS) - **Code DZ**
- All swivel casters - **Code AS**
- Vinyl matting on top shelf - **Code VM**
- Flush top shelf - **Code FT**
- All shelves flush - **Code FA**
- Front leg "L" bumpers - **Code LB**

Model XB - Standard Handle - 2 Shelf

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XB124-U5	XB124-S5	52	XB124-Z8	76
30	XB130-U5	XB130-S5	56	XB130-Z8	80
36	XB136-U5	XB136-S5	60	XB136-Z8	84
24 x 36	XB236-U5	XB236-S5	70	XB236-Z8	94
48	XB248-U5	XB248-S5	82	XB248-Z8	106
30 x 48	XB348-U5	XB348-S5	94	XB348-Z8	118
60	XB360-U5	XB360-S5	108	XB360-Z8	132

Model XA - Standard Handle - 3 Shelf

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XA124-U5	XA124-S5	60	XA124-Z8	84
30	XA130-U5	XA130-S5	66	XA130-Z8	90
36	XA136-U5	XA136-S5	72	XA136-Z8	96
24 x 36	XA236-U5	XA236-S5	86	XA236-Z8	110
48	XA248-U5	XA248-S5	104	XA248-Z8	128
30 x 48	XA348-U5	XA348-S5	122	XA348-Z8	146
60	XA360-U5	XA360-S5	142	XA360-Z8	166

Model XS - Ergonomic Handle - 2 Shelf

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XS124-U5	XS124-S5	48	XS124-Z8	72
30	XS130-U5	XS130-S5	54	XS130-Z8	78
36	XS136-U5	XS136-S5	60	XS136-Z8	84
24 x 36	XS236-U5	XS236-S5	70	XS236-Z8	94
48	XS248-U5	XS248-S5	82	XS248-Z8	106
30 x 48	XS348-U5	XS348-S5	94	XS348-Z8	118
60	XS360-U5	XS360-S5	108	XS360-Z8	132

Model XT - Ergonomic Handle - 3 Shelf

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XT124-U5	XT124-S5	60	XT124-Z8	84
30	XT130-U5	XT130-S5	68	XT130-Z8	92
36	XT136-U5	XT136-S5	76	XT136-Z8	100
24 x 36	XT236-U5	XT236-S5	88	XT236-Z8	112
48	XT248-U5	XT248-S5	106	XT248-Z8	130
30 x 48	XT348-U5	XT348-S5	124	XT348-Z8	148
60	XT360-U5	XT360-S5	144	XT360-Z8	168

Stainless Steel 2 & 3 Shelf Bumper & Standard Handle Carts

Models XH, XJ, XK, XY - Stainless steel carts w/bumper handles or flush one side for flush load and unload

Product Features:

- All welded construction (except casters & donut handle).
- **Stainless with premium polished shelves** in durable **16 gauge**.
- 1-1/2" stainless corner angles, and stainless caster mounts.
- Bolt on casters, 2 swivel & 2 rigid, for superior tracking.
- Caster rigs available in steel or stainless for urethane wheels and steel only for semi pneumatic wheels.
- **Tubular handle** Donut bumper at handle ends (XH & XJ), Smooth radius bend (XK & XY)
- "L" shaped rubber bumpers on front legs standard on (XH & XJ).
- Shelf Lips: 1-1/2" shelf lips - All up (XH & XJ) - Right side flush, other 3 sides up (XK & XY)
- Top shelf height - 34" (Add 4" for Z8 casters).
- Clearance between shelves - Models XH - 25"; XJ - 11"; XK - 23"; XY - 10".

Options:

- 2 wheel brakes on swivel casters -

Caster Type	Brake Code
U5.....	B5
S5.....	BX
Z8.....	BN
- All shelves flush - **Code FA**
- Front leg "L" bumpers (XK&XY only) - **Code LB**
- Right side flush, other 3 sides lip up (all shelves) (XH&XJ only) - **Code LA**
- Thermorubber casters available.
- Lockable stainless drawer (4-1/4" h x 16" w x 16" d) with 2 keys (XH&XK only) - **Code DZ**
- All swivel casters - **Code AS**
- Vinyl matting on top shelf - **Code VM**
- Flush top shelf - **Code FT**

Model XH - Donut Bumper Handle - 2 Shelf

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XH124-U5	XH124-S5	54	XH124-Z8	78
30	XH130-U5	XH130-S5	58	XH130-Z8	82
36	XH136-U5	XH136-S5	62	XH136-Z8	86
24 x 36	XH236-U5	XH236-S5	72	XH236-Z8	96
48	XH248-U5	XH248-S5	84	XH248-Z8	108
30 x 48	XH348-U5	XH348-S5	96	XH348-Z8	120
60	XH360-U5	XH360-S5	110	XH360-Z8	134

Model XJ - Donut Bumper Handle - 3 Shelf

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XJ124-U5	XJ124-S5	62	XJ124-Z8	86
30	XJ130-U5	XJ130-S5	68	XJ130-Z8	92
36	XJ136-U5	XJ136-S5	74	XJ136-Z8	98
24 x 36	XJ236-U5	XJ236-S5	88	XJ236-Z8	112
48	XJ248-U5	XJ248-S5	106	XJ248-Z8	130
30 x 48	XJ348-U5	XJ348-S5	124	XJ348-Z8	148
60	XJ360-U5	XJ360-S5	144	XJ360-Z8	168

Model XK - Right Side Flush - 2 Shelf

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XK124-U5	XK124-S5	52	XK124-Z8	76
30	XK130-U5	XK130-S5	56	XK130-Z8	80
36	XK136-U5	XK136-S5	60	XK136-Z8	84
24 x 36	XK236-U5	XK236-S5	70	XK236-Z8	94
48	XK248-U5	XK248-S5	82	XK248-Z8	106
30 x 48	XK348-U5	XK348-S5	94	XK348-Z8	118
60	XK360-U5	XK360-S5	108	XK360-Z8	132

Model XY - Right Side Flush - 3 Shelf

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XY124-U5	XY124-S5	60	XY124-Z8	84
30	XY130-U5	XY130-S5	66	XY130-Z8	90
36	XY136-U5	XY136-S5	72	XY136-Z8	96
24 x 36	XY236-U5	XY236-S5	86	XY236-Z8	110
48	XY248-U5	XY248-S5	104	XY248-Z8	128
30 x 48	XY348-U5	XY348-S5	122	XY348-Z8	146
60	XY360-U5	XY360-S5	142	XY360-Z8	166

1,200 LB CAPACITY



Model XH Shown

1,200 LB CAPACITY



Model XJ Shown

1,200 LB CAPACITY



Model XK Shown

1,200 LB CAPACITY



Model XY Shown

Stainless Steel 2 & 3 Shelf, 3" Deep Lip & Order Picking Carts

Models XZ, YU, XO, YO - Stainless steel carts with deep lips or writing stands

1,200 LB CAPACITY



Model XZ Shown

1,200 LB CAPACITY



Model YU Shown

1,200 LB CAPACITY



Model XO Shown

1,200 LB CAPACITY



Model YO Shown

Product Features:

- All welded construction (except casters).
- **Stainless with premium polished shelves** in durable 16 gauge.
- 1-1/2" stainless corner angles, and stainless caster mounts.
- Writing stand 12" by cart width (Models XO & YO only).
- Bolt on casters, 2 swivel & 2 rigid, for superior tracking.
- Caster rigs available in steel or stainless for urethane wheels and steel only for semi pneumatic wheels.
- **Tubular handle** with smooth radius bend.
- Top shelf height - 34" (except XZ - 32") (Add 4" for Z8 casters).
- Clearance between shelves - Model XZ - 22", YU - 9", XO - 25", YO - 11".

Options:

- 2 wheel brakes on swivel casters -

Caster Type	Brake Code
U5	B5
S5	BX
Z8	BN
- Front leg "L" bumpers - **Code LB**
- Other shelf heights available - **specify**
- Thermorubber casters available.
- Lockable stainless drawer (4-1/4" h x 16" w x 16" d) with 2 keys - **Code DZ** (Models XZ & XO only)
- All swivel casters - **Code AS**
- Vinyl matting on top shelf - **Code VM**

Model XZ - 2 Shelf 3" Lips

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 30	XZ130-U5	XZ130-S5	50	XZ130-Z8	72
36	XZ136-U5	XZ136-S5	56	XZ136-Z8	78
24 x 36	XZ236-U5	XZ236-S5	70	XZ236-Z8	92



Model YU - 3 Shelf 3" Lips

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 30	YU130-U5	YU130-S5	68	YU130-Z8	90
36	YU136-U5	YU136-S5	76	YU136-Z8	98
24 x 36	YU236-U5	YU236-S5	94	YU236-Z8	116

Model XO - 2 Shelf with Writing Stand - Order Picker

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 30	XO130-U5	XO130-S5	64	XO130-Z8	86
36	XO136-U5	XO136-S5	68	XO136-Z8	90
24 x 36	XO236-U5	XO236-S5	78	XO236-Z8	100
48	XO248-U5	XO248-S5	90	XO248-Z8	112
30 x 48	XO348-U5	XO348-S5	104	XO348-Z8	126
60	XO360-U5	XO360-S5	118	XO360-Z8	140

Model YO - 3 Shelf with Writing Stand - Order Picker

WxL (in)	5" Urethane Casters Cat. No.'s			8" Casters Cat. No.'s	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 30	YO130-U5	YO130-S5	74	YO130-Z8	96
36	YO136-U5	YO136-S5	80	YO136-Z8	102
24 x 36	YO236-U5	YO236-S5	94	YO236-Z8	116
48	YO248-U5	YO248-S5	112	YO248-Z8	134
30 x 48	YO348-U5	YO348-S5	130	YO348-Z8	152
60	YO360-U5	YO360-S5	152	YO360-Z8	174

Stainless Steel Platforms, Low Profile & Transfer Carts

Models XP, YP, XL, YB - Stainless steel platforms & low profile & transfer carts

Product Features:

- All welded construction (except casters).
- **Stainless with premium polished shelves and decks** in durable **16 gauge**.
- 1-1/2" stainless corner angles (Models XL & YB only), and stainless caster mounts.
- Bolt on casters, 2 swivel & 2 rigid, for superior tracking.
- Caster rigs available in steel or stainless for urethane wheels and steel only for semi pneumatic wheels.
- **Tubular handle** with smooth radius bend for comfort and uniform appearance -30" handle height above platform (XP & YP); raised offset handle (XL).
- 1-1/2" shelf lips down (flush) for easy loading. Model XL bottom shelf has 1-1/2" shelf lips up for retention.

Cart shelf/platform deck dimensions:

Model	Cart Top Shelf/Deck Height	Clearance Between Shelves
XP	9"	N/A
YP	9"	N/A
XL	27"	17"
YB	30"	20"

*Add 4" to height for Z8 casters

Options:

- 2 wheel brakes on swivel casters - Caster Type**Brake Code**
 - U5**B5**
 - S5**BX**
 - Z8**BN**
- All swivel casters - **Code AS**
- Vinyl matting on top shelf - **Code VM**
- Front leg "L" bumpers (XL&YB only) - **Code LB**
- Middle shelf (YB only) - **Code SM**
- Thermorubber casters available.

Model XP - Platform - Removable Handle

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 30	XP130-U5	XP130-S5	46	XP130-Z8	70
36	XP136-U5	XP136-S5	48	XP136-Z8	72
24 x 36	XP236-U5	XP236-S5	54	XP236-Z8	78
48	XP248-U5	XP248-S5	60	XP248-Z8	84
30 x 48	XP348-U5	XP348-S5	68	XP348-Z8	92
60	XP360-U5	XP360-S5	74	XP360-Z8	98

Model YP - Platform - 2 Removable Handles

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 30	YP130-U5	YP130-S5	52	YP130-Z8	76
36	YP136-U5	YP136-S5	54	YP136-Z8	78
24 x 36	YP236-U5	YP236-S5	60	YP236-Z8	84
48	YP248-U5	YP248-S5	66	YP248-Z8	90
30 x 48	YP348-U5	YP348-S5	74	YP348-Z8	98
60	YP360-U5	YP360-S5	80	YP360-Z8	104

Model XL - Low Profile - Raised Offset Handle

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 30	XL130-U5	XL130-S5	56	XL130-Z8	80
36	XL136-U5	XL136-S5	60	XL136-Z8	84
24 x 36	XL236-U5	XL236-S5	70	XL236-Z8	94
48	XL248-U5	XL248-S5	82	XL248-Z8	106
30 x 48	XL348-U5	XL348-S5	94	XL348-Z8	118
60	XL360-U5	XL360-S5	108	XL360-Z8	132

Model YB - Transfer Cart

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	YB124-U5	YB124-S5	50	YB124-Z8	74
30	YB130-U5	YB130-S5	54	YB130-Z8	78
36	YB136-U5	YB136-S5	58	YB136-Z8	82
24 x 36	YB236-U5	YB236-S5	68	YB236-Z8	92
48	YB248-U5	YB248-S5	80	YB248-Z8	104
30 x 48	YB348-U5	YB348-S5	92	YB348-Z8	116
60	YB360-U5	YB360-S5	106	YB360-Z8	130

1,200 LB CAPACITY



Model XP Shown

1,200 LB CAPACITY



Model YP Shown

1,200 LB CAPACITY



Model XL Shown

1,200 LB CAPACITY



Model YB Shown

1,800 lb Capacity Service & Transfer Carts & Platform Trucks

Models YJ, YN, YM, YL - Heavy Duty Stainless Transporters

1,800 LB CAPACITY



Model YJ Shown

1,800 LB CAPACITY



Model YN Shown

1,800 LB CAPACITY



Model YM Shown

1,800 LB CAPACITY



Model YL Shown

Product Features:

- All welded construction (except casters).
- **Stainless with premium polished shelves in durable 16 gauge.**
- 2" stainless corner angles (except model YL), and stainless caster mounts with "twin caster hole pattern" to mount various sized casters.
- Bolt on casters, 2 swivel & 2 rigid for superior tracking.
- Caster rigs available in steel or stainless with urethane wheels.
- Tubular handle with smooth radius bend (model YL's handle is removable and 30" above deck).
- 1-1/2" shelf lips (models YJ & YN), Lips flush (Models YM & YL).
- Cart shelf dimensions:

Cart Model	Top Shelf/Deck Height	Clearance Between Shelves
YJ	35"	25"
YN	35"	11"
YM	31"	20"
YL	10"	N/A

Options:

- 2 wheel brakes on swivel casters -
Caster Type Brake Code
U6/T6 B6
S6 BY
- All swivel casters - **Code AS**
- Vinyl matting on top shelf - **Code VM**
- Front leg "L" bumpers (except Model YL) - **Code LB**
- Lockable stainless drawer (4-1/4" h x 16" w x 16" d) with 2 keys - **Code DZ** (Models YJ & YM only)

Model YJ - Standard Handle - 2 Shelf

WxL (in)	6" Urethane Casters Model		6" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
24 x 36	YJ236-U6	YJ236-S6	YJ236-T6	92
48	YJ248-U6	YJ248-S6	YJ248-T6	104
30 x 48	YJ348-U6	YJ348-S6	YJ348-T6	116
60	YJ360-U6	YJ360-S6	YJ360-T6	130

Model YN - Standard Handle - 3 Shelf

WxL (in)	6" Urethane Casters Model		6" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
24 x 36	YN236-U6	YN236-S6	YN236-T6	108
48	YN248-U6	YN248-S6	YN248-T6	126
30 x 48	YN348-U6	YN348-S6	YN348-T6	144
60	YN360-U6	YN360-S6	YN360-T6	164

Model YM - Transfer Cart

WxL (in)	6" Urethane Casters Model		6" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
24 x 36	YM236-U6	YM236-S6	YM236-T6	90
48	YM248-U6	YM248-S6	YM248-T6	102
30 x 48	YM348-U6	YM348-S6	YM348-T6	114
60	YM360-U6	YM360-S6	YM360-T6	128

Model YL - Platform - Removable Handle

WxL (in)	6" Urethane Casters Model		6" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
24 x 36	YL236-U6	YL236-S6	YL236-T6	76
48	YL248-U6	YL248-S6	YL248-T6	82
30 x 48	YL348-U6	YL348-S6	YL348-T6	90
60	YL360-U6	YL360-S6	YL360-T6	96

1,800 Lb Capacity Stainless Steel 3, 4, & 5 Shelf Stock Trucks

Models XC, XD, XE - Heavy Duty Stainless transporters

Product Features:

- All welded construction (except casters).
- **Stainless with premium polished shelves** in durable 16 gauge.
- 2" stainless corner angles and stainless caster mounts with "twin hole pattern" to mount various sized casters.
- Bolt on casters, 2 swivel & 2 rigid, for superior tracking.
- Caster rigs available in steel or stainless for urethane wheels.
- **Tubular handle** with smooth radius bend for comfort and uniform appearance.
- 1-1/2" shelf lips up for retention.
- Cart shelf dimensions:

Cart Model	Overall Height	Clearance Between Shelves
XC	47"	17"
XD	53"	13"
XE	60"	11"

Options:

- 2 wheel brakes on swivel casters -
Caster Type**Brake Code**
U6/T6**B6**
S6**BY**
- All swivel casters - **Code AS**
- Ergonomic handle - **Code EH**
- Flush top shelf - **Code FT**
- All shelves flush - **Code FA**
- Right side flush, other 3 sides lips up (all shelves) - **Code LA**

Model XC - 3 Shelf Truck

WxL (in)	6" Urethane Casters Model		6" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 30	XC130-U6	XC130-S6	XC130-T6	94
36	XC136-U6	XC136-S6	XC136-T6	100
24 x 36	XC236-U6	XC236-S6	XC236-T6	114
48	XC248-U6	XC248-S6	XC248-T6	132
30 X 48	XC348-U6	XC348-S6	XC348-T6	150
60	XC360-U6	XC360-S6	XC360-T6	170

Model XD - 4 Shelf Truck

WxL (in)	6" Urethane Casters Model		6" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 30	XD130-U6	XD130-S6	XD130-T6	108
36	XD136-U6	XD136-S6	XD136-T6	116
24 x 36	XD236-U6	XD236-S6	XD236-T6	134
48	XD248-U6	XD248-S6	XD248-T6	158
30 X 48	XD348-U6	XD348-S6	XD348-T6	182
60	XD360-U6	XD360-S6	XD360-T6	208

Model XE - 5 Shelf Truck

WxL (in)	6" Urethane Casters Model		6" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
24 x 36	XE236-U6	XE236-S6	XE236-T6	154
48	XE248-U6	XE248-S6	XE248-T6	184
30 x 48	XE348-U6	XE348-S6	XE348-T6	214
60	XE360-U6	XE360-S6	XE360-T6	246

1,800 LB CAPACITY



Model XC Shown

1,800 LB CAPACITY



Model XD Shown

1,800 LB CAPACITY



Model XE Shown

Stainless Steel Plastic Tote Box Trucks

Models YH, YA, YQ - Plastic Tote Box Trucks

100 LB CAPACITY per Tote



Model YH Shown

100 LB CAPACITY per Tote



Model YA Shown

100 LB CAPACITY per Tote



Model YQ Shown

Product Features:

- All welded construction (except casters).
- 16 gauge flush stainless bottom pan with stainless caster mounts.
- 1" square stainless tube with stainless angle tote support rails.
- Bolt on 5" urethane casters, all swivel.
- Clearance between tote supports - 10".
- Overall height - 42" (Models YH & YA) & 72" (Model YQ).
- Totes - 16"w x 25-1/8"d x 8-1/2" h (gray).

Options:

- 2 wheel brakes on swivel casters -
Caster Type Brake Code
U5/T5 B5
S5 BX
- Additional totes - Code RA

Model YH – 3 Plastic Tote Box Truck

WxL (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
26 x 18	YH218-U5-AS	YH218-S5-AS	YH218-T5-AS	60

Model YA – 6 Plastic Tote Box Truck

WxL (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
26 x 36	YA236-U5-AS	YA236-S5-AS	YA236-T5-AS	100

Model YQ – 12 Plastic Tote Box Truck

WxL (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
26 x 36	YQ236-U5-AS	YQ236-S5-AS	YQ236-T5-AS	154

